PMA
PERFORMANCE MONITORING FOR ACTION

JOHNS HOPKINS
BLOOMBERG SCHOOL
of PUBLIC HEALTH

BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Burkina Faso (Centre)
Snapshot of Indicators
Phase 3 (2022) Cross-sectional Survey

PMA www.pmadata.org   @PMA4Action   @pma4action   @PMA4Action

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	658	1489
Age Group			
15-19	21.4	141	326
20-24	19.5	129	287
25-29	18.1	119	261
30-34	12.0	79	186
35-39	11.5	76	169
40-44	11.3	74	167
45-49	6.2	41	93
Marital Status			
Married, or in union	54.4	358	785
Unmarried, sexually active	12.0	79	192
Parity			
0-1 children	16.4	108	238
2-3 children	25.0	165	370
4+ children	18.9	125	274
Residence			
Urban	81.6	537	1364
Rural	18.4	121	125
Education			
Never	22.0	145	296
Primary	20.1	132	300
Secondary 1 Cycle	32.2	212	498
Secondary 2 Cycles	15.5	102	229
Tertiary	10.2	67	166
Wealth Quintile			
Lowest	2.5	16	26
Middle	5.8	39	47
Highest	91.7	603	1416

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method [1]		Traditional Method	
	All Women	Married [2] Women	All Women	Married [2] Women	All Women	Married [2] Women
Total						
All	40.0	45.5	35.5	41.0	4.5	4.5
Age Group						
15-19	17.6	--	15.5	--	2.0	--
20-24	43.3	34.9	38.0	32.2	5.3	2.6
25-29	52.8	47.1	49.8	44.7	3.0	2.4
30-34	53.4	52.7	48.4	48.6	5.0	4.1
35-39	45.9	48.0	40.5	43.8	5.4	4.2
40-44	42.5	47.9	34.0	38.5	8.5	9.4
45-49	27.4	34.9	23.1	29.2	4.3	5.7
Marital Status						
Married, or in union	45.5	na	41.0	na	4.5	na
Unmarried, sexually active	82.5	na	70.4	na	12.1	na
Parity						
0-1 children	40.9	39.2	36.5	35.0	4.4	4.2
2-3 children	50.0	51.0	45.0	46.6	5.1	4.4
4+ children	48.1	50.7	43.2	45.3	4.9	5.4
Residence						
Urban	40.2	45.3	34.8	39.6	5.5	5.7
Rural	38.7	46.2	38.7	46.2	0.0	0.0
Education						
Never	32.2	35.7	29.8	33.4	2.3	2.3
Primary	41.7	47.9	38.2	43.5	3.5	4.4
Secondary 1 Cycle	38.7	49.4	34.4	44.3	4.4	5.1
Secondary 2 Cycles	42.8	54.0	36.2	48.8	6.7	5.2
Tertiary	52.9	54.2	44.9	42.9	8.1	11.3
Wealth Quintile						
Lowest	*6.0*	--	*3.8*	--	*2.2*	--
Middle	*40.8*	*54.9*	*38.7*	*52.8*	*2.1*	*2.2*
Highest	40.8	46.1	36.1	41.3	4.7	4.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics	All Users (N = 599)										Married Users[1] (N = 354)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.6	22.9	4.9	13.4	1.6	13.4	1.0	30.7	0.3	11.2	1.0	30.8	7.9	19.3	2.0	18.4	0.3	9.9	0.4	9.8
Age Group																				
15-19	0.0	21.3	0.0	5.6	0.0	5.2	3.0	53.4	0.0	11.5	--	--	--	--	--	--	--	--	--	--
20-24	0.0	17.5	0.0	11.7	1.1	3.2	0.8	53.4	0.0	12.3	*0.0*	*39.9*	*0.0*	*31.3*	*3.2*	*5.3*	*2.4*	*10.3*	*0.0*	*7.5*
25-29	0.0	25.7	3.3	18.6	2.0	10.2	2.1	32.4	0.0	5.7	0.0	39.4	5.4	23.6	3.3	11.4	0.0	11.8	0.0	5.1
30-34	0.0	25.6	5.8	11.3	4.4	18.4	0.0	25.0	0.0	9.4	0.0	30.1	7.4	13.4	4.3	21.0	0.0	16.0	0.0	7.8
35-39	0.0	22.1	7.8	22.1	0.0	26.3	0.0	8.9	1.0	11.7	0.0	24.5	9.0	24.3	0.0	26.9	0.0	5.3	1.2	8.7
40-44	3.5	20.7	15.5	8.5	1.4	20.7	0.0	9.7	0.0	20.1	3.8	20.5	17.0	9.4	0.0	22.7	0.0	7.1	0.0	19.6
45-49	*5.2*	*37.0*	*6.8*	*4.5*	*0.0*	*21.6*	*0.0*	*6.0*	*3.1*	*15.8*	*5.4*	*34.7*	*7.0*	*4.7*	*0.0*	*22.4*	*0.0*	*6.2*	*3.2*	*16.4*
Marital Status																				
Married, or in union	1.0	30.8	7.9	19.3	2.0	18.4	0.3	9.9	0.4	9.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	8.2	0.0	2.8	0.7	7.2	3.2	63.2	0.0	14.7	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	29.9	4.3	22.4	0.8	11.1	2.5	18.1	0.0	10.8	0.0	34.2	6.7	26.5	1.2	7.6	1.6	11.5	0.0	10.7
2-3 children	1.0	26.6	6.9	15.9	4.1	19.9	0.0	15.1	0.4	10.1	1.0	27.6	7.5	16.8	3.8	21.0	0.0	13.1	0.5	8.6
4+ children	1.5	33.8	8.8	18.3	0.8	20.3	0.0	5.9	0.6	10.1	1.6	33.1	9.2	19.3	0.0	20.7	0.0	4.9	0.6	10.6
Residence																				
Urban	0.8	21.0	6.0	7.8	1.5	13.7	1.2	34.2	0.3	13.6	1.3	29.2	10.1	11.4	2.2	20.0	0.4	12.3	0.5	12.6
Rural	*0.0*	*32.1*	*0.0*	*39.1*	*1.9*	*12.4*	*0.0*	*14.5*	*0.0*	*0.0*	*0.0*	*36.8*	*0.0*	*47.8*	*1.3*	*12.8*	*0.0*	*1.3*	*0.0*	*0.0*
Education																				
Never	1.9	35.8	5.1	20.6	0.0	22.2	0.0	6.4	0.7	7.2	2.2	37.3	5.8	19.2	0.0	23.7	0.0	4.6	0.8	6.4
Primary	0.0	32.1	2.3	20.7	0.8	14.1	0.5	21.1	0.0	8.3	0.0	35.3	3.0	25.5	0.0	14.6	0.0	12.5	0.0	9.2
Secondary 1 Cycle	0.4	22.5	3.7	10.8	3.4	11.7	1.4	34.5	0.4	11.3	0.7	28.3	6.6	18.3	6.2	16.9	0.0	11.9	0.8	10.3
Secondary 2 Cycles	0.0	10.3	2.8	11.3	2.1	10.8	1.0	46.1	0.0	15.5	*0.0*	*20.3*	*6.1*	*21.9*	*2.3*	*23.6*	*2.3*	*14.0*	*0.0*	*9.6*
Tertiary	1.3	8.4	14.2	1.2	0.0	8.3	1.9	49.6	0.0	15.2	*3.4*	*21.8*	*36.9*	*0.0*	*0.0*	*12.2*	*0.0*	*4.9*	*0.0*	*20.8*
Wealth Quintile																				
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Highest	0.4	22.5	5.2	11.8	1.6	13.7	1.0	32.0	0.3	11.5	0.7	31.4	8.6	16.8	1.9	18.8	0.3	10.7	0.5	10.3

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods [1]		Long Acting Methods [2]	
	All Women (N = 1489)	Married Women[3] (N = 785)	All Women (N = 1489)	Married Women[3] (N = 785)
Total				
All	24.1	22.9	11.4	18.1
Age Group				
15-19	11.8	--	3.7	--
20-24	30.4	18.3	7.6	13.9
25-29	34.5	23.6	15.3	21.1
30-34	31.6	28.8	16.8	19.8
35-39	26.8	27.7	13.8	16.1
40-44	17.2	18.8	16.8	19.8
45-49	9.6	12.7	13.4	16.5
Marital Status				
Married, or in union	22.9	na	18.1	na
Unmarried, sexually active	63.6	na	6.8	na
Parity				
0-1 children	22.5	19.0	14.0	16.0
2-3 children	27.7	28.2	17.3	18.5
4+ children	22.1	23.1	21.2	22.2
Residence				
Urban	23.6	21.2	11.1	18.4
Rural	26.3	29.2	12.4	17.0
Education				
Never	16.1	17.3	13.8	16.2
Primary	23.9	25.2	14.3	18.3
Secondary 1 Cycle	24.1	26.7	10.3	17.6
Secondary 2 Cycles	30.6	34.6	5.6	14.2
Tertiary	32.2	9.3	12.6	33.7
Wealth Quintile				
Lowest	*3.8*	--	*0.0*	--
Middle	*24.2*	*35.9*	*14.5*	*16.9*
Highest	24.7	22.6	11.5	18.7

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1489)			Married Women[1] (N = 785)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	6.0	2.0	8.0	9.1	3.6	12.7
Age Group						
15-19	3.1	0.0	3.1	--	--	--
20-24	8.3	0.0	8.3	12.5	0.0	12.5
25-29	7.1	0.0	7.1	9.6	0.0	9.6
30-34	8.4	1.6	10.1	10.5	2.1	12.6
35-39	9.9	2.2	12.1	11.9	2.6	14.5
40-44	3.0	8.5	11.5	3.7	10.5	14.2
45-49	0.0	9.4	9.4	0.0	11.6	11.6
Marital Status						
Married, or in union	9.1	3.6	12.7	na	na	na
Unmarried, sexually active	6.5	0.3	6.8	na	na	na
Parity						
0-1 children	12.2	0.0	12.2	16.6	0.0	16.6
2-3 children	6.6	1.9	8.5	7.0	1.9	8.9
4+ children	7.2	8.0	15.2	7.9	8.9	16.8
Residence						
Urban	5.1	2.4	7.5	7.4	4.4	11.8
Rural	10.0	0.4	10.4	15.3	0.6	15.9
Education						
Never	8.3	3.8	12.0	10.0	4.5	14.5
Primary	5.5	2.4	7.9	7.3	3.6	11.0
Secondary 1 Cycle	5.1	1.7	6.8	7.9	3.8	11.7
Secondary 2 Cycles	6.6	0.4	7.0	15.2	1.2	16.5
Tertiary	4.6	0.6	5.2	6.3	1.7	8.1
Wealth Quintile						
Lowest	*10.3*	*0.0*	*10.3*	--	--	--
Middle	*5.2*	*1.5*	*6.7*	*7.6*	*2.8*	*10.3*
Highest	6.0	2.1	8.1	9.0	3.8	12.7

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristics	All Women (N=1489)					Married Women[2] (N=785)				
	Any Method	Modern[1] Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern[1] Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	40.0	35.5	8.0	48.0	74.0	45.5	41.0	12.7	58.1	70.5
Age Group										
15-19	17.6	15.5	3.1	20.6	75.4	--	--	--	--	--
20-24	43.3	38.0	8.3	51.6	73.6	34.9	32.2	12.5	47.3	68.1
25-29	52.8	49.8	7.1	59.9	83.1	47.1	44.7	9.6	56.7	78.8
30-34	53.4	48.4	10.1	63.4	76.2	52.7	48.6	12.6	65.3	74.4
35-39	45.9	40.5	12.1	58.0	69.9	48.0	43.8	14.5	62.5	70.1
40-44	42.5	34.0	11.5	54.0	63.0	47.9	38.5	14.2	62.1	62.0
45-49	27.4	23.1	9.4	36.8	*62.7*	34.9	29.2	11.6	46.5	*62.8*
Marital Status										
Married, or in union	45.5	41.0	12.7	58.1	70.5	na	na	na	na	na
Unmarried, sexually active	82.5	70.4	6.8	89.3	78.8	na	na	na	na	na
Parity										
0-1 children	40.9	36.5	12.2	53.1	68.7	39.2	35.0	16.6	55.7	62.7
2-3 children	50.0	45.0	8.5	58.5	76.9	51.0	46.6	8.9	59.9	77.8
4+ children	48.1	43.2	15.2	63.3	68.3	50.7	45.3	16.8	67.5	67.1
Residence										
Urban	40.2	34.8	7.5	47.7	72.8	45.3	39.6	11.8	57.1	69.3
Rural	38.7	38.7	10.4	49.1	78.8	46.2	46.2	15.9	62.1	*74.4*
Education										
Never	32.2	29.8	12.0	44.2	67.5	35.7	33.4	14.5	50.3	66.5
Primary	41.7	38.2	7.9	49.5	77.1	47.9	43.5	11.0	58.9	73.9
Secondary 1 Cycle	38.7	34.4	6.8	45.5	75.5	49.4	44.3	11.7	61.1	72.5
Secondary 2 Cycles	42.8	36.2	7.0	49.8	72.6	54.0	48.8	16.5	70.4	69.3
Tertiary	52.9	44.9	5.2	58.1	77.1	54.2	42.9	8.1	62.2	*69.0*
Wealth Quintile										
Lowest	*6.0*	*3.8*	*10.3*	*16.3*	--	--	--	--	--	--
Middle	*40.8*	*38.7*	*6.7*	*47.5*	--	*54.9*	*52.8*	*10.3*	*65.2*	--
Highest	40.8	36.1	8.1	48.9	73.9	46.1	41.3	12.7	58.8	70.3

1   *Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method*

2   *Married includes married women and those who are living with a man*

na   *Not applicable*

--   *Less than 25 unweighted observations*

<i>   *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=556)			Married[1] Women with 1 or More Births (N=500)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	78.2	20.1	1.7	81.6	17.0	1.4
Age Group						
15-19	--	--	--	--	--	--
20-24	76.4	22.9	0.8	79.8	19.3	0.9
25-29	76.4	23.6	0.0	79.7	20.3	0.0
30-34	76.9	20.5	2.6	78.8	19.1	2.1
35-39	83.4	15.0	1.6	85.1	14.1	0.7
40-44	83.0	11.0	6.0	83.3	10.3	6.4
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	81.6	17.0	1.4	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	78.5	20.5	1.0	89.4	10.0	0.6
2-3 children	78.2	20.5	1.3	79.3	19.7	1.1
4+ children	78.1	18.9	3.0	78.6	18.9	2.5
Residence						
Urban	79.9	18.0	2.2	83.8	14.4	1.8
Rural	72.2	27.8	0.0	73.5	26.5	0.0
Education						
Never	79.6	19.9	0.6	81.7	17.7	0.6
Primary	81.9	16.9	1.2	83.6	15.2	1.2
Secondary 1 Cycle	72.5	24.3	3.2	77.8	20.2	2.0
Secondary 2 Cycles	75.4	23.3	1.3	81.6	16.8	1.5
Tertiary	*88.8*	*9.2*	*2.0*	*88.3*	*9.6*	*2.1*
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	--	--	--	--	--	--
Highest	79.6	18.6	1.8	83.6	14.9	1.5

1   Married includes married women and those who are living with a man

na   Not applicable

--   Less than 25 unweighted observations

<i>   Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception[1] reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 518)
Total				
All	50.2	31.6	18.2	
Age Group				
15-19	25.5	41.9	32.5	
20-24	28.3	37.8	33.9	
25-29	48.0	35.1	17.0	
30-34	64.1	22.4	13.5	
35-39	76.6	19.3	4.1	
40-44	57.4	33.2	9.3	
45-49	--	--	--	
Marital Status				
Married, or in union	62.5	28.8	8.7	
Unmarried, sexually active	30.2	35.1	34.7	
Parity				
0-1 children	53.0	30.6	16.4	
2-3 children	59.5	30.5	10.0	
4+ children	74.5	19.4	6.1	
Residence				
Urban	49.5	29.9	20.6	
Rural	*53.0*	*38.3*	*8.7*	
Education				
Never	74.4	21.6	3.9	
Primary	60.1	26.2	13.6	
Secondary 1 Cycle	45.1	29.7	25.2	
Secondary 2 Cycles	30.0	41.8	28.2	
Tertiary	35.5	47.3	17.1	
Wealth Quintile				
Lowest	--	--	--	
Middle	--	--	--	
Highest	49.0	32.3	18.7	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive [1] users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods [2]		Informed about side effects [2]		Told what to do if experienced side effects [4]		Told about switching methods in future [2]	
	All Users	Married [3] Users	All Users	Married [3] Users	All Users	Married [3] Users	All Users	Married [3] Users
Total	**(518)**	**(309)**	**(518)**	**(309)**	**(215)**	**(178)**	**(518)**	**(309)**
All	52.3	70.7	44.1	58.8	86.4	88.1	57.9	79.0
Age Group								
15-19	18.1	--	17.1	--	--	--	29.1	--
20-24	34.8	*74.9*	32.9	*69.2*	*86.9*	--	35.4	*77.2*
25-29	54.8	67.0	46.5	60.1	87.5	*87.1*	58.3	76.4
30-34	56.2	63.8	38.4	45.4	*92.9*	*92.5*	69.2	78.8
35-39	69.6	75.2	60.7	62.2	*88.0*	*89.0*	81.2	86.6
40-44	71.3	*75.0*	64.1	*65.3*	*79.8*	*78.4*	72.2	*74.1*
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	70.7	na	58.8	na	88.1	na	79.0	na
Unmarried, sexually active	19.8	na	20.9	na	*73.8*	na	23.6	na
Parity								
0-1 children	63.2	69.9	47.3	57.5	*92.5*	*93.1*	67.2	82.1
2-3 children	65.1	66.9	57.1	59.5	93.5	93.4	72.5	74.3
4+ children	74.4	76.0	59.9	59.0	79.8	78.3	82.5	83.7
Residence								
Urban	47.6	67.9	38.6	54.0	82.9	85.8	51.7	75.0
Rural	*70.9*	*79.4*	*65.8*	*73.9*	*94.3*	--	*82.8*	*91.3*
Education								
Never	73.7	76.8	65.2	65.3	89.7	*88.5*	77.5	80.0
Primary	61.1	71.2	53.8	60.4	86.1	*85.2*	72.7	82.5
Secondary 1 Cycle	44.4	62.3	34.1	48.7	79.7	*84.9*	49.7	74.5
Secondary 2 Cycles	42.5	*65.5*	29.9	*54.5*	--	--	45.5	*75.2*
Tertiary	38.0	*87.2*	38.9	*75.6*	*82.6*	--	40.2	*85.8*
Wealth Quintile								
Lowest	--	--	--	--	na	na	--	--
Middle	--	--	--	--	--	--	--	--
Highest	51.4	69.8	41.6	56.3	84.5	86.5	56.6	78.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern[1] contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	**(N = 506)**	**(N = 506)**	**(N = 506)**
All	92.0	91.8	90.4
Age Group			
15-19	*96.2*	*91.9*	*91.9*
20-24	84.3	85.3	83.3
25-29	96.0	94.9	94.1
30-34	87.4	89.6	86.2
35-39	97.3	98.8	97.3
40-44	91.5	88.8	88.8
45-49	--	--	--
Marital Status			
Married, or in union	93.9	93.9	92.4
Unmarried, sexually active	89.7	89.7	89.7
Parity			
0-1 children	87.5	86.5	85.3
2-3 children	93.9	94.1	92.4
4+ children	95.9	96.4	94.7
Residence			
Urban	89.9	89.7	87.9
Rural	*100.0*	*100.0*	*100.0*
Education			
Never	94.9	96.0	94.9
Primary	87.9	89.4	86.6
Secondary 1 Cycle	93.6	91.3	89.5
Secondary 2 Cycles	94.5	94.5	94.5
Tertiary	87.5	87.5	87.5
Wealth Quintile			
Lowest	--	--	--
Middle	--	--	--
Highest	91.6	91.4	89.9

1   *Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method*

na   *Not applicable*

--   *Less than 25 unweighted observations*

<i>   *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married[1] Women	All Women	Married[1] Women	All Women	Married[1] Women
Total	**(1489)**	**(785)**	**(1489)**	**(785)**	**(1489)**	**(785)**
All	4.5	5.0	12.2	18.3	15.7	21.7
Age Group						
15-19	3.4	--	3.7	--	6.8	--
20-24	6.5	8.9	14.4	24.5	19.3	30.4
25-29	6.1	6.3	20.4	25.5	25.4	30.2
30-34	5.4	4.6	13.7	16.2	17.9	19.3
35-39	2.4	2.4	14.4	16.6	16.8	18.9
40-44	2.3	2.8	10.1	12.5	10.6	13.1
45-49	4.5	4.7	7.4	8.8	10.4	11.6
Marital Status						
Married, or in union	5.0	na	18.3	na	21.7	na
Unmarried, sexually active	3.9	na	6.4	na	9.9	na
Parity						
0-1 children	4.8	5.1	18.5	22.5	22.2	25.9
2-3 children	5.5	5.4	17.9	18.9	22.2	23.0
4+ children	3.9	4.0	14.7	16.0	17.0	18.2
Residence						
Urban	4.1	4.7	10.8	16.7	13.9	19.7
Rural	6.5	6.0	18.2	24.3	23.9	29.1
Education						
Never	4.1	4.4	14.3	17.5	18.1	21.5
Primary	4.3	4.3	15.2	19.7	18.2	22.4
Secondary 1 Cycle	5.2	6.1	10.0	17.0	14.3	20.9
Secondary 2 Cycles	3.4	2.2	9.3	17.3	12.0	18.3
Tertiary	5.6	10.6	12.7	23.3	16.0	27.9
Wealth Quintile						
Lowest	*2.8*	--	*6.0*	--	*8.7*	--
Middle	*8.7*	*9.3*	*3.2*	*2.9*	*11.9*	*12.3*
Highest	4.3	4.7	12.9	19.6	16.2	22.5

1   *Married includes married women and those who are living with a man*

na   *Not applicable*

--   *Less than 25 unweighted observations*

<i>   *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1402	140	1542
Households Occupied	1320	133	1453
Households Interviewed	1245	129	1374
Household Response Rate [1]	94.32%	96.99%	94.56%
Interviews with Women			
Number of Eligible Women [2]	1485	139	1624
Number of Eligible Women Interviewed	1364	125	1489
Eligible Woman Response Rate [3]	91.85%	89.93%	91.69%

1   *Household response rate = households interviewed/households selected*

2   *Eligible women are women ages 15-49 identified in completed household interviews*

3   *Eligible response rate = eligible women interviewed/eligible women*

Sample Error Estimates

Variable	All Women				Married Women[1]			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.355	0.022	0.313	0.399	0.410	0.035	0.343	0.481
Currently using a traditional method	0.045	0.008	0.032	0.063	0.045	0.010	0.029	0.069
Currently using any contraceptive method	0.400	0.021	0.359	0.442	0.455	0.033	0.389	0.522
Currently using DMPA-IM	0.134	0.031	0.083	0.209	0.193	0.040	0.126	0.284
Currently using DMPA-SC	0.016	0.008	0.006	0.043	0.020	0.010	0.008	0.053
Currently using condoms	0.307	0.027	0.255	0.364	0.099	0.022	0.062	0.154
Currenlty using implants	0.229	0.019	0.194	0.269	0.308	0.019	0.271	0.348
Chose method by self or jointly in past 12 months	0.818	0.022	0.769	0.859	0.913	0.021	0.861	0.947
Informed by provider about other methods	0.523	0.038	0.446	0.599	0.707	0.040	0.621	0.780
Informed by provider about side effects	0.441	0.048	0.348	0.539	0.588	0.059	0.465	0.701
Satisfied with provider: Would return and refer friend/relative to provider	0.904	0.024	0.842	0.943	0.924	0.024	0.857	0.961
Visited by health worker who talked about family planning in past 12 months	0.045	0.009	0.030	0.068	0.050	0.011	0.032	0.078

1 Married includes married women and those who are living with a man