

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

				-
Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number	
Total				
All	100.0	2738	2738	
Age Group				
15-19	21.4	587	574	
20-24	19.8	541	529	
25-29	19.2	526	511	
30-34	15.1	414	416	
35-39	10.8	295	312	
40-44	8.2	224	230	
45-49	5.5	152	166	
Marital Status				
Married, or in union	64.3	1760	1775	
Unmarried, sexually active	12.8	352	351	
Parity				
0-1 children	43.9	1202	1172	
		1203		
2-3 children	27.1	741	728 821	
4+ children	28.7	787	821	
Residence				
Urban	64.4	1764	1723	
Rural	35.6	974	1015	
Education				
Never	46.0	1261	1304	
Primary	23.6	648	675	
Secondary	23.7	650	611	
Tertiary	6.6	180	148	
Wealth Quintile				
Lowest	17.0	467	484	
Lower	18.7	513	487	
Middle	18.4	503	528	
High	19.9	545	583	
Highest	26.0	711	656	
ingliest	20.0	/11	050	



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Region			110000
Agneby_Tiassa	2.7	73	83
Autonome_D'Abidjan	31.6	865	746
Bagoue	3.0	82	106
Bere	0.5	13	41
Cavally	2.5	69	62
Gbeke	3.1	85	115
Gbokle	3.7	102	78
Goh	3.3	90	63
Gontougo	3.8	105	109
Grands_Ponts	1.0	27	29
Guemon	1.2	34	82
Hambol	0.5	13	21
Haut_Sassandra	8.2	226	177
Iffou	1.5	41	37
Indenie_Djuablin	2.1	57	73
La_Me	2.7	74	77
Loh_Djiboua	3.6	99	91
Marahoue	3.6	100	111
Moronou	1.3	34	23
Nawa	4.9	135	116
Nzi	1.0	27	20
Poro	5.2	142	151
San_Pedro	2.5	69	68
Sud_Comoe	2.0	56	67
Tchologo	0.5	14	37
Tonkpi	3.0	83	101
Yamoussoukro	0.9	24	54



Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

ackground Characteristics	Any M	ethod	Modern I	Method ¹	Traditional	Method
	·	Married ²		Married ²		Married ²
	All Women	Women	All Women	Women	All Women	Women
Гotal						
All	26.0	23.5	21.8	18.9	4.1	4.6
Age Group						
15-19	19.5	15.3	17.5	13.3	2.0	2.0
20-24	30.9	20.8	25.4	16.2	5.6	4.6
25-29	29.8	25.4	25.6	20.4	4.2	5.0
30-34	29.7	27.3	25.1	23.2	4.6	4.2
35-39	28.2	28.0	23.1	21.7	5.1	6.3
40-44	21.0	23.3	17.6	19.6	3.4	3.7
45-49	12.7	15.5	8.0	9.8	4.7	5.7
	12.7	13.3	0.0	3.0	,	3.,
larital Status	.				_	
Married, or in union	23.5	na	18.9	na	4.6	na
Unmarried, sexually active	55.6	na	49.7	na	5.9	na
arity						
0-1 children	28.1	22.1	24.5	18.1	3.6	4.0
2-3 children	24.9	23.6	19.9	18.4	5.0	5.2
4+ children	23.6	24.3	19.6	19.9	4.0	4.4
tesidence						
Urban	31.7	29.2	26.9	23.8	4.8	5.4
Rural	15.6	15.9	12.7	12.4	2.9	3.5
						
ducation	47.0	47.0	42.0	12.6	2.4	2.4
Never	17.0	17.0	13.9	13.6	3.1	3.4
Primary	28.6	28.3	23.1	21.8	5.5	6.5
Secondary	33.7	31.1 49.2	30.3	27.2 38.8	3.4	3.9
Tertiary	50.9	49.2	42.4	30.0	8.5	10.4
Vealth Quintile						
Lowest	14.3	15.0	10.7	10.5	3.6	4.5
Lower	14.8	14.0	13.3	12.3	1.5	1.7
Middle	24.6	22.9	19.9	17.7	4.7	5.3
High	28.6	29.2	23.4	23.5	5.2	5.7
Highest	40.6	38.2	35.5	32.0	5.1	6.2
egion						
Agneby_Tiassa	22.4	20.1	19.0	15.7	3.4	4.4
Autonome_D'Abidjan	39.0	36.6	33.3	29.6	5.8	7.0
Bagoue	8.7	8.3	6.9	6.3	1.8	2.1
Bere	19.5	16.2	19.5	16.2	0.0	0.0
Cavally	8.3	7.7	5.0	4.1	3.3	3.6
Gbeke	19.7	26.2	16.2	22.3	3.5	3.8
Gbokle	8.0	6.2	8.0	6.2	0.0	0.0
Goh	20.3	23.4	15.4	19.7	4.9	3.7
Gontougo	20.5	19.3	17.3	15.9	3.1	3.5
Grands_Ponts	34.5		27.6		6.9	
Guemon	19.4	17.1	19.4	17.1	0.0	0.0
Hambol						
Haut_Sassandra	16.8	18.2	13.6	15.0	3.2	3.1
Iffou	29.7		27.0		2.7	
Indenie_Djuablin	9.6	8.9	9.6	8.9	0.0	0.0
La_Me	26.0	27.8	14.3	16.7	11.7	11.1



Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any M	ethod	Modern	Method ¹	Traditiona	l Method
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Loh_Djiboua	10.2	9.8	8.8	7.8	1.4	2.0
Marahoue	32.9	31.3	28.2	24.3	4.8	7.1
Moronou						
Nawa	16.4	14.1	11.2	6.8	5.2	7.3
Nzi						
Poro	27.7	37.8	26.2	35.5	1.4	2.3
San_Pedro	27.0	24.4	23.2	18.2	3.9	6.1
Sud_Comoe	31.5	20.6	31.5	20.6	0.0	0.0
Tchologo	18.9		18.9		0.0	
Tonkpi	21.6	17.9	15.3	10.0	6.3	7.9
Yamoussoukro	31.5		20.4		11.1	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations

² Married includes married women and those who are living with a man



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 711)

Married Users¹ (N = 414)

Characteristics			-	ui Ose	15 (1)	u – /	11)				IVI	arrie	u Use	15 (1)	- 4	14)		
								Other	Other								Other	Other
S	Sterilization	n Implant	IUD	Inject	Pill	EC	Condom		Traditional	Sterilization	Implant	IUD	Inject	Pill	EC	Condom		Traditional
Total																		
	0.4	0.5	4.3	10.0	20.0	.	26.0	1.0	15.0	0.7	10.7	17	22.6	26.0	2.2	11.0	4.0	10.6
All	0.4	8.5	1.2	18.8	20.9	6.5	26.8	1.0	15.9	0.7	10.7	1.7	23.6	26.8	3.3	11.9	1.8	19.6
Age Group																		
15-19	0.0	1.8	0.0	6.6	11.2	7.7	62.5	0.0	10.3									
20-24	0.0	7.5	1.0	14.3	15.4	7.5	36.2	0.0	18.0	0.0	6.4	2.4	17.4	24.6	6.3	20.8	0.0	22.1
	0.0	12.6	0.6	25.0	19.2	9.9	16.2	2.4	14.1	0.0	13.4	0.0	24.8	23.6	4.0	10.9	3.8	19.7
25-29	0.0	5.3	2.8	28.4		4.6	17.6	0.0	15.4	0.0	6.2	3.7	32.2	26.1	1.3		0.0	
30-34					25.8											15.4		15.3
35-39	0.0	14.1	0.0	21.3	28.2	4.3	9.8	4.4	18.1	0.0	16.9	0.0	21.2	25.3	4.7	4.1	5.4	22.4
40-44	0.0	15.5	5.2	14.1	43.9	0.0	5.3	0.0	16.1	0.0	16.6	4.5	13.6	43.9	0.0	5.6	0.0	15.7
45-49																		
Marital Status																		
Married, or in union	0.7	10.7	1.7	23.6	26.8	3.3	11.9	1.8	19.6	na	na	na	na	na	na	na	na	na
•		5.6	0.8	12.4	11.9	9.1	49.6	0.0	10.7	na	na	na	na	na	na	na	na	na
Unmarried, sexually acti	ive o.o	3.0	0.0	12.7	11.5	5.1	45.0	0.0	10.7	110	110	Ha	IIG	III	Ha	110	Hu	IIu
Parity																		
0-1 children	0.0	6.3	0.4	11.1	12.2	11.6	44.8	0.8	12.7	0.0	9.6	0.0	20.9	22.5	8.0	17.9	2.9	18.2
2-3 children	0.0	7.4	0.9	29.4	27.1	2.6	11.9	0.5	20.2	0.0	7.9	1.1	27.9	26.3	2.7	11.5	0.7	22.0
4+ children	1.5	13.5	2.9	22.2	30.8	1.2	8.9	2.0	17.1	1.6	13.7	3.1	21.8	29.7	1.2	8.6	2.1	18.2
Residence																		
Urban	0.5	8.5	1.2	16.7	19.1	8.3	29.4	1.3	15.1	1.0	11.5	1.7	23.2	24.9	4.6	12.0	2.5	18.6
Rural	0.0	8.5	1.3	26.7	27.6	0.0	17.2	0.0	18.7	0.0	8.8	1.7	24.6	31.4	0.0	11.6	0.0	22.0
Education																		
Education																		
Never	0.6	11.3	1.2	22.1	32.5	0.7	13.3	0.0	18.3	0.8	12.7	1.2	24.1	33.2	0.6	7.6	0.0	19.8
Primary	0.0	8.6	0.9	22.9	20.0	2.0	24.3	2.0	19.3	0.0	8.9	1.3	25.9	24.1	1.3	12.5	3.0	22.9
Secondary	0.7	5.4	0.6	15.7	15.3	8.5	43.2	0.4	10.2	2.0	5.6	0.5	26.2	24.8	7.1	20.3	1.2	12.5
Tertiary	0.0	9.2	3.3	10.4	8.9	24.3	24.2	3.0	16.6	0.0	16.5	6.4	12.0	14.3	11.7	12.3	5.7	21.1
Wealth Quintile																		
•	0.0	0.1	2.0	32.3	23.9	0.0	7.8	0.0	25.0	0.0	77	3.6	27.5	27.3	0.0	2.0	0.0	20.2
Lowest	0.0	8.1	3.0			0.0		0.0	25.0		7.7		27.5		0.0	3.8		30.2
Lower	0.0	9.4	0.0	28.2	25.2	0.0	25.7	1.1	10.3	0.0	13.3	0.0	27.8	31.5	0.0	13.5	1.6	12.3
Middle	0.0	8.2	0.0	11.7	29.8	1.4	29.9	0.0	19.0	0.0	11.5	0.0	15.5	35.1	0.0	15.0	0.0	22.9
High	1.8	7.6	0.2	21.8	20.9	2.5	26.5	0.6	18.1	2.9	9.0	0.4	29.9	22.6	1.0	13.9	1.0	19.4
Highest	0.0	9.0	2.2	14.7	15.3	14.0	30.3	1.9	12.6	0.0	11.7	3.6	20.3	23.0	9.6	11.4	4.2	16.2
Region																		
Agneby_Tiassa																		
Autonome_D'Abidjan	0.4	7.9	1.8	13.9	16.4	11.7	31.4	1.6	14.7	1.0	9.1	3.1	21.1	22.7	7.4	12.9	3.6	19.2
	0.4				25.4		J1.7			1.0		J.1		,				
Bagoue	-														-			
Bere			-	-			-	-	-	-	_		-			-		-
Cavally		24.2		24.4	10.0	7.0	44.0		47.7									
Gbeke	0.0	24.8	0.0	21.1	18.2	7.2	11.0	0.0	17.7									
Gbokle																		
Goh																		
Gontougo	0.0	11.4	0.0	42.1	24.6	0.0	6.6	0.0	15.4									
Grands_Ponts																		
Guemon																		
Hambol																		
Haut_Sassandra	0.0	1.3	5.2	3.8	38.6	0.0	31.9	0.0	19.3									
Iffou																		
Indenie_Djuablin																		
macme_bjaabiiii																		



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Married Users¹

Background
Characteristics All Users

	Chamiliantian		11.15	1-14	D:II	- C	C	Other	Other	Chariliantian		1115	1-1	D:II	F.C	C	Other	Other
	Sterilization	impiant	IUD	Inject	Pill	EC	Condom	wodern	Traditional	Sterilization	impiant	IUD	Inject	Pill	EC	Condom	wodern	Traditional
La_Me																		
Loh_Djiboua																		
Marahoue	4.1	4.9	0.0	13.2	22.7	0.0	40.7	0.0	14.4									
Moronou	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
Nawa																		
Nzi																		
Poro	0.0	6.9	0.0	36.1	41.4	0.0	10.3	0.0	5.2	0.0	8.3	0.0	42.0	43.4	0.0	0.0	0.0	6.2
San_Pedro																		
Sud_Comoe																		
Tchologo																		
Tonkpi	0.0	2.3	0.0	19.2	18.8	0.0	30.7	0.0	29.1									
Yamoussoukro																		

- 1 Married includes married women and those who are living with a man
- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background		1
Characteristics	All Women (N = 2738)	Married Women ¹ (N = 1760)

Characteristics	All VV	Ulliell (IV - 273	00)	Warried W	Ollieli (IA – 170	o)
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	20.6	4.6	25.1	26.3	6.3	32.7
	20.0			20.0	0.0	02.7
Age Group						
15-19	20.8	1.0	21.8	48.0	0.7	48.7
20-24	23.8	1.4	25.1	31.2	1.1	32.3
25-29	26.5	1.9	28.4	33.9	2.4	36.3
30-34	24.9	6.5	31.4	27.2	7.1	34.3
35-39	14.9	11.5	26.3	17.4	13.8	31.2
40-44	10.3	14.9	25.2	11.2	17.8	28.9
45-49	2.4	4.8	7.2	2.4	5.1	7.5
Marital Status						
Married, or in union	26.3	6.3	32.7	na	na	na
Unmarried, sexually active	22.0	3.4	25.4	na	na	na
Parity						
·	46.0	0.5	46.0	26.4	0.0	26.4
0-1 children	16.3	0.5	16.8	26.1	0.0	26.1
2-3 children	25.7	2.9	28.6	29.7	2.9	32.6
4+ children	22.3	12.3	34.6	23.6	13.0	36.6
Residence						
Urban	17.7	2.7	20.4	24.9	4.4	29.3
Rural	25.8	7.9	33.7	28.3	8.9	37.2
Education						
Never	24.5	5.9	30.4	28.5	7.0	35.5
Primary	20.5				6.3	35.5 31.5
Secondary	20.5 15.3	4.7 2.5	25.2 17.8	25.2 23.2	4.8	28.0
Tertiary	12.6	1.9	14.4	17.4	3.4	20.8
·	12.0	1.9	14.4	17.4	3.4	20.8
Wealth Quintile						
Lowest	28.1	7.1	35.2	30.3	8.4	38.7
Lower	27.4	6.8	34.3	30.6	7.1	37.7
Middle	23.3	3.8	27.1	29.8	5.3	35.2
High	18.4	3.6	22.0	22.5	5.6	28.1
Highest	10.5	2.5	13.0	17.8	4.9	22.7
Region						
Agneby_Tiassa	25.0	6.1	31.1	30.1	7.9	38.0
Autonome_D'Abidjan	12.3	2.6	14.9	19.3	5.1	24.4
Bagoue	29.7	6.8	36.5	34.3	7.8	42.1
Bere	17.1	9.8	26.8	18.9	10.8	29.7
Cavally	37.6	7.4	45.0	38.5	8.1	46.6
Gbeke	23.2	11.5	34.7	24.4	16.2	40.5
Gbokle	32.3	3.1	35.4	33.7	1.5	35.2
Goh	17.9	6.5	24.4	19.7	9.9	29.6
Gontougo	31.9	5.9	37.8	40.0	7.6	47.6
Grands_Ponts	10.3	10.3	20.7			
Guemon	20.0	4.9	24.9	20.9	4.8	25.7
Hambol						
Haut_Sassandra	25.8	5.7	31.5	26.1	4.9	30.9
Iffou	27.0	13.5	40.5			
Indenie_Djuablin	36.9	4.2	41.1	35.8	5.5	41.2
La_Me	19.5	6.5	26.0	20.4	9.2	29.6
					0 . 01	D 14 204



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background

Characteristics All Women Married Women Married Women

	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Loh_Djiboua	22.0	7.6	29.7	30.2	7.2	37.4
Marahoue	25.6	1.9	27.5	34.6	3.3	37.9
Moronou						
Nawa	21.7	3.7	25.4	23.5	5.1	28.7
Nzi						
Poro	18.9	1.3	20.3	26.4	2.2	28.6
San_Pedro	21.3	4.9	26.2	29.3	7.7	37.0
Sud_Comoe	12.4	2.3	14.7	26.9	2.5	29.5
Tchologo	13.5	0.0	13.5			
Tonkpi	26.4	6.5	32.9	29.8	8.9	38.6
Yamoussoukro	13.0	5.6	18.5			

- 1 Married includes married women and those who are living with a man
- na Not applicable
- -- Less than 25 unweighted observations
- <i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristic

Characteristics		All W	omen (I	N=2738)		Married Women ² (N=1760)					
	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	
Total											
All	26.0	21.8	25.1	51.1	42.7	23.5	18.9	32.7	56.2	33.7	
Age Group											
15-19	19.5	17.5	21.8	41.3	42.4	15.3	13.3	48.7	64.0	20.8	
20-24	30.9	25.4	25.1	56.1	45.2	20.8	16.2	32.3	53.1	30.5	
25-29	29.8	25.6	28.4	58.2	44.0	25.4	20.4	36.3	61.7	33.0	
30-34	29.7	25.1	31.4	61.2	41.1	27.3	23.2	34.3	61.6	37.6	
35-39	28.2	23.1	26.3	54.5	42.3	28.0	21.7	31.2	59.2	36.7	
40-44	21.0	17.6	25.2	46.3	38.1	23.3	19.6	28.9	52.2	37.6	
45-49	12.7	8.0	7.2	19.9	40.1	15.5	9.8	7.5	23.0	42.5	
Marital Status											
Married, or in union	23.5	18.9	32.7	56.2	33.7	na	na	na	na	na	
Unmarried, sexually active	55.6	49.7	25.4	81.0	61.3	na	na	na	na	na	
Parity											
0-1 children	28.1	24.5	16.8	44.9	54.6	22.1	18.1	26.1	48.2	37.6	
2-3 children	24.9	19.9	28.6	53.6	37.1	23.6	18.4	32.6	56.2	32.8	
4+ children	23.6	19.6	34.6	58.2	33.6	24.3	19.9	36.6	60.9	32.6	
	23.0	13.0	34.0	30.2	33.0	24.3	13.3	30.0	00.5	32.0	
Residence											
Urban	31.7	26.9	20.4	52.1	51.6	29.2	23.8	29.3	58.5	40.6	
Rural	15.6	12.7	33.7	49.3	25.8	15.9	12.4	37.2	53.1	23.4	
Education											
Never	17.0	13.9	30.4	47.5	29.3	17.0	13.6	35.5	52.5	26.0	
Primary	28.6	23.1	25.2	53.9	42.9	28.3	21.8	31.5	59.8	36.4	
Secondary	33.7	30.3	17.8	51.5	58.8	31.1	27.2	28.0	59.1	46.1	
Tertiary	50.9	42.4	14.4	65.3	64.9	49.2	38.8	20.8	70.0	55.4	
Wealth Quintile											
Lowest	14.3	10.7	35.2	49.5	21.7	15.0	10.5	38.7	53.8	19.5	
Lower	14.8	13.3	34.3	49.1	27.1	14.0	12.3	37.7	51.7	23.7	
Middle	24.6	19.9	27.1	51.7	38.5	22.9	17.7	35.2	58.1	30.4	
High	28.6	23.4	22.0	50.6	46.3	29.2	23.5	28.1	57.3	41.0	
Highest	40.6	35.5	13.0	53.6	66.2	38.2	32.0	22.7	60.9	52.6	
Region											
Agneby_Tiassa	22.4	19.0	31.1	53.5	35.6	20.1	15.7	38.0	58.1	27.1	
Autonome_D'Abidjan	39.0	33.3	14.9	53.9	61.7	36.6	29.6	24.4	61.1	48.5	
Bagoue	8.7	6.9	36.5	45.2	15.2	8.3	6.3	42.1	50.4	12.4	
Bere	19.5	19.5	26.8	46.3		16.2	16.2	29.7	45.9		
Cavally	8.3	5.0	45.0	53.3	9.4	7.7	4.1	46.6	54.3	7.6	
Gbeke	19.7	16.2	34.7	54.4	29.8	26.2	22.3	40.5	66.7	33.5	
Gbokle	8.0	8.0	35.4	43.4	18.5	6.2	6.2	35.2	41.4	14.9	
Goh	20.3	15.4	24.4	44.7	34.5	23.4	19.7	29.6	53.0	37.1	
Gontougo	20.5	17.3	37.8	58.3	29.7	19.3	15.9	47.6	66.9	23.7	
Grands_Ponts	34.5	27.6	20.7	55.2							
Guemon	19.4	19.4	24.9	44.3	43.8	17.1	17.1	25.7	42.8	40.1	
Hambol											
Haut_Sassandra	16.8	13.6	31.5	48.3	28.1	18.2	15.0	30.9	49.1	30.6	
Iffou	29.7	27.0	40.5	70.3	38.5						
Indenie_Djuablin	9.6	9.6	41.1	50.7	19.0	8.9	8.9	41.2	50.1	17.8	



Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristics

All Women (N=2738)

	Married \	Women '	(N=1760)
, od	Modern ¹ Method	Unmet Need	Total Demand	Demar Satisfie By Mode
3	16.7	29.6	57.4	29.0
	7.8	37.4	47.1	16.5

	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern
La_Me	26.0	14.3	26.0	52.0	27.5	27.8	16.7	29.6	57.4	29.0
Loh_Djiboua	10.2	8.8	29.7	39.8	22.1	9.8	7.8	37.4	47.1	16.5
Marahoue	32.9	28.2	27.5	60.4	46.6	31.3	24.3	37.9	69.2	35.0
Moronou										
Nawa	16.4	11.2	25.4	41.8	26.7	14.1	6.8	28.7	42.8	16.0
Nzi										
Poro	27.7	26.2	20.3	48.0	54.7	37.8	35.5	28.6	66.4	53.4
San_Pedro	27.0	23.2	26.2	53.2	43.5	24.4	18.2	37.0	61.4	29.7
Sud_Comoe	31.5	31.5	14.7	46.2	68.1	20.6	20.6	29.5	50.1	
Tchologo	18.9	18.9	13.5	32.4						
Tonkpi	21.6	15.3	32.9	54.5	28.1	17.9	10.0	38.6	56.5	17.7
Yamoussoukro	31.5	20.4	18.5	50.0	40.7					

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions
Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

			,	1			
Background	All Wome	en with 1 or Mo	ore Births	Married Wo	men with 1 or	More Birth	
Characteristics		(N=1561)			(N=1312)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All	
Total							
All	60.8	34.1	5.1	63.9	31.8	4.3	
Age Group							
15-19	42.1	54.5	3.4	53.5	44.9	1.6	
20-24	61.8	34.8	3.4	68.6	29.7	1.7	
25-29	62.5	34.4	3.2	64.4	33.8	1.8	
30-34	66.6	27.2	6.3	66.2	27.8	6.0	
35-39	60.3	32.2	7.5	58.4	34.8	6.8	
40-44	67.1	21.4	11.4	65.3	22.6	12.1	
45-49							
Marital Status							
Married, or in union	63.9	31.8	4.3	na	na	na	
Unmarried, sexually active	40.0	47.2	12.8	na	na	na	
Parity							
0-1 children	61.7	34.9	3.5	72.5	27.2	0.3	
2-3 children	62.7	34.3	3.0	65.7	31.8	2.5	
4+ children	58.2	33.3	8.5	57.1	34.5	8.4	
Residence	33.2	55.5	0.0	37.12	0 1.10	0	
	66.0	24.7	2.2	60.0	20.2	4.0	
Urban	66.0	31.7	2.3	69.9	28.3	1.8	
Rural	53.7	37.3	8.9	56.2	36.3	7.5	
Education							
Never	63.9	31.3	4.8	65.3	30.2	4.5	
Primary	57.6	34.6	7.8	59.7	33.8	6.4	
Secondary	54.6	41.6	3.8	65.1	33.8	1.1	
Tertiary	65.8	33.7	0.5	66.1	33.4	0.6	
Wealth Quintile							
Lowest	54.1	39.6	6.2	55.9	37.4	6.7	
Lower	57.0	33.4	9.5	59.9	33.5	6.6	
Middle	60.2	35.6	4.2	65.4	31.3	3.2	
High	64.1	32.8	3.0	66.7	30.7	2.6	
Highest	69.3	28.9	1.8	73.9	24.8	1.3	
Region							
Agneby_Tiassa	63.0	34.4	2.7	70.0	27.0	3.0	
Autonome_D'Abidjan	70.6	27.3	2.1	75.5	23.0	1.5	
Bagoue	60.0	40.0	0.0	61.8	38.2	0.0	
Bere	44.8	31.0	24.1	46.4	32.1	21.4	
Cavally	65.5	26.7	7.8	66.5	25.2	8.3	
Gbeke	63.8	15.8	20.4	65.4	16.8	17.8	
Gbokle	76.7	17.7	5.5	78.4	18.3	3.3	
Goh	70.5	29.5	0.0	74.7	25.3	0.0	
Gontougo	47.9	44.0	8.1	46.5	44.3	9.2	
Grands_Ponts							
Guemon	69.0	23.1	7.9	69.7	23.4	7.0	
Hambol	 4E 2	 46 0	 7 0	 40 1	 46.7	 E 2	
Haut_Sassandra	45.3	46.9	7.8	48.1	46.7	5.2	
Iffou	52.0	48.0	0.0	 71 2	 21 0	 6.0	
Indenie_Djuablin	68.8 40.9	24.7 56.8	6.5 2.3	71.2 47.4	21.9 50.0	6.9 2.6	
La_Me	40.9	30.0	2.3	47.4	50.0	2.0	

Cote D'Ivoire - Round 1 - 2017



Pregnancy Intentions
Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Women with 1 or More Births			Married Women with 1 or More Birth			
Characteristics		(N=1561)		(N=1312)			
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All	
Loh_Djiboua	65.1	33.6	1.3	67.8	30.6	1.5	
Marahoue	45.5	54.0	0.5	55.3	44.1	0.7	
Moronou							
Nawa	66.1	32.1	1.8	75.3	22.5	2.2	
Nzi							
Poro	60.6	37.4	1.9	57.7	40.1	2.2	
San_Pedro	57.7	18.1	24.1	61.7	24.8	13.5	
Sud_Comoe	70.7	26.4	2.9				
Tchologo							
Tonkpi	43.8	46.2	10.0	46.0	41.1	12.8	
Yamoussoukro							

¹ Married includes married women and those who are living with a man

na Not applicable

Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background		Jointly with	Provider	(N = E09)
Characteristics	Self	Partner	Alone/Partner	(N = 598)
Total				
All	50.8	31.9	17.3	
Age Group				
	20.6	20.2	22.0	
15-19 20-24	39.6 52.5	38.3 26.4	22.0 21.1	
25-29	52.3	36.0	11.6	
30-34	54.2	30.0	15.8	
35-39	61.0	26.1	12.9	
40-44	45.5	35.7	18.7	
45-49				
Marital Status				
	40 F	24.6	15.0	
Married, or in union	49.5 51.0	34.6	15.9	
Unmarried, sexually active	51.0	31.5	17.5	
Parity				
0-1 children	51.3	29.6	19.1	
2-3 children	53.7	30.9	15.4	
4+ children	47.6	37.4	15.0	
Residence				
Urban	50.4	32.1	17.5	
Rural	52.5	31.0	16.5	
Education				
Never	50.1	30.3	19.6	
Primary	48.0	30.2	21.8	
Secondary	52.0	32.0	15.9	
Tertiary	55.0	38.6	6.3	
Wealth Quintile				
Lowest	55.1	30.9	14.0	
Lower	41.0	41.5	17.5	
Middle	47.0	32.2	20.8	
High	54.0	25.2	20.8	
Highest	52.6	32.8	14.7	
Region				
Agneby_Tiassa				
Autonome_D'Abidjan	52.8	33.7	13.5	
Bagoue	J2.8 			
Bere				
Cavally				
Gbeke				
Gbokle				
Goh				
Gontougo				
Grands_Ponts				
Guemon				
Hambol				
Haut_Sassandra	37.3	50.0	12.7	
Iffou				
Indenie_Djuablin				
La_Me				
Loh_Djiboua				



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 29)
Marahoue	37.2	9.5	53.3	
Moronou	na	na	na	
Nawa				
Nzi				
Poro	49.6	37.7	12.8	
San_Pedro				
Sud_Comoe				
Tchologo				
Tonkpi				
Yamoussoukro				

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method
- na Not applicable
- -- Less than 25 unweighted observations
- <i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method ¹ who paid fees for services, by marital status and background characteristics.

Background
Characteristics

Characteristics	All Modorn Controcentive Hears	Married ² Modern Contraceptive Users
Citaracteristics	All Modern Contraceptive Users	
	(N = 598)	(N = 333)
Total		
All	75.8	83.6
Age Group		
15-19	60.1	
20-24	72.8	85.9
25-29	80.8	85.7
30-34	86.1	84.8
35-39	79.0	85.4
40-44	77.0	78.5
45-49		
Marital Status		
Married, or in union	83.6	na
Unmarried, sexually active	66.8	na
Parity		
0-1 children	67.1	78.9
2-3 children	83.9	86.2
4+ children	84.6	84.2
Residence		
Urban	74.8	84.6
Rural	79.6	80.9
	, 5.0	33.0
Education	00.0	05.6
Never	82.9	85.6
Primary Secondary	75.8 70.9	83.8 79.5
Tertiary	71.9	79.5
	, 1.3	
Wealth Quintile		
Lowest	75.7	74.5
Lower Middle	77.6 80.9	82.9 92.2
High	80.9 80.7	92.2 84.0
Highest	70.8	82.3
	, 0.0	02.5
Region		
Agneby_Tiassa		 01 7
Autonome_D'Abidjan Bagoue	68.0	81.7
Bere	 	
Cavally		
Gbeke		
Gbokle		
Goh		-
Gontougo		
Grands_Ponts		
Guemon		-
Hambol		
Haut_Sassandra	62.9	
Iffou		
Indenie_Djuablin		
La_Me		



Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method 1 who paid fees for services, by marital status and background characteristics.

Background Characteristic

_		_
Al		
Characteristics	All Modern Contraceptive Users	Married Modern Contraceptive Users
5.101.00to1.00to	All Modern Contraceptive Osers	iviairied ivioueili contraceptive osers

Loh_Djiboua			
Marahoue	98.1		
Moronou	na	na	
Nawa			
Nzi			
Poro	98.8		
San_Pedro			
Sud_Comoe			
Tchologo			
Tonkpi			
Yamoussoukro			

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method
- 2 Married includes married women and those who are living with a man

- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Method Information Index Components

Percentage of current modern contraceptive ¹users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed abou	ut side effects ²	Told what to do if experienced side effects	
		Married ³		Married ³	·	Married ³
	All Users	Users	All Users	Users	All Users	Users
Total	(598)	(333)	(598)	(333)	(192)	(135)
All	42.9	51.9	34.3	43.6	84.8	88.5
Age Group						
15-19	19.4		10.0			
20-24	30.2	27.5	25.3	28.1	76.8	
25-29	60.7	69.2	49.6	60.3	83.1	83.1
30-34	45.7	53.4	41.6	44.2	86.9	85.1
35-39	60.3	61.8	42.3	42.2	96.4	
40-44	50.7	51.0	42.8	43.9		
45-49						
Marital Status						
Married, or in union	51.9	na	43.6	na	88.5	na
Unmarried, sexually active	33.7	na	20.1	na	75.8	na
	33.7	IIa	20.1	IIa	75.8	IIa
Parity						
0-1 children	33.9	49.4	23.0	42.0	73.4	
2-3 children	51.0	51.2	44.7	42.6	89.5	87.3
4+ children	52.6	54.1	46.4	45.5	91.8	90.9
Residence						
Urban	43.7	55.8	34.2	47.4	85.4	91.3
Rural	39.9	41.7	34.9	33.8	82.4	78.1
Education						
Never	42.1	46.9	38.6	42.7	92.5	91.9
Primary	46.4	52.2	37.4	40.1	84.5	87.5
Secondary	39.5	49.5	24.0	39.1	77.7	
Tertiary	47.0		45.1			
Wealth Quintile						
Lowest	43.7	42.2	38.9	33.0	78.4	
Lower	29.6	32.2	24.1	29.5		
Middle	43.1	43.8	37.7	47.5	79.3	84.6
High	41.0	50.9	34.5	45.9	92.3	93.4
Highest	47.3	68.6	34.8	49.6	83.2	90.0
Region						
Agneby_Tiassa						
Autonome_D'Abidjan	51.3	69.3	36.4	53.1	83.6	90.8
Bagoue						
Bere						
Cavally						
Gbeke						
Gbokle					na	na
Goh						
Gontougo						
Grands_Ponts						
Guemon						
Hambol					na	na
Haut_Sassandra	26.0		16.7			
Iffou						
Indenie_Djuablin						



Method Information Index Components

Percentage of current modern contraceptive ¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about	other methods ²	Informed about side effects ²		Told what to do if experienced side effects	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
La_Me						
Loh_Djiboua					na	na
Marahoue	30.9		26.1			
Moronou	na	na	na	na	na	na
Nawa						
Nzi						
Poro	26.7		49.1			
San_Pedro						
Sud_Comoe						
Tchologo					na	na
Tonkpi						
Yamoussoukro						

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method
- 2 Asked of all current/recent modern contraceptive users
- 3 Married includes married women and those who are living with a man

- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total All	(N = 578) 85.4	(N = 578) 83.2	(N = 578) 76.5
Age Group 15-19 20-24 25-29 30-34 35-39 40-44 45-49	78.6 79.0 88.5 91.2 89.3 94.4	81.6 80.8 89.8 86.9 81.8 70.5	71.8 73.2 83.3 82.2 76.7 70.5
Marital Status Married, or in union Unmarried, sexually active	88.3 82.6	81.3 84.3	76.4 76.1
Parity 0-1 children 2-3 children 4+ children	81.1 88.7 90.5	85.0 87.3 76.4	76.1 81.5 72.8
Residence Urban Rural	85.6 84.5	87.6 66.5	79.8 63.8
Education Never Primary Secondary Tertiary	89.9 81.4 83.7 87.2	77.3 81.1 87.1 91.2	74.1 71.7 78.8 85.1
Wealth Quintile Lowest Lower Middle High Highest	91.0 80.4 90.2 83.5 84.6	76.8 74.2 77.4 84.4 88.9	75.3 69.8 75.1 76.2 79.3
Region Agneby_Tiassa Autonome_D'Abidjan	 83.8	 89.5	79.3 79.3
Bagoue Bere Cavally Gbeke Gbokle	 	 	
Goh Gontougo Grands_Ponts Guemon	 	 	
Hambol Haut_Sassandra Iffou Indenie_Djuablin La_Me	 95.3 	 75.6 	 70.9
Loh_Djiboua			



Quality of Care

Percentage of current modern¹contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Marahoue	86.9	92.0	81.5
Moronou	na	na	na
Nawa			
Nzi			
Poro	100.0	100.0	100.0
San_Pedro			
Sud_Comoe			
Tchologo			
Tonkpi			
Yamoussoukro			

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method
- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health work or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(2738)	(1760)	(2738)	(1760)	(2738)	(1760)
All	4.6	5.1	18.3	23.7	20.4	25.5
	4.0	3.1	10.5	23.7	20.4	23.3
Age Group						
15-19	3.9	3.6	7.2	16.4	10.2	17.4
20-24	5.4	6.7	19.4	24.8	21.6	27.1
25-29	4.5	5.1	22.5	26.1	24.4	27.9
30-34	4.8	5.2	23.5	26.0	25.6	28.5
35-39	4.5	5.1	24.0	24.9	25.0	25.8
40-44	4.8	4.0	19.6	21.0	22.1	22.7
45-49	3.6	3.6	14.8	15.8	16.4	17.5
Marital Status						
Married, or in union	5.1	na	23.7	na	25.5	na
Unmarried, sexually active	3.8	na	11.8	na	14.2	na
	3.6	IId	11.0	IId	14.2	IIa
Parity						
0-1 children	4.3	5.8	11.4	21.1	14.1	23.4
2-3 children	4.3	4.8	22.6	23.6	24.1	25.4
4+ children	5.3	5.0	24.6	25.2	26.5	26.8
Residence						
Urban	4.5	5.6	18.1	26.9	20.2	28.6
Rural	4.7	4.4	18.5	19.3	20.8	21.2
	7.7	7.7	10.5	13.3	20.0	21.2
Education						
Never	4.4	4.6	18.5	20.7	20.5	22.6
Primary	4.5	5.2	20.7	26.2	22.1	27.3
Secondary	5.9	8.3	15.5	30.8	18.9	34.2
Tertiary	1.8	1.9	18.0	24.0	18.9	24.5
Wealth Quintile						
Lowest	3.1	2.6	18.2	18.6	19.3	19.3
Lower	5.9	6.2	17.9	20.6	20.5	22.8
Middle	4.9	5.5	15.9	20.8	18.8	23.6
High	6.8	7.7	20.9	27.8	23.9	30.1
Highest	2.7	3.5	18.2	31.1	19.6	32.2
Region						
_	6.8	6.6	20.2	47.2	40.0	47.2
Agneby_Tiassa		6.6	39.2 17.9	47.3	40.9	47.3
Autonome_D'Abidjan	3.6	4.0		30.3	20.0	32.1
Bagoue	4.3	4.9	13.7	15.0	16.9	18.7
Bere	0.0 6.3	0.0	7.3 16.2	8.1 17.7	7.3	<i>8.1</i> 20.5
Cavally Gbeke	6.3	5.5 6.0	16.2	17.7 33.9	19.9	
Gbokle		0.0	22.7 4.2		26.5 4.2	36.1
Gookie	0.0	0.0		4.7		4.7
	0.0		6.4	8.6	6.4	8.6
Gontougo	19.2	23.1	26.3	30.7	32.2	37.3
Grands_Ponts	13.8	 1F.O	31.0		37.9	 24 F
Guemon	21.0	15.9	17.1	12.9	26.5	21.5
Hambol		 				
Haut_Sassandra	4.9	5.4	8.3	10.9	10.0	12.1
Iffou	2.7		37.8		37.8	
Indenie_Djuablin	2.9	3.7	13.5	14.0	16.4	17.7



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Either visited by health worker

Background Characteristics	•	Visited by health worker who discussed family planning		and provider illy planning	or visited facility and discussed family planning		
		Married ¹		Married ¹		Married ¹	
	All Women	Women	All Women	Women	All Women	Women	
La_Me	1.3	1.9	7.8	7.4	7.8	7.4	
Loh_Djiboua	1.4	0.0	11.6	17.0	13.0	17.0	
Marahoue	1.3	0.5	14.4	17.0	14.9	17.5	
Moronou							
Nawa	1.8	0.6	16.8	19.2	18.7	19.7	
Nzi							
Poro	9.1	12.0	15.9	23.8	20.5	28.5	
San_Pedro	0.0	0.0	30.2	44.7	30.2	44.7	
Sud_Comoe	1.2	2.5	13.6	26.9	14.7	29.5	
Tchologo	2.7		8.1		8.1		
Tonkpi	4.9	6.0	50.1	52.3	51.1	53.0	
Yamoussoukro	9.3		20.4		25.9		

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1534	1014	2548
Households Occupied	1503	998	2501
Households Interviewed	1411	991	2402
Household Response Rate ¹	93.88%	99.30%	96.04%
Interviews with Women			
Number of Eligible Women ²	1799	1022	2821
Number of Eligible Women Interviewed	1723	1015	2738
Eligible Woman Response Rate ³	95.78%	99.32%	97.06%

- 1 Household response rate = households interviewed/households selected
- 2 Eligible women are women ages 15-49 identified in completed household interviews
- 3 Eligible response rate = eligible women interviewed/eligible women



Sample Error Estimates

	All Women					Married Women ¹			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.218	0.018	0.185	0.256	0.189	0.018	0.157	0.227	
Currently using a traditional method	0.041	0.006	0.031	0.055	0.046	0.006	0.035	0.060	
Currently using any contraceptive method	0.260	0.019	0.223	0.300	0.235	0.019	0.199	0.276	
Currently using DMPA-IM	0.049	0.006	0.038	0.063	0.056	0.008	0.041	0.075	
Currently using condoms	0.268	0.031	0.212	0.333	0.119	0.024	0.079	0.176	
Currenlty using implants	0.022	0.004	0.015	0.031	0.025	0.005	0.017	0.037	
Chose method by self or jointly in past 12 months	0.827	0.032	0.756	0.881	0.841	0.027	0.781	0.887	
Paid fees for family planning services in past 12 months	0.654	0.052	0.545	0.748	0.696	0.034	0.625	0.759	
Informed by provider about other methods	0.439	0.039	0.363	0.518	0.509	0.043	0.423	0.594	
Informed by provider about side effects	0.345	0.034	0.280	0.416	0.435	0.044	0.350	0.524	
Satisfied with provider: Would return and refer friend/relative to provider	0.762	0.030	0.698	0.816	0.760	0.035	0.683	0.823	
Visited by health worker who talked about family planning in past 12 months	0.046	0.009	0.031	0.067	0.051	0.011	0.033	0.078	

¹ Married includes married women and those who are living with a man