PMA 2020

Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.

JOHNS HOPKINS
BLOOMBERG SCHOOL
of PUBLIC HEALTH

BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Ghana Round 5: Snapshot of Indicators (SOIs)

www.pma2020.org
facebook.com/GATES.PMA2020
Twitter: @PMA2020JHU

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	3689	3683
Age Group			
15-19	18.9	698	708
20-24	18.5	684	678
25-29	17.2	635	627
30-34	15.5	571	567
35-39	12.2	451	459
40-44	10.0	369	364
45-49	7.6	281	280
Marital Status			
Married, or in union	57.9	2136	2107
Unmarried, sexually active	11.3	416	419
Parity			
0-1 children	48.4	1785	1823
2-3 children	24.3	898	917
4+ children	24.5	906	910
Residence			
Urban	52.5	1937	2028
Rural	47.5	1752	1655
Education			
Never	16.7	616	627
Primary	17.3	637	644
Middle Category	40.0	1477	1470
Secondary	17.7	655	700
Higher	8.3	305	242
Wealth Quintile			
Lowest	22.0	812	749
Lower	21.3	786	809
Middle	19.8	732	797
High	20.1	741	762
Highest	16.8	619	566

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method [1]		Traditional Method	
	All Women	Married [2] Women	All Women	Married [2] Women	All Women	Married [2] Women
Total						
All	26.0	31.2	21.7	25.9	4.3	5.3
Age Group						
15-19	11.1	31.0	8.9	26.0	2.2	5.1
20-24	30.0	31.7	26.4	27.9	3.5	3.8
25-29	33.5	30.5	27.2	24.8	6.3	5.7
30-34	33.8	36.2	29.7	31.6	4.1	4.6
35-39	30.7	35.0	22.6	25.6	8.1	9.4
40-44	24.2	27.1	21.6	24.2	2.6	2.9
45-49	15.5	19.2	12.2	14.3	3.3	4.9
Marital Status						
Married, or in union	31.2	na	25.9	na	5.3	na
Unmarried, sexually active	43.6	na	36.3	na	7.3	na
Parity						
0-1 children	20.5	26.0	16.5	19.7	4.0	6.4
2-3 children	33.0	34.9	28.2	29.3	4.8	5.6
4+ children	30.8	33.7	26.6	28.9	4.2	4.8
Residence						
Urban	26.6	33.3	21.1	25.6	5.5	7.7
Rural	25.3	29.3	22.4	26.2	2.9	3.1
Education						
Never	21.8	25.0	20.4	23.2	1.4	1.8
Primary	26.2	32.7	21.9	27.2	4.3	5.5
Middle Category	26.3	33.0	21.9	27.8	4.4	5.2
Secondary	26.6	37.0	20.8	27.2	5.9	9.8
Higher	31.1	28.6	25.0	20.2	6.1	8.4
Wealth Quintile						
Lowest	25.1	30.4	23.2	28.3	1.9	2.2
Lower	24.8	27.6	20.7	23.4	4.1	4.2
Middle	26.0	34.9	21.6	28.9	4.4	6.0
High	27.9	33.4	22.3	24.6	5.6	8.8
Highest	26.4	29.9	20.5	23.4	6.0	6.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics	All Users (N = 959)									Married Users[1] (N = 667)								
	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional
Total																		
All	2.6	18.4	1.5	24.4	14.4	5.9	12.3	4.0	16.5	2.3	18.8	1.6	27.3	15.2	4.3	9.0	4.3	17.0
Age Group																		
15-19	0.0	9.8	0.0	19.1	7.5	10.3	27.5	5.7	20.2	*0.0*	*15.6*	*0.0*	*17.8*	*8.9*	*16.8*	*15.8*	*8.7*	*16.4*
20-24	0.0	14.9	1.1	20.1	21.7	7.4	21.3	1.6	11.8	0.0	18.1	0.0	25.9	22.4	3.9	16.9	0.7	12.0
25-29	0.0	18.0	0.2	29.5	12.3	7.9	7.6	5.6	18.9	0.0	13.8	0.3	37.3	13.0	6.1	4.4	6.4	18.7
30-34	1.9	21.3	0.8	27.3	12.7	5.4	12.8	5.7	12.1	1.0	21.8	0.9	27.4	14.0	3.9	12.4	5.7	12.8
35-39	2.7	20.2	1.4	24.4	16.8	2.5	4.3	1.4	26.3	3.0	19.4	1.0	24.9	17.6	1.8	3.9	1.5	26.8
40-44	11.9	22.8	6.6	24.8	12.8	3.3	2.3	4.9	10.6	8.1	23.2	7.7	24.3	13.8	3.8	2.6	5.7	10.7
45-49	*15.0*	*23.9*	*5.7*	*14.4*	*5.9*	*0.0*	*10.3*	*3.6*	*21.2*	*10.9*	*17.1*	*5.3*	*17.3*	*7.1*	*0.0*	*12.4*	*4.3*	*25.6*
Marital Status																		
Married, or in union	2.3	18.8	1.6	27.3	15.2	4.3	9.0	4.3	17.0	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	2.0	16.8	0.9	17.9	14.9	8.5	19.5	2.7	16.8	na	na	na	na	na	na	na	na	na
Parity																		
0-1 children	0.2	12.0	0.4	16.6	14.3	9.9	21.9	5.3	19.3	0.0	10.6	0.2	19.6	14.5	8.2	15.5	6.8	24.4
2-3 children	1.9	20.8	1.4	33.6	12.9	4.5	8.3	2.0	14.5	0.8	17.8	1.3	35.8	13.5	3.6	8.9	2.4	15.9
4+ children	6.5	25.3	3.1	24.7	17.0	2.5	2.4	4.7	13.7	5.4	25.7	2.9	23.5	17.9	2.8	2.6	4.9	14.3
Residence																		
Urban	2.3	13.8	1.4	21.1	12.6	7.0	16.5	4.4	20.8	2.5	12.8	1.6	23.9	13.7	5.1	12.8	4.5	23.2
Rural	2.9	23.6	1.6	28.1	16.5	4.6	7.5	3.6	11.6	2.2	25.3	1.7	30.9	16.8	3.5	4.9	4.2	10.5
Education																		
Never	4.6	28.5	1.7	26.8	19.4	1.6	7.4	3.4	6.6	3.7	27.9	1.2	27.3	19.3	1.4	8.1	3.8	7.3
Primary	4.6	28.7	1.4	23.4	16.7	2.9	4.9	0.9	16.5	1.8	27.4	1.8	25.4	19.8	2.9	2.9	1.2	16.9
Middle Category	1.8	17.4	1.0	29.9	15.0	5.1	6.8	6.2	16.8	2.0	16.4	0.9	32.5	15.0	4.7	5.6	7.1	15.8
Secondary	1.2	8.5	1.8	20.4	10.9	11.9	20.3	2.9	22.1	2.2	7.2	3.3	24.6	8.9	7.1	17.3	2.9	26.6
Higher	1.5	8.0	2.9	7.2	7.6	9.4	40.5	3.2	19.5	*2.8*	*9.7*	*3.3*	*10.3*	*5.9*	*7.7*	*28.8*	*2.0*	*29.4*
Wealth Quintile																		
Lowest	2.6	26.6	1.1	32.1	17.1	1.2	5.0	6.7	7.6	1.6	26.9	0.9	33.8	17.1	0.5	4.9	7.3	7.1
Lower	2.8	27.5	0.5	21.4	16.7	3.8	8.8	2.0	16.5	2.6	27.5	0.0	24.3	21.1	3.7	3.7	2.1	15.2
Middle	1.8	14.4	1.3	28.4	14.7	7.6	13.8	1.0	17.0	1.9	16.7	1.4	28.5	15.8	7.6	9.5	1.3	17.2
High	1.5	12.9	2.6	21.1	12.9	9.3	14.0	5.5	20.2	1.4	11.5	3.0	25.1	11.7	4.8	10.7	5.5	26.3
Highest	4.5	8.9	1.9	17.7	10.0	8.0	21.8	4.6	22.6	5.2	9.4	3.1	21.9	9.3	5.9	18.7	4.8	21.7

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3689)			Married Women[1] (N = 2136)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	15.5	8.0	23.5	19.9	12.2	32.1
Age Group						
15-19	14.3	4.1	18.4	33.4	17.9	51.3
20-24	22.1	4.2	26.3	33.6	7.8	41.4
25-29	21.9	3.7	25.6	26.2	4.5	30.8
30-34	17.5	9.2	26.8	20.8	10.3	31.1
35-39	11.1	12.6	23.7	13.0	15.7	28.6
40-44	5.8	16.6	22.3	7.4	20.5	27.9
45-49	4.1	15.1	19.2	3.7	20.4	24.1
Marital Status						
Married, or in union	19.9	12.2	32.1	*na*	*na*	*na*
Unmarried, sexually active	34.6	6.1	40.7	*na*	*na*	*na*
Parity						
0-1 children	15.1	2.6	17.8	24.3	5.1	29.4
2-3 children	18.9	7.5	26.4	22.0	8.7	30.7
4+ children	12.8	19.0	31.8	14.3	21.8	36.1
Residence						
Urban	13.6	6.4	20.0	17.8	10.8	28.6
Rural	17.6	9.8	27.4	21.8	13.6	35.4
Education						
Never	16.7	11.4	28.1	19.3	13.1	32.4
Primary	14.3	8.4	22.7	19.8	11.4	31.1
Middle Category	16.1	9.1	25.1	19.9	14.5	34.3
Secondary	16.0	3.0	19.0	24.6	6.9	31.5
Higher	12.2	5.5	17.8	14.9	9.4	24.3
Wealth Quintile						
Lowest	19.8	10.0	29.9	23.3	13.5	36.8
Lower	15.5	8.9	24.4	21.0	14.3	35.3
Middle	13.9	7.4	21.2	17.8	11.5	29.3
High	15.6	6.3	21.9	21.7	9.6	31.3
Highest	11.8	6.7	18.6	13.2	11.8	25.0

1 *Married includes married women and those who are living with a man*

na *Not applicable*

-- *Less than 25 unweighted observations*

<i> *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristics	All Women (N=3689)					Married Women [2] (N=2136)				
	Any Method	Modern[1] Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern[1] Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	26.0	21.7	23.5	49.5	43.8	31.2	25.9	32.1	63.3	40.9
Age Group										
15-19	11.1	8.9	18.4	29.5	30.0	31.0	26.0	51.3	82.4	31.5
20-24	30.0	26.4	26.3	56.3	46.9	31.7	27.9	41.4	73.0	38.1
25-29	33.5	27.2	25.6	59.1	46.0	30.5	24.8	30.8	61.2	40.5
30-34	33.8	29.7	26.8	60.5	49.0	36.2	31.6	31.1	67.3	46.9
35-39	30.7	22.6	23.7	54.5	41.6	35.0	25.6	28.6	63.7	40.3
40-44	24.2	21.6	22.3	46.5	46.5	27.1	24.2	27.9	55.0	44.0
45-49	15.5	12.2	19.2	34.7	35.1	19.2	14.3	24.1	43.3	33.0
Marital Status										
Married, or in union	31.2	25.9	32.1	63.3	40.9	na	na	na	na	na
Unmarried, sexually active	43.6	36.3	40.7	84.3	43.0	na	na	na	na	na
Parity										
0-1 children	20.5	16.5	17.8	38.3	43.2	26.0	19.7	29.4	55.4	35.5
2-3 children	33.0	28.2	26.4	59.4	47.4	34.9	29.3	30.7	65.5	44.7
4+ children	30.8	26.6	31.8	62.5	42.5	33.7	28.9	36.1	69.8	41.4
Residence										
Urban	26.6	21.1	20.0	46.6	45.2	33.3	25.6	28.6	61.9	41.4
Rural	25.3	22.4	27.4	52.7	42.5	29.3	26.2	35.4	64.7	40.5
Education										
Never	21.8	20.4	28.1	50.0	40.8	25.0	23.2	32.4	57.4	40.4
Primary	26.2	21.9	22.7	48.9	44.8	32.7	27.2	31.1	63.9	42.6
Middle Category	26.3	21.9	25.1	51.4	42.6	33.0	27.8	34.3	67.3	41.3
Secondary	26.6	20.8	19.0	45.6	45.5	37.0	27.2	31.5	68.5	39.7
Higher	31.1	25.0	17.8	48.9	51.2	28.6	20.2	24.3	52.8	38.2
Wealth Quintile										
Lowest	25.1	23.2	29.9	55.0	42.2	30.4	28.3	36.8	67.2	42.1
Lower	24.8	20.7	24.4	49.2	42.1	27.6	23.4	35.3	63.0	37.2
Middle	26.0	21.6	21.2	47.3	45.7	34.9	28.9	29.3	64.2	45.0
High	27.9	22.3	21.9	49.8	44.7	33.4	24.6	31.3	64.7	38.0
Highest	26.4	20.5	18.6	45.0	45.5	29.9	23.4	25.0	54.9	42.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1552)			Married[1] Women with 1 or More Births (N=1309)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	57.4	28.1	14.5	60.1	27.2	12.7
Age Group						
15-19	26.8	41.6	31.5	31.3	39.5	29.2
20-24	46.2	38.7	15.1	50.5	36.6	12.9
25-29	59.8	29.4	10.7	61.4	30.3	8.3
30-34	66.9	19.6	13.5	68.7	19.6	11.7
35-39	64.9	23.2	11.9	63.6	23.7	12.7
40-44	60.1	23.6	16.3	64.0	20.8	15.2
45-49	*67.3*	*14.7*	*17.9*	*67.0*	*13.4*	*19.6*
Marital Status						
Married, or in union	60.1	27.2	12.7	na	na	na
Unmarried, sexually active	48.2	38.9	12.9	na	na	na
Parity						
0-1 children	53.7	27.7	18.6	61.9	24.8	13.3
2-3 children	62.7	28.7	8.7	63.3	28.2	8.5
4+ children	55.0	27.3	17.7	55.7	27.5	16.8
Residence						
Urban	64.3	25.1	10.6	68.9	23.2	7.9
Rural	52.0	30.4	17.6	53.4	30.2	16.4
Education						
Never	63.2	24.1	12.7	63.2	24.1	12.7
Primary	54.5	32.7	12.9	55.0	32.2	12.7
Middle Category	52.9	28.4	18.7	57.0	27.5	15.5
Secondary	53.5	34.0	12.4	58.4	32.2	9.4
Higher	85.9	12.5	1.6	86.7	11.5	1.8
Wealth Quintile						
Lowest	53.4	31.8	14.8	53.4	32.9	13.7
Lower	51.6	28.3	20.1	55.6	25.9	18.6
Middle	53.9	30.5	15.6	58.3	29.1	12.6
High	68.2	22.4	9.4	71.0	21.2	7.8
Highest	67.1	24.2	8.7	69.3	23.0	7.8

1 *Married includes married women and those who are living with a man*

na *Not applicable*

-- *Less than 25 unweighted observations*

<i> *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception[1] reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 798)
Total				
All	51.1	40.9	8.0	
Age Group				
15-19	55.0	30.8	14.3	
20-24	49.1	42.4	8.5	
25-29	58.1	35.8	6.0	
30-34	42.2	49.1	8.7	
35-39	57.8	39.9	2.3	
40-44	51.0	39.3	9.8	
45-49	*44.3*	*42.4*	*13.4*	
Marital Status				
Married, or in union	47.8	45.8	6.4	
Unmarried, sexually active	57.5	29.7	12.8	
Parity				
0-1 children	54.9	35.1	9.9	
2-3 children	49.6	42.9	7.5	
4+ children	48.5	44.9	6.5	
Residence				
Urban	50.1	43.0	6.8	
Rural	52.1	38.6	9.2	
Education				
Never	52.9	37.7	9.3	
Primary	49.6	42.7	7.7	
Middle Category	54.3	39.4	6.3	
Secondary	51.7	38.9	9.3	
Higher	36.5	52.2	11.3	
Wealth Quintile				
Lowest	52.1	39.9	8.0	
Lower	50.6	40.2	9.2	
Middle	53.1	40.3	6.6	
High	52.1	40.7	7.2	
Highest	46.5	44.1	9.4	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method [1] who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 801)	Married[2] Modern Contraceptive Users (N = 553)
Total		
All	67.0	67.6
Age Group		
15-19	78.9	--
20-24	69.2	71.1
25-29	73.4	77.5
30-34	60.3	59.4
35-39	64.6	66.5
40-44	59.4	62.8
45-49	*59.5*	--
Marital Status		
Married, or in union	67.6	na
Unmarried, sexually active	69.3	na
Parity		
0-1 children	71.1	73.5
2-3 children	68.5	70.0
4+ children	63.1	64.5
Residence		
Urban	66.1	65.9
Rural	67.9	69.1
Education		
Never	64.1	63.4
Primary	70.1	74.5
Middle Category	71.8	74.6
Secondary	65.3	58.2
Higher	48.6	*34.5*
Wealth Quintile		
Lowest	58.8	59.0
Lower	76.8	79.7
Middle	78.1	80.4
High	67.7	70.1
Highest	51.9	46.7

1 *Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method*

2 *Married includes married women and those who are living with a man*

na *Not applicable*

-- *Less than 25 unweighted observations*

<i> *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Method Information Index Components

Percentage of current modern contraceptive [1] users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods [2]		Informed about side effects [2]		Told what to do if experienced side effects [2]	
	All Users	Married [3] Users	All Users	Married [3] Users	All Users	Married [3] Users
Total	**(801)**	**(553)**	**(798)**	**(551)**	**(454)**	**(331)**
All	59.0	61.4	55.2	57.7	80.2	80.5
Age Group						
15-19	40.4	--	37.7	--	*72.5*	--
20-24	48.1	49.1	45.3	50.1	72.7	*71.4*
25-29	62.6	68.1	55.4	59.5	86.4	84.0
30-34	61.5	60.2	54.9	52.0	84.5	85.4
35-39	69.9	67.3	67.8	65.9	79.5	83.2
40-44	70.6	70.4	67.7	65.0	76.9	*77.7*
45-49	*61.4*	--	*73.5*	--	--	--
Marital Status						
Married, or in union	61.4	na	57.7	na	80.5	na
Unmarried, sexually active	58.7	na	50.8	na	84.4	na
Parity						
0-1 children	46.9	46.0	45.0	51.8	75.1	70.5
2-3 children	67.1	66.7	62.9	60.9	85.5	85.2
4+ children	66.3	66.1	61.0	59.7	78.7	80.3
Residence						
Urban	56.8	60.1	54.6	56.8	79.4	81.2
Rural	61.4	62.7	55.9	58.4	81.1	79.8
Education						
Never	52.0	51.2	54.6	54.9	75.9	75.3
Primary	71.1	73.6	63.1	61.7	84.3	85.7
Middle Category	60.9	61.8	59.0	60.4	81.6	80.8
Secondary	58.9	64.1	49.5	53.7	77.2	*75.4*
Higher	41.1	*49.8*	36.1	*44.9*	*76.0*	--
Wealth Quintile						
Lowest	66.5	65.3	55.4	57.7	78.1	76.8
Lower	59.4	60.9	55.9	53.9	80.8	79.6
Middle	53.3	56.8	60.9	62.3	82.3	84.6
High	60.1	64.6	53.3	58.6	78.4	79.1
Highest	53.3	57.5	49.4	54.0	82.4	*84.2*

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern[1] contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	**(N = 790)**	**(N = 790)**	**(N = 790)**
All	86.9	79.5	74.6
Age Group			
15-19	86.6	80.2	74.9
20-24	88.1	83.8	80.6
25-29	87.8	77.8	71.1
30-34	86.0	77.0	74.0
35-39	87.1	82.1	75.4
40-44	85.6	80.0	73.3
45-49	*82.2*	*68.6*	*63.5*
Marital Status			
Married, or in union	87.1	81.3	75.8
Unmarried, sexually active	87.7	74.8	70.9
Parity			
0-1 children	87.7	76.9	72.1
2-3 children	89.4	81.3	77.3
4+ children	83.9	81.9	75.6
Residence			
Urban	88.8	78.7	74.0
Rural	84.8	80.4	75.2
Education			
Never	82.8	79.4	74.7
Primary	81.5	81.1	73.2
Middle Category	89.7	82.2	78.1
Secondary	87.4	76.1	71.2
Higher	90.2	71.6	67.8
Wealth Quintile			
Lowest	76.6	78.0	69.2
Lower	94.0	81.3	79.2
Middle	90.2	87.5	82.2
High	89.1	75.1	70.9
Highest	85.6	75.2	71.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married[1] Women	All Women	Married[1] Women	All Women	Married[1] Women
Total	**(3689)**	**(2136)**	**(3689)**	**(2136)**	**(3689)**	**(2136)**
All	16.6	20.8	15.6	21.7	25.3	33.1
Age Group						
15-19	9.4	17.6	5.7	18.1	12.4	28.9
20-24	15.9	19.3	13.1	20.5	24.2	32.7
25-29	21.6	27.2	21.4	26.3	32.1	39.4
30-34	17.9	19.5	25.9	29.3	32.0	35.7
35-39	20.1	21.1	18.6	19.5	31.5	32.8
40-44	20.0	21.7	14.1	16.1	28.3	31.6
45-49	11.5	12.0	8.9	9.5	17.9	18.6
Marital Status						
Married, or in union	20.8	na	21.7	na	33.1	na
Unmarried, sexually active	15.1	na	7.8	na	18.6	na
Parity						
0-1 children	12.4	18.2	9.2	18.0	17.8	29.6
2-3 children	19.0	20.9	22.4	24.8	31.8	34.7
4+ children	21.7	22.2	20.7	21.1	33.5	34.0
Residence						
Urban	10.9	14.2	12.9	20.0	19.3	27.0
Rural	22.8	27.0	18.6	23.3	32.1	38.9
Education						
Never	19.4	20.3	18.9	20.8	30.5	32.9
Primary	18.4	23.1	16.6	21.4	27.9	34.7
Middle Category	15.9	20.7	14.4	20.0	23.9	32.1
Secondary	11.1	13.6	10.2	19.1	18.1	27.7
Higher	21.7	28.0	24.0	36.1	32.0	42.9
Wealth Quintile						
Lowest	21.4	25.4	19.4	23.6	32.0	38.4
Lower	19.5	26.4	15.5	20.0	28.0	37.4
Middle	12.4	14.4	14.5	21.2	22.4	29.1
High	12.7	17.1	12.2	18.5	19.1	26.8
Highest	16.0	19.1	16.0	25.6	24.2	32.4

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	2335	1847	4182
Households Occupied	2301	1817	4118
Households Interviewed	2264	1798	4062
Household Response Rate [1]	98.39%	98.95%	98.64%
Interviews with Women			
Number of Eligible Women [2]	2096	1689	3785
Number of Eligible Women Interviewed	2028	1655	3683
Eligible Woman Response Rate [3]	96.76%	97.99%	97.31%

1 *Household response rate = households interviewed/households selected*

2 *Eligible women are women ages 15-49 identified in completed household interviews*

3 *Eligible response rate = eligible women interviewed/eligible women*

Sample Error Estimates

Variable	All Women				Married Women[1]			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.217	0.013	0.193	0.243	0.259	0.017	0.227	0.294
Currently using a traditional method	0.043	0.006	0.033	0.055	0.053	0.009	0.038	0.075
Currently using any contraceptive method	0.260	0.013	0.235	0.286	0.312	0.018	0.278	0.349
Currently using DMPA-IM	0.063	0.007	0.051	0.078	0.085	0.011	0.067	0.109
Currently using condoms	0.123	0.021	0.088	0.170	0.090	0.022	0.055	0.143
Currenlty using implants	0.048	0.006	0.037	0.061	0.059	0.008	0.045	0.077
Chose method by self or jointly in past 12 months	0.920	0.014	0.888	0.943	0.936	0.015	0.901	0.959
Paid fees for family planning services in past 12 months	0.577	0.032	0.512	0.640	0.579	0.032	0.514	0.641
Informed by provider about other methods	0.554	0.035	0.484	0.621	0.579	0.037	0.504	0.651
Informed by provider about side effects	0.548	0.040	0.468	0.625	0.572	0.044	0.483	0.656
Satisfied with provider: Would return and refer friend/relative to provider	0.748	0.044	0.650	0.825	0.760	0.045	0.659	0.838
Visited by health worker who talked about family planning in past 12 months	0.166	0.024	0.123	0.220	0.208	0.032	0.152	0.279

1   Married includes married women and those who are living with a man