

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Burkina Faso (Centre) Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Burkina Faso (Centre) Phase 2 Cross-sectional Survey Snapshot of Indicators, PMA/Burkina Faso-Centre-P2-CS SOIs. 2021.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	711	1606
Age Group			
15-19	20.9	149	345
20-24	21.7	154	340
25-29	15.6	111	250
30-34	12.4	88	203
35-39	13.4	95	210
40-44	9.7	69	155
45-49	6.3	45	103
Marital Status			
Married, or in union	53.9	384	854
Unmarried, sexually active	11.9	84	189
Parity			
0-1 children	15.5	110	239
2-3 children	25.6	182	415
4+ children	19.2	137	301
Residence			
Urban	83.2	592	1473
Rural	16.8	119	133
Education			
Never	23.2	165	343
Primary	20.9	149	336
Secondary 1 Cycle	30.3	215	499
Secondary 2 Cycles	15.4	110	246
Tertiary	10.2	73	182
Wealth Quintile			
Lowest	1.6	11	18
Middle	4.0	28	45
Highest	94.5	672	1543

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	39.4	45.1	34.3	39.5	5.1	5.6
Age Group						
15-19	14.8	--	11.9	--	2.9	--
20-24	45.3	39.5	39.6	35.3	5.7	4.3
25-29	50.6	46.2	45.6	40.2	5.0	6.0
30-34	47.3	48.1	39.9	41.4	7.4	6.7
35-39	46.8	47.0	41.2	42.0	5.6	5.0
40-44	46.4	50.8	39.1	42.3	7.3	8.5
45-49	30.7	39.5	29.0	37.1	1.7	2.4
Marital Status						
Married, or in union	45.1	na	39.5	na	5.6	na
Unmarried, sexually active	81.7	na	69.5	na	12.1	na
Parity						
0-1 children	45.5	39.4	39.0	33.0	6.4	6.3
2-3 children	50.6	52.1	44.2	45.3	6.4	6.8
4+ children	48.1	49.6	44.1	45.3	4.0	4.4
Residence						
Urban	40.0	46.2	34.0	39.4	6.0	6.9
Rural	36.3	40.1	35.7	40.1	0.5	0.0
Education						
Never	31.4	36.6	29.1	33.6	2.3	3.0
Primary	39.5	42.6	34.5	37.7	5.1	4.9
Secondary 1 Cycle	41.6	55.2	35.6	46.9	5.9	8.3
Secondary 2 Cycles	37.2	43.0	32.6	35.8	4.6	7.2
Tertiary	54.2	58.5	44.3	50.0	9.9	8.5
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	<i>35.3</i>	--	<i>35.3</i>	--	<i>0.0</i>	--
Highest	39.9	46.0	34.6	40.0	5.3	5.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 637)										Married Users ¹ (N = 392)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.4	23.5	5.0	9.4	2.2	12.1	0.9	31.4	2.1	12.9	0.7	30.9	8.0	12.6	2.3	16.6	0.4	12.9	3.2	12.5
Age Group																				
15-19	0.0	10.5	0.0	1.8	0.0	4.5	0.0	63.7	0.0	19.6	--	--	--	--	--	--	--	--	--	--
20-24	0.0	18.4	0.4	8.9	1.9	6.5	1.0	49.6	0.6	12.5	0.0	42.8	1.1	14.9	1.1	16.5	0.0	11.2	1.6	10.8
25-29	0.0	26.6	5.1	7.0	4.4	9.8	1.8	32.6	2.9	9.9	0.0	28.6	8.4	11.5	5.0	15.1	0.0	13.8	4.8	12.9
30-34	0.0	25.9	4.1	11.2	3.9	21.7	0.8	16.7	0.0	15.6	0.0	27.8	4.9	12.3	3.7	23.5	1.0	12.7	0.0	14.0
35-39	0.0	26.2	6.4	18.4	1.7	15.8	0.8	17.0	1.7	11.9	0.0	27.8	7.8	19.3	2.1	16.1	1.0	14.3	1.0	10.6
40-44	1.8	26.7	13.1	6.7	0.0	17.7	0.0	10.8	7.4	15.7	2.1	26.8	14.5	6.4	0.0	14.6	0.0	10.1	8.7	16.7
45-49	4.4	32.7	15.8	6.6	0.0	7.2	0.0	21.8	5.8	5.7	4.6	34.3	16.6	6.9	0.0	7.5	0.0	17.9	6.1	6.0
Marital Status																				
Married, or in union	0.7	30.9	8.0	12.6	2.3	16.6	0.4	12.9	3.2	12.5	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	6.3	0.4	5.8	3.3	4.4	2.5	61.9	0.6	14.9	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	33.8	3.4	11.2	4.5	9.1	2.0	19.4	2.4	14.2	0.0	36.2	5.7	11.8	2.0	11.7	1.2	12.6	2.7	16.1
2-3 children	0.3	27.7	7.7	10.5	3.0	18.6	0.4	16.0	3.1	12.6	0.4	27.3	8.6	9.4	3.3	19.2	0.4	14.7	3.5	13.1
4+ children	1.3	32.6	8.0	15.8	1.5	16.8	0.0	12.7	2.9	8.4	1.5	32.6	8.5	17.8	1.2	16.0	0.0	10.4	3.2	8.8
Residence																				
Urban	0.5	22.2	6.0	5.8	2.4	12.4	1.0	32.7	2.0	15.0	0.8	30.1	9.5	7.9	2.5	17.2	0.5	13.5	3.0	14.9
Rural	0.0	30.3	0.0	29.4	1.5	10.1	0.0	24.4	2.8	1.5	0.0	34.9	0.0	36.6	1.1	13.3	0.0	9.7	4.3	0.0
Education																				
Never	1.7	32.5	3.9	22.9	0.0	20.2	0.0	9.2	2.4	7.2	2.0	29.0	4.4	26.2	0.0	20.1	0.0	7.4	2.8	8.2
Primary	0.0	29.3	1.7	14.4	2.5	11.4	0.0	25.2	2.9	12.8	0.0	36.3	1.7	13.7	3.4	14.1	0.0	15.2	4.0	11.5
Secondary 1 Cycle	0.3	24.7	3.4	2.8	4.5	10.6	0.0	36.4	3.0	14.2	0.6	35.5	6.0	3.5	4.0	13.4	0.0	17.6	4.4	15.0
Secondary 2 Cycles	0.0	14.4	4.0	7.0	2.0	10.5	0.0	48.8	0.9	12.4	0.0	20.5	10.8	10.4	3.3	28.1	0.0	7.7	2.4	16.8
Tertiary	0.0	9.5	16.3	2.0	0.0	7.2	6.2	40.7	0.0	18.2	0.0	19.2	33.1	4.0	0.0	12.9	3.7	12.5	0.0	14.6
Wealth Quintile																				
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Highest	0.2	22.8	5.3	8.8	2.2	11.9	0.9	32.4	2.2	13.3	0.3	30.6	8.3	12.1	2.4	16.4	0.4	13.2	3.3	12.9

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 1606)	Married Women ³ (N = 854)	All Women (N = 1606)	Married Women ³ (N = 854)
Total				
All	22.9	21.7	11.4	17.8
Age Group				
15-19	10.3	--	1.5	--
20-24	31.1	17.9	8.5	17.3
25-29	29.6	23.2	16.0	17.1
30-34	25.7	25.6	14.2	15.8
35-39	26.0	25.3	15.3	16.7
40-44	19.8	20.3	19.3	22.0
45-49	12.7	15.2	16.3	21.9
Marital Status				
Married, or in union	21.7	na	17.8	na
Unmarried, sexually active	64.0	na	5.5	na
Parity				
0-1 children	22.1	16.6	16.9	16.5
2-3 children	26.1	26.4	18.1	18.9
4+ children	23.9	24.1	20.2	21.2
Residence				
Urban	22.5	20.7	11.5	18.7
Rural	24.7	26.1	11.0	14.0
Education				
Never	17.2	20.7	12.0	12.9
Primary	22.2	21.5	12.2	16.2
Secondary 1 Cycle	23.8	23.7	11.8	23.2
Secondary 2 Cycles	25.8	22.3	6.9	13.4
Tertiary	30.4	19.4	13.9	30.6
Wealth Quintile				
Lowest	--	--	--	--
Middle	21.6	--	13.7	--
Highest	23.3	22.0	11.3	18.0

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1606)			Married Women ¹ (N = 854)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	5.8	2.6	8.4	9.2	4.6	13.8
Age Group						
15-19	4.2	0.4	4.6	--	--	--
20-24	5.6	0.0	5.6	10.9	0.0	10.9
25-29	8.3	0.2	8.5	11.4	0.4	11.8
30-34	7.4	3.7	11.1	9.0	4.5	13.5
35-39	7.4	3.4	10.8	9.0	4.2	13.2
40-44	4.7	8.1	12.8	6.1	10.4	16.5
45-49	0.9	11.7	12.5	1.2	15.7	16.9
Marital Status						
Married, or in union	9.2	4.6	13.8	na	na	na
Unmarried, sexually active	6.3	0.0	6.3	na	na	na
Parity						
0-1 children	9.7	0.9	10.6	13.4	0.5	13.9
2-3 children	7.5	2.1	9.6	8.7	2.4	11.1
4+ children	8.2	9.9	18.1	9.6	11.5	21.0
Residence						
Urban	5.6	2.8	8.3	9.1	5.0	14.1
Rural	7.0	1.6	8.6	9.8	2.7	12.5
Education						
Never	8.0	5.8	13.8	10.4	7.8	18.2
Primary	6.8	2.7	9.5	9.3	4.1	13.4
Secondary 1 Cycle	5.1	1.5	6.6	9.3	3.5	12.8
Secondary 2 Cycles	3.8	0.9	4.7	6.2	1.0	7.3
Tertiary	4.1	0.4	4.5	7.6	0.9	8.5
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	3.7	1.2	4.9	--	--	--
Highest	5.7	2.5	8.2	8.9	4.5	13.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=1606)					Married Women ² (N=854)				
	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	39.4	34.3	8.4	47.8	71.8	45.1	39.5	13.8	58.9	67.0
Age Group										
15-19	14.8	11.9	4.6	19.4	61.2	--	--	--	--	--
20-24	45.3	39.6	5.6	50.9	77.8	39.5	35.3	10.9	50.4	70.0
25-29	50.6	45.6	8.5	59.2	77.1	46.2	40.2	11.8	57.9	69.4
30-34	47.3	39.9	11.1	58.4	68.3	48.1	41.4	13.5	61.6	67.1
35-39	46.8	41.2	10.8	57.6	71.5	47.0	42.0	13.2	60.3	69.8
40-44	46.4	39.1	12.8	59.2	66.1	50.8	42.3	16.5	67.3	62.8
45-49	30.7	29.0	12.5	43.2	<i>67.0</i>	39.5	37.1	16.9	56.3	<i>65.9</i>
Marital Status										
Married, or in union	45.1	39.5	13.8	58.9	67.0	na	na	na	na	na
Unmarried, sexually active	81.7	69.5	6.3	87.9	79.1	na	na	na	na	na
Parity										
0-1 children	45.5	39.0	10.6	56.1	69.6	39.4	33.0	13.9	53.3	62.0
2-3 children	50.6	44.2	9.6	60.2	73.4	52.1	45.3	11.1	63.2	71.6
4+ children	48.1	44.1	18.1	66.2	66.6	49.6	45.3	21.0	70.7	64.1
Residence										
Urban	40.0	34.0	8.3	48.4	70.3	46.2	39.4	14.1	60.3	65.2
Rural	36.3	35.7	8.6	44.9	79.6	40.1	40.1	12.5	52.6	<i>76.2</i>
Education										
Never	31.4	29.1	13.8	45.2	64.4	36.6	33.6	18.2	54.8	61.3
Primary	39.5	34.5	9.5	49.0	70.3	42.6	37.7	13.4	56.0	67.3
Secondary 1 Cycle	41.6	35.6	6.6	48.2	74.0	55.2	46.9	12.8	68.0	69.0
Secondary 2 Cycles	37.2	32.6	4.7	41.9	77.8	43.0	35.8	7.3	50.3	<i>71.2</i>
Tertiary	54.2	44.3	4.5	58.7	75.5	58.5	50.0	8.5	67.0	74.6
Wealth Quintile										
Lowest	--	--	--	--	--	--	--	--	--	--
Middle	<i>35.3</i>	<i>35.3</i>	<i>4.9</i>	<i>40.2</i>	--	--	--	--	--	--
Highest	39.9	34.6	8.2	48.2	71.9	46.0	40.0	13.4	59.4	67.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=601)			Married ¹ Women with 1 or More Births (N=539)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	79.0	18.5	2.4	81.9	16.2	1.9
Age Group						
15-19	--	--	--	--	--	--
20-24	77.8	20.4	1.8	80.6	19.4	0.0
25-29	80.6	19.4	0.0	86.6	13.4	0.0
30-34	82.7	15.3	2.0	84.0	14.3	1.7
35-39	81.7	16.1	2.2	82.6	15.1	2.3
40-44	77.2	11.1	11.7	<i>74.5</i>	<i>12.4</i>	<i>13.1</i>
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	81.9	16.2	1.9	na	na	na
Unmarried, sexually active	<i>60.3</i>	<i>31.3</i>	<i>8.4</i>	na	na	na
Parity						
0-1 children	79.7	18.3	2.0	90.0	10.0	0.0
2-3 children	82.0	17.7	0.3	82.5	17.2	0.3
4+ children	74.1	20.0	5.9	74.4	19.8	5.8
Residence						
Urban	79.1	17.9	3.0	81.6	16.1	2.4
Rural	78.7	21.3	0.0	83.4	16.6	0.0
Education						
Never	82.6	16.5	0.9	84.6	14.4	1.0
Primary	80.7	16.1	3.2	80.1	16.9	3.0
Secondary 1 Cycle	71.1	24.6	4.2	74.5	22.2	3.3
Secondary 2 Cycles	80.4	17.5	2.2	93.3	6.7	0.0
Tertiary	86.6	13.4	0.0	88.9	11.1	0.0
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	--	--	--	--	--	--
Highest	79.2	18.2	2.6	82.5	15.4	2.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 481)
Total				
All	52.1	30.8	17.2	
Age Group				
15-19	<i>19.8</i>	<i>55.8</i>	<i>24.4</i>	
20-24	39.8	35.8	24.4	
25-29	49.5	35.6	14.9	
30-34	62.2	24.3	13.5	
35-39	69.4	18.6	12.0	
40-44	<i>65.7</i>	<i>20.6</i>	<i>13.7</i>	
45-49	<i>56.8</i>	<i>28.0</i>	<i>15.2</i>	
Marital Status				
Married, or in union	62.2	26.3	11.5	
Unmarried, sexually active	31.2	41.5	27.3	
Parity				
0-1 children	51.4	36.6	12.0	
2-3 children	63.5	25.9	10.6	
4+ children	69.4	16.7	13.9	
Residence				
Urban	52.1	30.4	17.5	
Rural	<i>51.8</i>	<i>32.7</i>	<i>15.5</i>	
Education				
Never	69.0	18.5	12.5	
Primary	60.0	22.7	17.3	
Secondary 1 Cycle	45.9	34.3	19.7	
Secondary 2 Cycles	40.0	42.8	17.2	
Tertiary	42.4	39.9	17.7	
Wealth Quintile				
Lowest	--	--	--	
Middle	--	--	--	
Highest	51.1	31.8	17.2	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(481)	(308)	(481)	(308)	(219)	(179)	(481)	(308)
All	53.7	69.4	45.7	57.2	88.8	92.1	56.8	70.0
Age Group								
15-19	<i>13.8</i>	--	<i>6.8</i>	--	--	--	<i>16.0</i>	--
20-24	45.5	<i>79.9</i>	39.4	<i>70.8</i>	<i>92.1</i>	<i>93.7</i>	55.6	<i>85.5</i>
25-29	55.0	70.3	57.1	64.5	80.5	<i>89.6</i>	61.4	77.0
30-34	60.7	64.2	52.1	54.3	<i>94.8</i>	<i>100.0</i>	63.9	68.3
35-39	62.0	66.7	48.2	51.2	<i>87.3</i>	<i>86.2</i>	64.1	68.2
40-44	<i>71.6</i>	<i>69.4</i>	<i>47.3</i>	<i>45.0</i>	<i>88.7</i>	--	<i>58.8</i>	<i>54.7</i>
45-49	<i>63.9</i>	--	<i>57.1</i>	--	--	--	<i>54.6</i>	--
Marital Status								
Married, or in union	69.4	na	57.2	na	92.1	na	70.0	na
Unmarried, sexually active	22.0	na	21.8	na	--	na	28.1	na
Parity								
0-1 children	64.2	74.9	66.1	75.8	93.6	<i>95.4</i>	66.7	74.3
2-3 children	66.6	68.4	55.5	54.9	92.7	94.2	71.2	70.7
4+ children	66.6	68.2	48.4	50.9	87.2	86.6	65.3	66.8
Residence								
Urban	51.9	68.5	44.8	58.0	89.3	92.4	55.5	70.4
Rural	<i>62.1</i>	<i>73.4</i>	<i>49.8</i>	<i>53.0</i>	--	--	<i>62.8</i>	<i>68.1</i>
Education								
Never	64.7	66.6	56.3	55.1	94.0	<i>95.3</i>	62.9	63.6
Primary	55.2	66.7	43.2	51.3	<i>85.2</i>	<i>84.8</i>	62.4	71.6
Secondary 1 Cycle	52.1	70.3	41.8	56.1	89.1	92.0	59.5	73.5
Secondary 2 Cycles	49.7	<i>73.1</i>	50.0	<i>72.0</i>	<i>82.4</i>	--	51.7	<i>77.7</i>
Tertiary	42.7	<i>76.6</i>	38.3	<i>66.1</i>	<i>92.9</i>	--	37.0	<i>66.0</i>
Wealth Quintile								
Lowest	--	--	--	--	--	na	--	--
Middle	--	--	--	--	--	--	--	--
Highest	53.6	69.2	45.6	57.2	88.2	91.8	56.4	70.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 472)	(N = 472)	(N = 472)
All	90.1	90.5	88.0
Age Group			
15-19	<i>84.9</i>	<i>79.9</i>	<i>79.9</i>
20-24	88.7	89.1	86.7
25-29	86.3	91.4	85.5
30-34	94.3	93.5	91.9
35-39	94.1	95.3	94.1
40-44	<i>88.0</i>	<i>84.8</i>	<i>82.8</i>
45-49	<i>100.0</i>	<i>96.5</i>	<i>96.5</i>
Marital Status			
Married, or in union	93.7	93.6	91.8
Unmarried, sexually active	82.7	81.5	79.7
Parity			
0-1 children	89.3	95.1	89.3
2-3 children	95.3	94.4	93.1
4+ children	92.3	91.3	89.5
Residence			
Urban	89.4	89.2	86.9
Rural	<i>93.4</i>	<i>96.6</i>	<i>93.4</i>
Education			
Never	95.6	95.9	94.7
Primary	90.1	90.6	88.4
Secondary 1 Cycle	91.2	89.2	88.0
Secondary 2 Cycles	80.5	86.0	79.3
Tertiary	90.5	90.7	87.5
Wealth Quintile			
Lowest	--	--	--
Middle	--	--	--
Highest	89.8	90.2	87.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1606)	(854)	(1606)	(854)	(1606)	(854)
All	4.9	4.8	11.5	18.3	14.7	20.4
Age Group						
15-19	6.2	--	2.5	--	8.1	--
20-24	8.0	10.3	14.0	24.2	17.9	26.7
25-29	3.4	4.2	17.7	22.7	19.2	24.0
30-34	5.1	5.7	15.2	17.9	18.3	21.1
35-39	1.9	2.3	18.0	20.9	19.4	22.5
40-44	2.7	3.5	7.0	9.0	9.1	11.8
45-49	2.7	1.5	3.2	4.4	6.0	5.8
Marital Status						
Married, or in union	4.8	na	18.3	na	20.4	na
Unmarried, sexually active	4.6	na	6.3	na	10.9	na
Parity						
0-1 children	5.5	7.4	20.8	25.6	22.3	27.2
2-3 children	3.3	3.4	17.4	18.4	19.5	20.3
4+ children	4.2	4.6	13.8	16.0	16.2	18.5
Residence						
Urban	5.0	5.1	12.0	19.3	15.2	21.4
Rural	4.2	3.5	9.2	14.1	12.4	15.9
Education						
Never	3.5	3.9	11.7	14.9	14.5	17.8
Primary	3.7	4.2	15.3	20.7	17.5	22.8
Secondary 1 Cycle	5.7	7.2	11.6	22.0	14.6	23.8
Secondary 2 Cycles	7.1	3.7	8.1	17.8	14.0	19.2
Tertiary	4.6	4.1	8.1	14.0	10.7	15.2
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	8.6	--	15.8	--	24.4	--
Highest	4.7	4.6	11.5	18.5	14.4	20.3

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1405	140	1545
Households Occupied	1344	136	1480
Households Interviewed	1290	135	1425
Household Response Rate ¹	95.98%	99.26%	96.28%
Interviews with Women			
Number of Eligible Women ²	1618	142	1760
Number of Eligible Women Interviewed	1473	133	1606
Eligible Woman Response Rate ³	91.04%	93.66%	91.25%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.343	0.018	0.308	0.380	0.395	0.027	0.343	0.450
Currently using a traditional method	0.051	0.007	0.038	0.067	0.056	0.009	0.041	0.077
Currently using any contraceptive method	0.394	0.017	0.360	0.429	0.451	0.027	0.398	0.506
Currently using DMPA-IM	0.094	0.021	0.059	0.147	0.126	0.027	0.080	0.191
Currently using DMPA-SC	0.022	0.007	0.012	0.041	0.023	0.008	0.012	0.046
Currently using condoms	0.314	0.022	0.272	0.359	0.129	0.022	0.090	0.181
Currently using implants	0.235	0.019	0.198	0.275	0.309	0.029	0.254	0.369
Chose method by self or jointly in past 12 months	0.828	0.021	0.783	0.866	0.885	0.030	0.811	0.932
Informed by provider about other methods	0.537	0.033	0.470	0.603	0.694	0.038	0.613	0.764
Informed by provider about side effects	0.457	0.030	0.398	0.518	0.572	0.038	0.494	0.646
Satisfied with provider: Would return and refer friend/relative to provider	0.880	0.019	0.835	0.914	0.918	0.016	0.878	0.946
Visited by health worker who talked about family planning in past 12 months	0.049	0.009	0.034	0.069	0.048	0.012	0.029	0.078

¹ Married includes married women and those who are living with a man