PMA
PERFORMANCE MONITORING FOR ACTION

JOHNS HOPKINS
BLOOMBERG SCHOOL
of PUBLIC HEALTH

BILL & MELINDA GATES INSTITUTE for
POPULATION and REPRODUCTIVE HEALTH

Cote d'Ivoire
Snapshot of Indicators
Phase 3 (2022) Cross-sectional Survey

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	3873	3873
Age Group			
15-19	18.4	711	725
20-24	20.2	782	774
25-29	16.0	619	586
30-34	14.9	578	578
35-39	12.5	482	522
40-44	10.8	417	431
45-49	7.3	283	257
Marital Status			
Married, or in union	61.8	2393	2409
Unmarried, sexually active	13.6	525	520
Parity			
0-1 children	16.5	641	640
2-3 children	26.0	1008	989
4+ children	30.1	1166	1215
Residence			
Urban	60.8	2356	2267
Rural	39.2	1517	1606
Education			
Never	40.7	1576	1572
Primary	24.7	956	970
Secondary	29.1	1128	1098
Tertiary	5.5	213	232
Wealth Quintile			
Lowest	19.3	749	902
Lower	18.0	698	691
Middle	18.2	705	663
Higher	21.6	835	736
Highest	22.9	886	881

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method [1]		Traditional Method	
	All Women	Married [2] Women	All Women	Married [2] Women	All Women	Married [2] Women
Total						
All	34.2	34.7	26.8	26.6	7.4	8.1
Age Group						
15-19	21.9	22.0	17.8	20.0	4.1	2.0
20-24	44.1	34.4	34.9	24.9	9.2	9.4
25-29	42.6	41.8	34.2	33.2	8.4	8.6
30-34	38.9	40.8	30.4	31.5	8.5	9.3
35-39	32.4	33.7	22.6	24.0	9.8	9.7
40-44	26.3	27.5	20.0	20.9	6.4	6.6
45-49	24.2	27.9	20.3	23.6	3.9	4.3
Marital Status						
Married, or in union	34.7	na	26.6	na	8.1	na
Unmarried, sexually active	67.6	na	54.3	na	13.3	na
Parity						
0-1 children	35.8	32.1	27.2	21.0	8.6	11.1
2-3 children	38.9	38.4	30.0	28.4	8.9	10.0
4+ children	35.4	36.2	28.5	29.9	6.8	6.3
Residence						
Urban	37.7	40.0	29.2	30.0	8.5	9.9
Rural	28.7	28.9	22.9	22.8	5.7	6.1
Education						
Never	27.6	28.5	23.1	24.0	4.5	4.5
Primary	34.9	37.9	26.0	26.1	8.9	11.8
Secondary	40.3	45.9	31.0	32.9	9.3	13.0
Tertiary	46.7	54.7	34.2	40.3	12.5	14.5
Wealth Quintile						
Lowest	22.8	22.8	18.3	18.4	4.5	4.3
Lower	35.7	37.0	30.3	30.5	5.3	6.4
Middle	32.7	36.9	25.2	27.2	7.5	9.6
Higher	35.2	35.7	26.3	25.2	8.9	10.5
Highest	42.9	45.8	32.8	34.4	10.1	11.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics	All Users (N = 1222)										Married Users[1] (N = 744)									
	Sterilization	Implant	IUD	DMPA-IM	DMPA-SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA-IM	DMPA-SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.0	18.4	1.0	13.2	6.5	18.1	7.0	13.6	0.5	21.7	0.0	17.8	1.4	16.5	7.9	23.2	3.1	6.3	0.5	23.4
Age Group																				
15-19	0.0	17.8	0.0	6.8	1.7	16.2	8.5	29.5	0.6	18.8	--	--	--	--	--	--	--	--	--	--
20-24	0.0	16.5	0.0	11.8	9.0	8.2	13.0	20.6	0.0	20.9	0.0	16.7	0.0	20.9	12.3	12.9	0.5	9.4	0.0	27.5
25-29	0.0	20.3	0.0	14.6	7.2	20.4	5.0	12.2	0.5	19.7	0.0	12.3	0.0	20.3	8.9	27.4	4.3	5.6	0.8	20.6
30-34	0.0	21.3	0.4	22.4	2.3	18.9	3.4	8.2	1.1	21.9	0.0	22.1	0.0	20.8	2.6	20.1	2.7	8.5	0.5	22.7
35-39	0.0	19.5	3.8	11.1	6.3	17.8	5.0	4.9	1.2	30.4	0.0	19.8	4.2	10.7	6.9	18.2	4.6	5.4	1.3	28.7
40-44	0.0	15.8	5.1	11.9	5.9	33.1	1.3	2.6	0.2	24.2	0.0	16.5	5.6	10.7	6.5	33.2	0.9	2.4	0.0	24.1
45-49	*0.0*	*14.0*	*0.5*	*5.3*	*17.3*	*36.9*	*6.0*	*3.7*	*0.0*	*16.3*	*0.0*	*14.8*	*0.6*	*5.6*	*18.3*	*38.9*	*5.7*	*0.8*	*0.0*	*15.3*
Marital Status																				
Married, or in union	0.0	17.8	1.4	16.5	7.9	23.2	3.1	6.3	0.5	23.4	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	19.7	0.1	5.8	4.9	9.4	15.7	24.1	0.6	19.6	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	18.5	0.2	11.6	6.6	18.6	8.4	11.3	0.7	24.0	0.0	13.7	0.0	14.8	3.6	18.7	6.3	8.1	0.3	34.6
2-3 children	0.0	18.5	0.4	19.9	9.3	16.7	3.7	8.2	0.5	22.9	0.0	12.9	0.3	20.3	9.8	18.4	3.4	8.4	0.5	25.9
4+ children	0.0	22.6	2.6	14.3	7.4	28.1	1.9	3.2	0.5	19.3	0.0	22.9	2.8	14.4	7.9	28.9	1.8	3.2	0.6	17.5
Residence																				
Urban	0.0	15.0	1.3	12.8	5.1	18.6	8.1	15.8	0.6	22.6	0.0	12.8	2.1	16.5	6.8	26.0	2.5	7.6	0.8	24.9
Rural	0.0	25.3	0.3	13.9	9.4	17.0	4.7	9.1	0.3	20.1	0.0	25.4	0.4	16.4	9.6	18.9	4.0	4.2	0.0	21.1
Education																				
Never	0.0	24.6	0.6	14.3	10.0	25.9	1.4	6.7	0.1	16.4	0.0	22.9	0.6	14.6	11.4	28.1	1.4	5.1	0.1	15.7
Primary	0.0	20.7	1.8	13.1	4.0	18.2	3.5	12.5	0.8	25.5	0.0	16.9	2.1	14.5	3.7	24.4	1.0	5.7	0.5	31.2
Secondary	0.0	12.8	0.3	13.7	6.0	13.8	10.3	19.1	0.7	23.1	0.0	10.4	0.9	24.3	7.4	16.7	1.4	9.1	1.3	28.4
Tertiary	0.0	9.5	3.0	4.7	2.0	3.3	27.7	22.8	0.4	26.7	*0.0*	*10.7*	*6.3*	*9.9*	*2.6*	*3.7*	*32.5*	*7.8*	*0.0*	*26.4*
Wealth Quintile																				
Lowest	0.0	27.4	0.0	22.5	7.2	17.1	0.4	5.8	0.0	19.5	0.0	27.8	0.0	25.5	8.5	18.1	0.0	1.1	0.0	19.1
Lower	0.0	28.2	0.5	13.7	12.0	20.2	3.0	7.1	0.3	15.0	0.0	24.7	0.7	16.2	13.8	22.1	1.9	2.9	0.4	17.3
Middle	0.0	16.1	0.0	17.9	10.5	15.3	1.3	15.1	0.8	23.0	0.0	13.7	0.0	18.2	12.2	20.8	0.0	8.9	0.0	26.1
Higher	0.0	11.7	0.5	8.0	3.9	18.3	14.0	17.6	0.6	25.4	0.0	12.2	1.0	9.6	3.5	29.6	3.6	10.2	0.9	29.5
Highest	0.0	14.5	2.7	9.7	2.2	18.7	10.5	17.5	0.7	23.5	0.0	12.2	4.5	14.6	2.3	24.7	8.2	7.7	1.0	24.9

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods [1]		Long Acting Methods [2]	
	All Women (N = 3873)	Married Women [3] (N = 2409)	All Women (N = 3873)	Married Women [3] (N = 2409)
Total				
All	20.1	19.9	6.6	6.7
Age Group				
15-19	13.9	12.7	3.9	7.3
20-24	27.6	19.2	7.3	5.7
25-29	25.6	28.1	8.7	5.1
30-34	21.9	22.5	8.5	9.0
35-39	15.0	15.9	7.6	8.1
40-44	14.5	14.8	5.5	6.1
45-49	16.7	19.3	3.5	4.3
Marital Status				
Married, or in union	19.9	na	6.7	na
Unmarried, sexually active	40.9	na	13.4	na
Parity				
0-1 children	20.5	16.6	6.7	4.4
2-3 children	22.6	23.4	7.4	5.1
4+ children	19.6	20.6	8.9	9.3
Residence				
Urban	23.1	24.1	6.2	6.0
Rural	15.6	15.3	7.3	7.4
Education				
Never	16.2	17.3	6.9	6.7
Primary	18.2	18.9	7.9	7.2
Secondary	25.7	27.7	5.3	5.2
Tertiary	28.4	30.9	5.8	9.3
Wealth Quintile				
Lowest	12.1	12.1	6.3	6.3
Lower	20.1	21.2	10.2	9.4
Middle	19.9	22.2	5.3	5.0
Higher	22.0	20.5	4.3	4.7
Highest	25.4	26.8	7.4	7.7

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3873)			Married Women[1] (N = 2409)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	12.7	3.9	16.6	16.4	5.5	21.9
Age Group						
15-19	10.6	0.7	11.2	36.9	1.8	38.7
20-24	17.1	0.6	17.7	25.7	0.1	25.8
25-29	14.4	1.4	15.8	18.9	2.1	20.9
30-34	17.1	2.6	19.7	19.4	2.4	21.8
35-39	13.8	7.2	21.0	14.5	7.8	22.3
40-44	6.9	11.9	18.8	7.3	12.3	19.6
45-49	0.3	11.6	11.9	0.4	13.4	13.7
Marital Status						
Married, or in union	16.4	5.5	21.9	na	na	na
Unmarried, sexually active	14.8	2.8	17.6	na	na	na
Parity						
0-1 children	14.9	0.7	15.6	17.7	0.0	17.7
2-3 children	16.8	2.3	19.1	18.7	2.0	20.7
4+ children	14.8	10.2	25.0	15.3	10.7	26.0
Residence						
Urban	9.2	3.0	12.2	13.3	4.9	18.2
Rural	18.2	5.2	23.4	19.9	6.1	26.0
Education						
Never	15.3	6.4	21.7	17.8	7.4	25.2
Primary	14.1	2.8	16.9	16.1	3.4	19.5
Secondary	9.7	1.9	11.5	14.3	3.2	17.4
Tertiary	3.9	0.8	4.7	8.3	2.1	10.4
Wealth Quintile						
Lowest	22.1	3.9	26.0	23.2	4.7	27.9
Lower	15.1	5.5	20.6	17.4	6.9	24.3
Middle	12.8	5.3	18.1	15.6	7.1	22.7
Higher	7.7	3.9	11.6	10.4	6.6	17.0
Highest	7.7	1.3	9.0	12.8	2.3	15.0

1   Married includes married women and those who are living with a man

na   Not applicable

--   Less than 25 unweighted observations

<i>   Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristics	All Women (N=3873)					Married Women[2] (N=2409)				
	Any Method	Modern[1] Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern[1] Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	34.2	26.8	16.6	50.8	52.7	34.7	26.6	21.9	56.6	47.0
Age Group										
15-19	21.9	17.8	11.2	33.1	53.7	22.0	20.0	38.7	60.7	32.9
20-24	44.1	34.9	17.7	61.9	56.4	34.4	24.9	25.8	60.2	41.4
25-29	42.6	34.2	15.8	58.4	58.6	41.8	33.2	20.9	62.7	52.9
30-34	38.9	30.4	19.7	58.6	51.8	40.8	31.5	21.8	62.6	50.3
35-39	32.4	22.6	21.0	53.4	42.3	33.7	24.0	22.3	56.0	42.9
40-44	26.3	20.0	18.8	45.1	44.3	27.5	20.9	19.6	47.1	44.3
45-49	24.2	20.3	11.9	36.1	56.2	27.9	23.6	13.7	41.6	56.8
Marital Status										
Married, or in union	34.7	26.6	21.9	56.6	47.0	na	na	na	na	na
Unmarried, sexually active	67.6	54.3	17.6	85.1	63.8	na	na	na	na	na
Parity										
0-1 children	35.8	27.2	15.6	51.3	52.9	32.1	21.0	17.7	49.8	42.1
2-3 children	38.9	30.0	19.1	58.0	51.7	38.4	28.4	20.7	59.0	48.1
4+ children	35.4	28.5	25.0	60.4	47.3	36.2	29.9	26.0	62.3	48.0
Residence										
Urban	37.7	29.2	12.2	49.9	58.5	40.0	30.0	18.2	58.2	51.6
Rural	28.7	22.9	23.4	52.1	44.0	28.9	22.8	26.0	54.9	41.5
Education										
Never	27.6	23.1	21.7	49.3	46.8	28.5	24.0	25.2	53.7	44.8
Primary	34.9	26.0	16.9	51.8	50.3	37.9	26.1	19.5	57.4	45.5
Secondary	40.3	31.0	11.5	51.8	59.8	45.9	32.9	17.4	63.4	51.9
Tertiary	46.7	34.2	4.7	51.4	66.6	54.7	40.3	10.4	65.1	61.8
Wealth Quintile										
Lowest	22.8	18.3	26.0	48.8	37.6	22.8	18.4	27.9	50.6	36.4
Lower	35.7	30.3	20.6	56.3	53.8	37.0	30.5	24.3	61.3	49.9
Middle	32.7	25.2	18.1	50.9	49.5	36.9	27.2	22.7	59.6	45.7
Higher	35.2	26.3	11.6	46.8	56.1	35.7	25.2	17.0	52.7	47.8
Highest	42.9	32.8	9.0	51.9	63.2	45.8	34.4	15.0	60.9	56.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1891)			Married[1] Women with 1 or More Births (N=1551)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	60.2	35.9	3.9	65.8	30.4	3.8
Age Group						
15-19	31.3	64.7	4.0	54.0	42.2	3.8
20-24	53.3	45.3	1.4	61.8	37.9	0.3
25-29	66.0	32.4	1.5	71.8	26.5	1.7
30-34	65.0	33.1	1.9	65.3	33.6	1.1
35-39	66.7	28.1	5.3	68.8	26.3	4.9
40-44	65.7	24.9	9.4	67.1	22.6	10.2
45-49	*48.9*	*12.5*	*38.7*	*49.6*	*12.6*	*37.8*
Marital Status						
Married, or in union	65.8	30.4	3.8	na	na	na
Unmarried, sexually active	24.1	74.0	1.9	na	na	na
Parity						
0-1 children	53.8	44.2	2.0	70.9	28.2	0.9
2-3 children	62.8	35.5	1.6	68.4	30.6	1.0
4+ children	61.2	31.4	7.4	61.7	30.8	7.4
Residence						
Urban	62.1	33.6	4.3	67.1	28.7	4.1
Rural	58.2	38.3	3.5	64.5	32.0	3.5
Education						
Never	62.2	31.7	6.1	64.0	29.8	6.2
Primary	62.7	35.4	1.9	70.2	28.8	1.0
Secondary	50.7	47.7	1.6	63.2	35.9	1.0
Tertiary	70.5	29.0	0.5	*77.7*	*22.3*	*0.0*
Wealth Quintile						
Lowest	63.4	33.1	3.5	66.6	30.4	3.0
Lower	57.4	36.7	5.9	63.5	30.0	6.5
Middle	56.6	39.6	3.7	62.5	34.5	3.1
Higher	61.2	33.8	5.0	67.2	27.0	5.8
Highest	62.0	36.9	1.1	70.0	29.3	0.7

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception[1] reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 957)
Total				
All	62.3	26.4	11.3	
Age Group				
15-19	41.0	32.9	26.1	
20-24	58.5	26.9	14.6	
25-29	67.0	25.6	7.4	
30-34	66.5	28.7	4.8	
35-39	61.2	29.0	9.8	
40-44	69.9	20.2	9.9	
45-49	*87.0*	*9.8*	*3.2*	
Marital Status				
Married, or in union	63.4	27.9	8.6	
Unmarried, sexually active	63.1	24.1	12.8	
Parity				
0-1 children	64.9	24.4	10.7	
2-3 children	62.2	29.0	8.8	
4+ children	70.3	22.8	6.9	
Residence				
Urban	67.8	23.4	8.8	
Rural	51.4	32.2	16.4	
Education				
Never	62.5	28.4	9.2	
Primary	62.3	20.7	17.0	
Secondary	64.7	25.6	9.7	
Tertiary	48.0	41.3	10.7	
Wealth Quintile				
Lowest	51.7	32.2	16.1	
Lower	65.9	22.6	11.5	
Middle	58.1	30.2	11.7	
Higher	66.6	24.8	8.6	
Highest	64.0	25.2	10.8	

1   *Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method*

na   *Not applicable*

--   *Less than 25 unweighted observations*

<i>   *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Method Information Index Components

Percentage of current modern contraceptive [1] users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods [2]		Informed about side effects [2]		Told what to do if experienced side effects [4]		Told about switching methods in future [2]	
	All Users	Married [3] Users	All Users	Married [3] Users	All Users	Married [3] Users	All Users	Married [3] Users
Total	**(957)**	**(577)**	**(957)**	**(577)**	**(413)**	**(297)**	**(957)**	**(577)**
All	40.5	45.6	37.5	44.9	82.2	84.6	43.8	50.7
Age Group								
15-19	23.8	--	21.7	--	*72.4*	--	30.5	--
20-24	32.4	34.0	36.5	49.7	66.8	*58.4*	41.3	51.8
25-29	40.4	42.4	34.8	42.6	85.3	87.0	37.0	45.6
30-34	51.1	50.4	43.4	44.7	93.2	93.2	50.7	51.1
35-39	54.0	55.3	51.1	52.5	85.2	88.3	61.0	61.0
40-44	50.1	48.2	53.4	53.3	*90.7*	*92.4*	53.4	51.9
45-49	*44.5*	*46.5*	*19.9*	*20.8*	--	--	*42.5*	*44.4*
Marital Status								
Married, or in union	45.6	na	44.9	na	84.6	na	50.7	na
Unmarried, sexually active	31.1	na	25.0	na	74.0	na	30.3	na
Parity								
0-1 children	37.7	35.2	39.0	49.3	72.8	*69.7*	44.2	46.7
2-3 children	43.8	39.5	42.2	42.9	76.7	77.0	45.0	44.7
4+ children	53.0	52.4	46.4	45.6	92.8	93.8	56.9	56.3
Residence								
Urban	36.6	41.3	33.0	41.2	78.3	77.3	36.8	43.8
Rural	48.3	51.9	46.4	50.3	87.8	93.5	57.7	60.7
Education								
Never	45.4	43.6	41.5	43.4	80.6	81.6	50.5	52.4
Primary	41.8	48.7	42.8	51.3	89.6	92.3	46.1	52.2
Secondary	35.5	46.2	31.2	43.3	79.8	83.2	37.7	47.6
Tertiary	33.6	*45.1*	26.8	*31.1*	--	--	28.8	*36.3*
Wealth Quintile								
Lowest	47.1	49.4	50.3	54.2	95.5	96.9	60.3	60.1
Lower	49.2	52.3	39.5	40.3	84.3	89.3	54.4	57.5
Middle	48.2	49.8	55.3	65.2	68.0	70.1	53.8	60.3
Higher	26.9	34.9	27.1	35.9	83.4	*87.2*	32.0	40.2
Highest	36.5	40.5	26.5	33.5	85.3	83.5	30.6	36.9

1 *Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method*

2 *Asked of all current/recent modern contraceptive users*

3 *Married includes married women and those who are living with a man*

4 *Asked of all current/recent modern contraceptive users who were informed about side effects*

na *Not applicable*

-- *Less than 25 unweighted observations*

<i> *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Quality of Care

Percentage of current modern[1] contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	**(N = 942)**	**(N = 942)**	**(N = 942)**
All	95.4	93.2	90.5
Age Group			
15-19	96.6	93.8	93.0
20-24	95.4	91.2	89.1
25-29	90.1	93.5	85.6
30-34	97.4	93.2	91.2
35-39	98.7	93.6	92.3
40-44	95.5	94.0	94.0
45-49	*100.0*	*98.9*	*98.9*
Marital Status			
Married, or in union	95.1	92.4	89.3
Unmarried, sexually active	95.2	93.7	91.1
Parity			
0-1 children	95.6	92.0	89.3
2-3 children	97.3	94.7	93.2
4+ children	93.0	93.3	88.2
Residence			
Urban	94.5	93.5	90.0
Rural	97.3	92.7	91.7
Education			
Never	97.8	94.1	93.4
Primary	92.7	92.8	86.5
Secondary	94.7	94.2	91.8
Tertiary	95.7	85.1	82.6
Wealth Quintile			
Lowest	99.7	90.6	90.3
Lower	97.6	96.2	96.0
Middle	96.8	93.8	91.6
Higher	88.5	93.8	86.5
Highest	96.1	91.5	89.0

1　Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na　Not applicable

--　Less than 25 unweighted observations

<i>　Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married[1] Women	All Women	Married[1] Women	All Women	Married[1] Women
Total	(3873)	(2409)	(3873)	(2409)	(3873)	(2409)
All	5.7	5.8	16.8	21.6	20.1	24.6
Age Group						
15-19	4.2	10.4	6.4	17.2	9.5	25.0
20-24	6.2	4.4	20.1	26.5	23.6	28.1
25-29	4.8	3.3	22.7	29.6	25.7	30.7
30-34	4.5	4.0	25.2	26.2	26.2	27.2
35-39	9.7	10.2	18.4	19.2	24.5	25.6
40-44	7.9	8.0	14.9	15.8	19.4	20.2
45-49	3.0	3.0	3.9	4.5	6.7	7.5
Marital Status						
Married, or in union	5.8	na	21.6	na	24.6	na
Unmarried, sexually active	9.0	na	11.7	na	18.5	na
Parity						
0-1 children	4.6	4.0	23.1	25.8	25.3	27.6
2-3 children	5.4	5.1	24.4	26.4	26.7	28.4
4+ children	7.5	7.4	17.7	18.5	22.0	22.7
Residence						
Urban	4.7	4.0	17.3	25.1	20.5	27.6
Rural	7.4	7.7	15.9	17.7	19.6	21.3
Education						
Never	5.1	5.5	15.7	17.9	18.6	21.2
Primary	6.9	6.7	21.1	26.3	25.2	29.9
Secondary	5.8	5.4	14.5	25.5	17.9	27.1
Tertiary	5.7	5.5	17.6	26.4	20.8	27.7
Wealth Quintile						
Lowest	7.6	8.3	17.9	20.6	21.6	24.6
Lower	7.7	5.8	18.2	20.8	22.8	22.7
Middle	4.2	2.9	18.1	22.4	20.3	24.1
Higher	5.2	7.0	13.7	19.2	17.7	24.6
Highest	4.4	3.8	16.6	25.5	19.0	27.2

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	2501	1808	4309
Households Occupied	2293	1637	3930
Households Interviewed	2161	1613	3774
Household Response Rate [1]	94.24%	98.53%	96.03%
Interviews with Women			
Number of Eligible Women [2]	2405	1657	4062
Number of Eligible Women Interviewed	2267	1606	3873
Eligible Woman Response Rate [3]	94.26%	96.92%	95.35%

1   *Household response rate = households interviewed/households selected*

2   *Eligible women are women ages 15-49 identified in completed household interviews*

3   *Eligible response rate = eligible women interviewed/eligible women*

Sample Error Estimates

Variable	All Women				Married Women [1]			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.268	0.014	0.240	0.297	0.266	0.017	0.235	0.300
Currently using a traditional method	0.074	0.009	0.059	0.094	0.081	0.010	0.063	0.104
Currently using any contraceptive method	0.342	0.020	0.304	0.382	0.347	0.023	0.304	0.394
Currently using DMPA-IM	0.132	0.021	0.095	0.179	0.165	0.026	0.120	0.222
Currently using DMPA-SC	0.065	0.011	0.047	0.090	0.079	0.018	0.049	0.123
Currently using condoms	0.136	0.014	0.110	0.167	0.063	0.009	0.047	0.083
Currenlty using implants	0.184	0.019	0.149	0.225	0.178	0.034	0.121	0.254
Chose method by self or jointly in past 12 months	0.887	0.023	0.834	0.924	0.914	0.020	0.865	0.946
Informed by provider about other methods	0.405	0.049	0.312	0.506	0.456	0.061	0.339	0.577
Informed by provider about side effects	0.375	0.055	0.273	0.489	0.449	0.061	0.334	0.570
Satisfied with provider: Would return and refer friend/relative to provider	0.905	0.020	0.859	0.937	0.893	0.025	0.833	0.934
Visited by health worker who talked about family planning in past 12 months	0.057	0.008	0.043	0.076	0.058	0.011	0.039	0.085

1   Married includes married women and those who are living with a man