

# PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## India (Rajasthan) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	5481	5481
<b>Age Group</b>			
15-19	16.6	912	904
20-24	18.4	1009	1060
25-29	16.9	929	966
30-34	15.1	825	819
35-39	13.4	734	690
40-44	10.6	581	587
45-49	9.0	491	455
<b>Marital Status</b>			
Married, or in union	73.2	4012	4059
Unmarried, sexually active	0.3	16	24
<b>Parity</b>			
0-1 children	12.3	674	676
2-3 children	44.2	2423	2388
4+ children	11.9	654	702
<b>Residence</b>			
Urban	24.4	1339	1782
Rural	75.6	4143	3699
<b>Education</b>			
Never	25.4	1390	1454
Primary	21.3	1168	1239
Secondary	20.7	1137	1048
Higher	11.2	614	618
Postgrad	21.4	1172	1122
<b>Wealth Quintile</b>			
Lowest	15.9	869	962
Lower	17.2	942	1072
Middle	20.8	1139	1137
Higher	22.2	1219	1122
Highest	23.9	1312	1188

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	50.3	66.9	43.9	58.2	6.4	8.7
<b>Age Group</b>						
15-19	2.6	19.6	2.2	16.8	0.4	2.7
20-24	21.5	36.4	15.3	26.0	6.2	10.5
25-29	53.1	59.4	42.5	47.5	10.6	11.9
30-34	72.4	74.2	63.7	65.3	8.6	8.9
35-39	77.9	79.2	70.1	71.2	7.8	8.0
40-44	81.3	83.8	75.9	77.9	5.4	5.9
45-49	78.1	80.5	72.7	74.6	5.4	5.9
<b>Marital Status</b>						
Married, or in union	66.9	na	58.2	na	8.7	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	48.6	49.6	36.1	36.8	12.5	12.8
2-3 children	77.7	78.8	68.8	69.7	8.8	9.2
4+ children	76.0	77.0	69.6	70.4	6.4	6.7
<b>Residence</b>						
Urban	50.9	69.7	43.3	59.2	7.6	10.5
Rural	50.1	66.1	44.1	57.9	6.0	8.1
<b>Education</b>						
Never	71.1	73.2	64.7	66.4	6.4	6.9
Primary	63.8	71.4	56.0	62.5	7.8	8.9
Secondary	41.6	61.0	34.8	51.1	6.7	9.9
Higher	25.7	58.5	21.7	49.6	4.1	9.0
Postgrad	33.6	58.2	27.6	47.8	6.0	10.4
<b>Wealth Quintile</b>						
Lowest	43.2	58.3	37.3	50.2	5.9	8.0
Lower	54.2	69.0	47.9	60.7	6.3	8.2
Middle	52.0	68.9	43.8	57.3	8.2	11.6
Higher	52.3	71.3	46.9	64.0	5.3	7.3
Highest	49.1	65.5	42.8	57.1	6.3	8.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

All Users (N = 2777)

Married Users<sup>1</sup> (N = 2709)

	All Users (N = 2777)										Married Users <sup>1</sup> (N = 2709)										
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		
<b>Total</b>																					
All	58.9	0.1	2.3	2.1	4.5	0.1	18.8	0.6	12.7	57.9	0.1	2.4	2.1	4.6	0.1	19.3	0.6	13.0			
<b>Age Group</b>																					
15-19	<i>5.8</i>	<i>0.0</i>	<i>4.5</i>	<i>9.6</i>	<i>13.2</i>	<i>0.0</i>	<i>47.1</i>	<i>4.0</i>	<i>15.8</i>	--	--	--	--	--	--	--	--	--	--		
20-24	11.0	0.0	2.5	6.3	7.1	0.0	41.7	2.6	28.7	11.0	0.0	2.5	6.3	7.1	0.0	41.7	2.6	28.7			
25-29	37.5	0.4	1.9	5.9	8.0	0.4	24.5	1.6	20.0	37.3	0.4	1.9	5.9	8.0	0.4	24.5	1.6	20.1			
30-34	52.9	0.0	3.7	1.4	5.9	0.0	24.0	0.1	11.9	52.4	0.0	3.7	1.5	6.0	0.0	24.3	0.1	12.0			
35-39	69.5	0.0	2.1	0.3	2.9	0.1	15.0	0.1	10.0	69.1	0.0	2.1	0.3	2.9	0.1	15.3	0.1	10.0			
40-44	80.1	0.0	2.6	0.3	2.5	0.0	7.9	0.0	6.6	78.8	0.0	2.7	0.3	2.6	0.0	8.4	0.0	7.1			
45-49	84.2	0.0	0.4	0.1	0.5	0.0	7.8	0.0	6.9	83.2	0.0	0.4	0.1	0.6	0.0	8.3	0.0	7.3			
<b>Marital Status</b>																					
Married, or in union	57.9	0.1	2.4	2.1	4.6	0.1	19.3	0.6	13.0	na	na	na	na	na	na	na	na	na			
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na			
<b>Parity</b>																					
0-1 children	9.6	0.6	3.6	6.5	6.3	0.4	45.0	2.4	25.7	9.2	0.6	3.6	6.6	6.3	0.4	45.2	2.4	25.8			
2-3 children	64.1	0.0	2.2	1.6	4.2	0.0	16.2	0.4	11.4	63.1	0.0	2.2	1.7	4.3	0.0	16.7	0.4	11.6			
4+ children	77.7	0.0	2.2	1.1	3.3	0.1	7.1	0.1	8.4	77.0	0.0	2.3	1.2	3.4	0.1	7.3	0.1	8.6			
<b>Residence</b>																					
Urban	45.2	0.3	2.9	1.6	5.6	0.1	28.7	0.6	15.0	44.4	0.3	2.9	1.6	5.8	0.1	29.3	0.6	15.1			
Rural	63.4	0.0	2.1	2.2	4.1	0.1	15.6	0.6	12.0	62.4	0.0	2.2	2.3	4.2	0.1	15.9	0.6	12.3			
<b>Education</b>																					
Never	77.1	0.2	1.6	1.1	3.7	0.1	7.1	0.2	8.9	76.0	0.2	1.7	1.2	3.9	0.1	7.4	0.2	9.4			
Primary	66.5	0.0	1.1	2.2	3.0	0.0	14.6	0.4	12.2	65.9	0.0	1.1	2.3	3.1	0.0	14.7	0.4	12.5			
Secondary	44.6	0.0	2.7	1.9	7.1	0.0	26.8	0.7	16.2	44.0	0.0	2.8	1.9	7.2	0.0	27.2	0.7	16.2			
Higher	33.9	0.0	3.7	2.8	7.5	0.0	34.7	1.6	15.8	33.9	0.0	3.7	2.8	7.5	0.0	35.0	1.6	15.3			
Postgrad	25.9	0.0	5.2	4.2	4.8	0.4	40.4	1.4	17.8	25.9	0.0	5.2	4.2	4.8	0.4	40.4	1.4	17.8			
<b>Wealth Quintile</b>																					
Lowest	69.2	0.0	1.7	2.3	3.8	0.0	8.2	1.2	13.7	68.6	0.0	1.8	2.4	3.9	0.0	8.4	1.2	13.8			
Lower	66.6	0.0	1.4	3.2	3.9	0.0	12.7	0.5	11.6	66.2	0.0	1.5	3.3	4.0	0.0	12.6	0.5	12.0			
Middle	58.5	0.0	2.4	1.9	3.6	0.2	17.3	0.2	15.8	55.9	0.0	2.6	2.1	3.8	0.3	18.4	0.2	16.8			
Higher	52.9	0.3	3.9	1.2	7.0	0.1	23.7	0.7	10.2	52.4	0.3	4.0	1.2	7.1	0.1	24.0	0.7	10.3			
Highest	53.0	0.0	1.5	2.1	3.6	0.0	26.4	0.5	12.7	52.5	0.0	1.6	2.1	3.7	0.0	26.8	0.5	12.8			

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods <sup>1</sup>		Long Acting Methods <sup>2</sup>	
	All Women (N = 5481)	Married Women <sup>3</sup> (N = 4059)	All Women (N = 5481)	Married Women <sup>3</sup> (N = 4059)
<b>Total</b>				
All	13.1	17.8	30.8	40.4
<b>Age Group</b>				
15-19	2.0	14.5	0.3	2.3
20-24	12.4	21.0	2.9	4.9
25-29	21.4	24.0	21.1	23.5
30-34	22.8	23.6	40.9	41.7
35-39	14.3	14.8	55.7	56.4
40-44	8.7	9.6	67.2	68.3
45-49	6.6	7.3	66.1	67.4
<b>Marital Status</b>				
Married, or in union	17.8	na	40.4	na
Unmarried, sexually active	--	na	--	na
<b>Parity</b>				
0-1 children	29.4	30.2	6.7	6.6
2-3 children	17.4	18.2	51.4	51.5
4+ children	8.9	9.3	60.7	61.1
<b>Residence</b>				
Urban	18.7	26.0	24.7	33.2
Rural	11.3	15.3	32.8	42.7
<b>Education</b>				
Never	8.6	9.3	56.1	57.0
Primary	12.9	14.6	43.1	47.9
Secondary	15.2	22.6	19.7	28.5
Higher	12.0	27.5	9.7	22.0
Postgrad	17.2	29.8	10.5	18.1
<b>Wealth Quintile</b>				
Lowest	6.7	9.2	30.6	41.0
Lower	11.0	14.1	36.9	46.7
Middle	12.1	17.0	31.7	40.3
Higher	17.1	23.6	29.9	40.4
Highest	16.0	21.7	26.8	35.4

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 5481)			Married Women <sup>1</sup> (N = 4059)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	4.3	4.4	8.6	5.6	5.8	11.4
<b>Age Group</b>						
15-19	4.2	0.9	5.1	31.2	7.0	38.2
20-24	11.9	4.1	15.9	19.5	6.9	26.4
25-29	5.5	8.3	13.7	6.2	9.3	15.4
30-34	2.8	6.3	9.1	2.9	6.5	9.5
35-39	0.2	5.1	5.2	0.2	5.2	5.4
40-44	0.0	2.6	2.6	0.0	2.2	2.2
45-49	0.0	1.5	1.5	0.0	1.6	1.6
<b>Marital Status</b>						
Married, or in union	5.6	5.8	11.4	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	15.1	2.0	17.1	15.5	2.0	17.5
2-3 children	1.8	7.1	8.9	1.9	7.2	9.1
4+ children	1.4	5.7	7.1	1.4	5.9	7.4
<b>Residence</b>						
Urban	2.9	3.0	5.9	4.0	4.1	8.1
Rural	4.7	4.8	9.5	6.1	6.3	12.4
<b>Education</b>						
Never	2.4	4.9	7.2	2.6	5.2	7.8
Primary	3.6	5.8	9.4	4.1	6.5	10.6
Secondary	6.2	5.8	12.0	9.1	8.1	17.2
Higher	5.0	1.9	6.9	10.0	4.4	14.4
Postgrad	4.9	2.2	7.1	8.1	3.8	11.9
<b>Wealth Quintile</b>						
Lowest	4.6	4.9	9.5	5.9	6.6	12.6
Lower	4.2	4.6	8.9	5.3	6.0	11.2
Middle	4.6	3.1	7.8	6.4	4.4	10.8
Higher	3.9	5.6	9.5	5.4	7.2	12.6
Highest	4.0	3.7	7.7	5.2	5.0	10.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=5481)					Married Women <sup>2</sup> (N=4059)				
	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	50.3	43.9	8.6	58.9	74.5	66.9	58.2	11.4	78.4	74.3
<b>Age Group</b>										
15-19	2.6	2.2	5.1	7.7	28.7	19.6	16.8	38.2	57.8	29.2
20-24	21.5	15.3	15.9	37.5	41.0	36.4	26.0	26.4	62.8	41.3
25-29	53.1	42.5	13.7	66.8	63.5	59.4	47.5	15.4	74.9	63.4
30-34	72.4	63.7	9.1	81.5	78.2	74.2	65.3	9.5	83.7	78.0
35-39	77.9	70.1	5.2	83.1	84.3	79.2	71.2	5.4	84.5	84.2
40-44	81.3	75.9	2.6	83.9	90.4	83.8	77.9	2.2	86.0	90.6
45-49	78.1	72.7	1.5	79.6	91.3	80.5	74.6	1.6	82.1	90.9
<b>Marital Status</b>										
Married, or in union	66.9	58.2	11.4	78.4	74.3	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	na	na	na	na	na
<b>Parity</b>										
0-1 children	48.6	36.1	17.1	65.8	55.0	49.6	36.8	17.5	67.2	54.8
2-3 children	77.7	68.8	8.9	86.6	79.5	78.8	69.7	9.1	88.0	79.2
4+ children	76.0	69.6	7.1	83.1	83.8	77.0	70.4	7.4	84.4	83.4
<b>Residence</b>										
Urban	50.9	43.3	5.9	56.8	76.3	69.7	59.2	8.1	77.8	76.1
Rural	50.1	44.1	9.5	59.6	74.0	66.1	57.9	12.4	78.5	73.8
<b>Education</b>										
Never	71.1	64.7	7.2	78.3	82.7	73.2	66.4	7.8	81.0	81.9
Primary	63.8	56.0	9.4	73.2	76.6	71.4	62.5	10.6	82.0	76.2
Secondary	41.6	34.8	12.0	53.6	65.1	61.0	51.1	17.2	78.2	65.4
Higher	25.7	21.7	6.9	32.6	66.4	58.5	49.6	14.4	72.9	68.0
Postgrad	33.6	27.6	7.1	40.7	67.8	58.2	47.8	11.9	70.1	68.3
<b>Wealth Quintile</b>										
Lowest	43.2	37.3	9.5	52.7	70.7	58.3	50.2	12.6	70.8	70.9
Lower	54.2	47.9	8.9	63.0	75.9	69.0	60.7	11.2	80.2	75.7
Middle	52.0	43.8	7.8	59.8	73.3	68.9	57.3	10.8	79.7	71.9
Higher	52.3	46.9	9.5	61.8	76.0	71.3	64.0	12.6	83.9	76.2
Highest	49.1	42.8	7.7	56.8	75.4	65.5	57.1	10.2	75.7	75.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1456)			Married <sup>1</sup> Women with 1 or More Births (N=1448)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	87.8	10.2	2.0	87.7	10.3	2.0
<b>Age Group</b>						
15-19	<i>81.7</i>	<i>18.3</i>	<i>0.0</i>	<i>81.7</i>	<i>18.3</i>	<i>0.0</i>
20-24	86.7	11.8	1.5	86.6	11.8	1.6
25-29	87.7	9.8	2.5	87.7	9.8	2.5
30-34	88.3	9.1	2.5	88.3	9.1	2.5
35-39	91.8	7.8	0.5	91.7	7.9	0.5
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	87.7	10.3	2.0	na	na	na
Unmarried, sexually active	na	na	na	na	na	na
<b>Parity</b>						
0-1 children	92.2	7.4	0.4	92.2	7.4	0.4
2-3 children	87.1	11.0	1.9	87.1	11.0	1.9
4+ children	78.6	14.3	7.1	78.5	14.4	7.2
<b>Residence</b>						
Urban	90.6	7.6	1.8	90.5	7.7	1.8
Rural	87.0	11.0	2.1	87.0	11.0	2.1
<b>Education</b>						
Never	84.4	11.1	4.6	84.3	11.1	4.6
Primary	85.8	12.8	1.4	85.8	12.8	1.4
Secondary	88.5	9.7	1.8	88.5	9.7	1.8
Higher	90.6	7.9	1.5	90.5	8.0	1.5
Postgrad	91.3	7.9	0.8	91.3	8.0	0.8
<b>Wealth Quintile</b>						
Lowest	85.9	9.6	4.5	85.8	9.7	4.5
Lower	79.6	17.3	3.1	79.7	17.2	3.1
Middle	87.1	11.1	1.8	87.1	11.1	1.8
Higher	90.0	9.3	0.7	90.0	9.3	0.7
Highest	94.4	5.1	0.5	94.3	5.2	0.5

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 2378)
<b>Total</b>				
All	19.9	68.0	12.1	
<b>Age Group</b>				
15-19	--	--	--	
20-24	15.8	68.5	15.7	
25-29	19.6	63.8	16.6	
30-34	20.0	67.6	12.3	
35-39	17.0	73.3	9.7	
40-44	21.5	67.0	11.4	
45-49	23.9	66.8	9.3	
<b>Marital Status</b>				
Married, or in union	19.6	68.1	12.3	
Unmarried, sexually active	na	na	na	
<b>Parity</b>				
0-1 children	9.9	73.3	16.8	
2-3 children	20.8	67.2	11.9	
4+ children	23.1	68.6	8.2	
<b>Residence</b>				
Urban	16.3	62.9	20.7	
Rural	21.1	69.6	9.3	
<b>Education</b>				
Never	20.0	70.8	9.3	
Primary	25.2	63.6	11.1	
Secondary	16.3	66.5	17.2	
Higher	19.3	69.9	10.8	
Postgrad	13.7	70.3	16.0	
<b>Wealth Quintile</b>				
Lowest	21.0	73.8	5.2	
Lower	22.6	70.0	7.4	
Middle	16.9	72.6	10.5	
Higher	14.0	73.3	12.6	
Highest	25.9	53.7	20.5	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>4</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(2378)</b>	<b>(2312)</b>	<b>(2378)</b>	<b>(2312)</b>	<b>(1139)</b>	<b>(1104)</b>	<b>(2378)</b>	<b>(2312)</b>
All	24.0	24.4	47.8	47.9	81.3	81.0	25.3	25.9
<b>Age Group</b>								
15-19	--	--	--	--	--	--	--	--
20-24	30.8	30.8	39.8	39.8	71.4	71.4	36.0	36.0
25-29	28.8	28.9	46.9	46.8	82.7	82.9	33.5	33.7
30-34	28.8	29.2	48.8	48.5	80.6	80.2	28.0	28.4
35-39	21.4	21.5	49.4	49.5	79.4	79.0	23.4	23.4
40-44	19.2	19.9	47.1	47.2	82.0	81.2	19.9	20.8
45-49	17.4	18.0	49.6	50.1	85.3	85.3	17.0	17.9
<b>Marital Status</b>								
Married, or in union	24.4	na	47.9	na	81.0	na	25.9	na
Unmarried, sexually active	na	na	na	na	na	na	na	na
<b>Parity</b>								
0-1 children	34.7	34.5	45.7	45.3	61.3	61.3	42.4	42.7
2-3 children	23.2	23.8	48.0	48.1	82.3	82.0	24.9	25.4
4+ children	21.3	21.6	50.3	50.2	86.9	86.7	18.0	18.6
<b>Residence</b>								
Urban	22.9	23.2	42.0	41.6	89.0	88.6	25.3	25.8
Rural	24.3	24.9	49.7	49.9	79.3	79.0	25.3	25.9
<b>Education</b>								
Never	18.9	19.5	49.2	49.2	83.0	82.6	20.0	20.7
Primary	24.6	24.9	49.7	50.2	87.1	86.9	23.5	24.1
Secondary	24.5	24.9	43.7	43.4	84.3	84.3	27.2	27.6
Higher	32.0	32.1	42.5	42.3	75.8	75.6	31.2	31.4
Postgrad	32.9	32.9	47.4	47.4	62.5	62.5	39.0	39.0
<b>Wealth Quintile</b>								
Lowest	29.8	29.8	53.5	53.7	87.5	88.2	28.8	29.4
Lower	28.7	29.0	52.1	52.5	87.5	87.7	26.1	26.6
Middle	20.9	22.4	42.3	41.8	85.5	84.2	27.0	28.8
Higher	22.1	22.3	46.9	47.2	65.7	65.5	21.3	21.5
Highest	21.5	21.8	46.9	46.7	84.3	84.0	25.3	25.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 2374)</b>	<b>(N = 2374)</b>	<b>(N = 2374)</b>
All	68.0	72.2	55.4
<b>Age Group</b>			
15-19	--	--	--
20-24	87.4	68.5	62.5
25-29	71.0	66.7	50.0
30-34	71.1	74.9	59.7
35-39	64.0	67.8	51.8
40-44	62.3	74.0	52.3
45-49	63.1	78.6	58.5
<b>Marital Status</b>			
Married, or in union	68.1	71.7	55.3
Unmarried, sexually active	na	na	na
<b>Parity</b>			
0-1 children	93.8	68.7	66.6
2-3 children	66.2	72.5	54.6
4+ children	58.6	72.7	50.6
<b>Residence</b>			
Urban	75.2	70.4	59.1
Rural	65.7	72.8	54.2
<b>Education</b>			
Never	60.0	74.1	51.5
Primary	64.9	72.6	54.4
Secondary	73.0	66.5	52.9
Higher	76.2	66.7	56.1
Postgrad	87.0	75.5	70.9
<b>Wealth Quintile</b>			
Lowest	57.8	66.4	49.5
Lower	62.2	78.2	54.0
Middle	64.2	70.2	49.3
Higher	72.9	68.1	56.4
Highest	76.8	76.6	64.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(5481)</b>	<b>(4059)</b>	<b>(5481)</b>	<b>(4059)</b>	<b>(5481)</b>	<b>(4059)</b>
All	21.7	27.1	10.6	13.8	23.3	29.0
<b>Age Group</b>						
15-19	9.7	29.2	2.0	11.9	9.9	29.2
20-24	27.3	42.8	14.6	23.0	29.0	44.4
25-29	32.9	36.4	17.8	19.6	36.0	39.9
30-34	29.0	30.0	17.3	17.7	31.3	32.3
35-39	19.9	20.2	7.7	7.7	21.2	21.5
40-44	11.8	12.0	5.8	6.2	13.2	13.5
45-49	13.3	11.9	3.1	3.2	13.9	12.6
<b>Marital Status</b>						
Married, or in union	27.1	na	13.8	na	29.0	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	37.1	37.8	18.8	19.3	38.9	39.6
2-3 children	26.0	26.3	13.0	13.4	27.9	28.2
4+ children	20.3	21.2	11.8	12.4	22.5	23.4
<b>Residence</b>						
Urban	15.1	19.2	7.4	9.3	16.9	21.3
Rural	23.8	29.6	11.6	15.3	25.4	31.4
<b>Education</b>						
Never	21.4	21.9	9.2	9.8	23.0	23.5
Primary	25.4	27.7	12.8	14.1	27.9	29.9
Secondary	22.1	30.2	12.0	17.5	23.2	31.8
Higher	21.6	39.5	8.4	17.5	22.5	40.6
Postgrad	18.0	27.8	9.7	15.6	19.6	30.1
<b>Wealth Quintile</b>						
Lowest	26.0	34.3	12.9	17.5	28.0	36.7
Lower	25.9	30.0	12.8	16.4	27.0	31.4
Middle	20.5	24.6	6.9	9.4	21.5	25.9
Higher	21.8	27.7	11.0	14.1	24.5	30.8
Highest	16.9	21.8	10.1	13.0	17.9	23.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1577	3113	4690
Households Occupied	1480	2979	4459
Households Interviewed	1421	2943	4364
Household Response Rate <sup>1</sup>	96.01%	98.79%	97.87%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1829	3790	5619
Number of Eligible Women Interviewed	1782	3699	5481
Eligible Woman Response Rate <sup>3</sup>	97.43%	97.60%	97.54%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.439	0.017	0.406	0.473	0.582	0.023	0.537	0.626
Currently using a traditional method	0.064	0.008	0.049	0.083	0.087	0.011	0.067	0.112
Currently using any contraceptive method	0.503	0.015	0.473	0.534	0.669	0.020	0.629	0.708
Currently using DMPA-IM	0.021	0.004	0.014	0.030	0.021	0.004	0.015	0.031
Currently using DMPA-SC								
Currently using condoms	0.188	0.015	0.160	0.221	0.193	0.016	0.163	0.226
Currently using implants	0.001	0.001	0.000	0.006	0.001	0.001	0.000	0.006
Chose method by self or jointly in past 12 months	0.879	0.018	0.840	0.910	0.877	0.018	0.836	0.909
Informed by provider about other methods	0.240	0.030	0.185	0.305	0.244	0.031	0.188	0.311
Informed by provider about side effects	0.478	0.049	0.382	0.575	0.479	0.049	0.382	0.577
Satisfied with provider: Would return and refer friend/relative to provider	0.554	0.041	0.472	0.633	0.553	0.040	0.473	0.630
Visited by health worker who talked about family planning in past 12 months	0.217	0.020	0.180	0.260	0.271	0.024	0.226	0.321

<sup>1</sup> Married includes married women and those who are living with a man