

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Kenya (Kakamega) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Kakamega) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Kakamega-P3-CS SOIs. 2021.* Kenya and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	845	845
Age Group			
15-19	29.3	247	247
20-24	18.6	157	156
25-29	13.7	116	114
30-34	10.6	89	93
35-39	10.1	85	86
40-44	9.6	81	81
45-49	8.2	70	68
Marital Status			
Married, or in union	49.9	422	428
Unmarried, sexually active	10.5	89	88
Parity			
0-1 children	14.7	124	120
2-3 children	18.8	159	164
4+ children	29.5	249	248
Residence			
Urban	14.5	122	165
Rural	85.5	723	680
Education			
Never	1.2	10	9
Primary	41.9	354	357
Post Primary Vocational	0.9	8	8
Secondary	45.9	388	386
College	8.4	71	71
University	1.7	14	14
Wealth Quintile			
Lowest	16.7	141	146
Lower	19.8	167	164
Middle	23.8	201	197
Higher	20.1	170	168
Highest	19.6	166	170

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	45.4	66.4	43.2	63.7	2.1	2.7
Age Group						
15-19	12.8	--	12.4	--	0.3	--
20-24	41.0	58.1	38.7	58.1	2.2	0.0
25-29	67.0	71.0	65.3	68.9	1.7	2.0
30-34	66.8	67.0	63.4	64.4	3.3	2.6
35-39	81.2	81.9	76.3	78.0	4.8	3.9
40-44	59.3	61.1	54.7	55.8	4.5	5.3
45-49	47.8	<i>53.2</i>	46.5	<i>51.3</i>	1.3	<i>1.8</i>
Marital Status						
Married, or in union	66.4	na	63.7	na	2.7	na
Unmarried, sexually active	63.1	na	59.3	na	3.7	na
Parity						
0-1 children	48.8	50.7	47.2	50.7	1.6	0.0
2-3 children	66.9	67.8	64.5	66.6	2.4	1.3
4+ children	71.2	73.9	67.3	69.4	3.9	4.5
Residence						
Urban	56.0	64.0	55.6	63.3	0.5	0.7
Rural	43.6	67.0	41.2	63.8	2.4	3.2
Education						
Never	--	--	--	--	--	--
Primary	51.3	63.0	49.7	61.0	1.6	2.1
Post Primary Vocational	--	--	--	--	--	--
Secondary	35.8	67.3	34.8	64.4	1.0	2.8
College	60.5	<i>78.1</i>	53.2	<i>72.8</i>	7.3	<i>5.3</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	35.9	54.6	33.3	50.0	2.5	4.6
Lower	42.0	60.2	41.3	58.9	0.7	1.3
Middle	46.5	69.8	44.5	67.9	2.0	1.9
Higher	54.9	73.2	51.5	69.2	3.4	3.9
Highest	45.7	73.2	43.7	71.3	2.1	1.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 381)

Married Users¹ (N = 282)

	All Users (N = 381)										Married Users ¹ (N = 282)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	
Total																				
All	4.8	44.6	2.3	26.3	5.9	0.9	8.4	2.2	4.7		5.7	44.6	2.8	31.8	6.7	0.5	1.4	2.6	4.1	
Age Group																				
15-19	0.0	47.2	0.0	7.0	0.0	0.0	38.8	4.3	2.6		--	--	--	--	--	--	--	--	--	
20-24	0.0	44.5	0.0	18.5	6.7	3.5	19.6	1.8	5.5		0.0	47.1	0.0	29.9	10.3	4.5	4.3	4.0	0.0	
25-29	0.0	60.6	1.0	25.9	5.2	0.0	1.6	3.2	2.5		0.0	60.4	1.1	25.5	4.7	0.0	1.9	3.6	2.8	
30-34	1.3	37.2	4.6	47.7	1.5	0.0	1.5	1.1	5.0		0.0	31.5	3.5	57.8	1.9	0.0	0.0	1.4	3.9	
35-39	3.2	52.1	0.9	26.8	6.9	0.0	4.2	0.0	5.9		3.6	52.7	1.0	29.5	6.3	0.0	2.1	0.0	4.8	
40-44	11.1	34.8	5.3	22.3	14.8	0.0	2.3	1.7	7.6		12.6	33.5	6.0	22.5	14.8	0.0	0.0	2.0	8.6	
45-49	30.2	17.1	6.2	26.9	3.9	3.3	3.3	6.3	2.7		31.6	21.6	7.8	27.5	5.0	0.0	0.0	3.1	3.4	
Marital Status																				
Married, or in union	5.7	44.6	2.8	31.8	6.7	0.5	1.4	2.6	4.1		na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	0.0	35.9	2.0	12.5	6.7	0.0	34.7	2.3	5.9		na	na	na	na	na	na	na	na	na	
Parity																				
0-1 children	0.0	54.9	1.3	20.2	8.7	0.0	5.5	6.3	3.2		0.0	47.4	2.6	22.8	14.6	0.0	0.0	12.6	0.0	
2-3 children	0.0	48.9	4.8	33.3	4.4	0.0	4.4	0.6	3.5		0.0	45.6	4.9	38.2	4.7	0.0	3.8	0.8	1.9	
4+ children	10.4	44.2	1.6	28.4	6.3	0.6	0.6	2.3	5.5		9.8	44.4	1.8	29.9	6.4	0.0	0.0	1.7	6.0	
Residence																				
Urban	2.0	36.8	7.0	28.0	10.0	0.0	9.4	5.9	0.8		1.1	41.0	9.1	31.6	9.8	0.0	1.1	5.2	1.1	
Rural	5.4	46.3	1.3	25.9	5.0	1.1	8.2	1.4	5.5		6.7	45.4	1.3	31.9	5.9	0.6	1.4	2.0	4.8	
Education																				
Never	--	--	--	--	--	--	--	--	--		--	--	--	--	--	--	--	--	--	
Primary	6.8	51.7	0.6	28.1	4.3	0.0	2.8	2.6	3.1		6.8	50.9	0.0	31.8	4.8	0.0	0.0	2.3	3.3	
Post Primary Vocational	--	--	--	--	--	--	--	--	--		--	--	--	--	--	--	--	--	--	
Secondary	3.0	41.3	1.6	30.2	4.5	1.4	12.2	2.8	2.9		4.4	37.3	2.3	37.8	6.6	0.0	3.3	4.1	4.2	
College	2.0	24.0	10.8	16.0	14.3	3.0	17.8	0.0	12.1		3.1	30.6	16.8	20.9	14.6	4.7	2.5	0.0	6.8	
University	--	--	--	--	--	--	--	--	--		--	--	--	--	--	--	--	--	--	
Wealth Quintile																				
Lowest	5.7	47.5	1.6	25.6	1.6	0.0	6.8	4.0	7.1		4.7	48.2	1.9	30.4	0.0	0.0	1.7	4.7	8.4	
Lower	1.6	47.9	0.0	32.0	3.5	0.0	11.5	1.9	1.6		2.2	51.0	0.0	37.2	4.8	0.0	0.0	2.7	2.2	
Middle	7.5	49.4	0.0	20.6	5.7	1.4	9.9	1.3	4.3		9.2	47.8	0.0	26.7	8.0	2.0	1.9	1.7	2.7	
Higher	4.4	49.3	1.2	27.0	2.5	0.0	6.0	3.4	6.2		6.5	49.0	0.0	31.3	1.8	0.0	3.0	3.1	5.4	
Highest	4.4	28.0	9.1	27.6	15.1	2.7	7.6	1.1	4.5		4.5	27.3	12.2	34.6	17.3	0.0	0.0	1.5	2.6	

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 845)	Married Women ³ (N = 428)	All Women (N = 845)	Married Women ³ (N = 428)
Total				
All	19.8	28.5	23.5	35.2
Age Group				
15-19	6.4	--	6.0	--
20-24	20.5	30.8	18.2	27.4
25-29	24.0	25.3	41.3	43.7
30-34	34.6	40.9	28.8	23.5
35-39	30.7	31.1	45.6	46.9
40-44	24.4	24.0	30.4	31.8
45-49	20.9	<i>18.9</i>	25.6	<i>32.4</i>
Marital Status				
Married, or in union	28.5	na	35.2	na
Unmarried, sexually active	35.4	na	23.9	na
Parity				
0-1 children	19.8	25.3	27.4	25.3
2-3 children	28.6	32.3	35.9	34.3
4+ children	27.2	28.1	40.1	41.3
Residence				
Urban	29.9	30.5	25.7	32.8
Rural	18.1	28.0	23.1	35.8
Education				
Never	--	--	--	--
Primary	19.4	24.5	30.3	36.4
Post Primary Vocational	--	--	--	--
Secondary	18.3	34.9	16.4	29.6
College	30.9	<i>33.4</i>	22.3	<i>39.4</i>
University	--	--	--	--
Wealth Quintile				
Lowest	13.7	20.0	19.7	30.0
Lower	20.5	26.9	20.8	32.0
Middle	18.1	28.1	26.4	39.8
Higher	21.4	28.6	30.1	40.6
Highest	24.7	39.1	18.9	32.2

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 845)			Married Women ¹ (N = 428)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	6.5	3.8	10.3	7.0	6.3	13.3
Age Group						
15-19	6.7	0.8	7.5	--	--	--
20-24	8.4	1.6	10.0	10.1	1.2	11.3
25-29	11.0	1.0	12.0	10.6	1.3	11.9
30-34	7.7	2.1	9.8	8.1	2.6	10.7
35-39	3.8	5.9	9.7	4.3	6.6	10.8
40-44	0.7	17.9	18.6	0.8	19.3	20.1
45-49	1.8	7.5	9.3	2.5	7.6	10.1
Marital Status						
Married, or in union	7.0	6.3	13.3	na	na	na
Unmarried, sexually active	21.3	6.4	27.6	na	na	na
Parity						
0-1 children	13.6	1.5	15.1	13.0	0.0	13.0
2-3 children	6.6	5.1	11.7	7.2	5.8	13.0
4+ children	4.9	8.2	13.1	5.6	8.6	14.1
Residence						
Urban	7.7	7.4	15.1	9.4	10.2	19.6
Rural	6.2	3.2	9.4	6.5	5.3	11.8
Education						
Never	--	--	--	--	--	--
Primary	7.7	5.8	13.5	8.6	8.4	17.0
Post Primary Vocational	--	--	--	--	--	--
Secondary	5.8	2.2	8.0	5.9	3.8	9.8
College	6.0	2.2	8.2	2.7	4.4	7.1
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	13.5	4.2	17.8	16.6	6.9	23.5
Lower	5.6	6.8	12.4	5.9	11.8	17.7
Middle	4.8	3.2	7.9	7.5	5.5	13.0
Higher	3.6	3.0	6.6	2.8	2.9	5.7
Highest	6.2	2.0	8.2	2.8	4.3	7.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=845)					Married Women ² (N=428)				
	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	45.4	43.2	10.3	55.6	77.7	66.4	63.7	13.3	79.7	79.9
Age Group										
15-19	12.8	12.4	7.5	20.3	61.4	--	--	--	--	--
20-24	41.0	38.7	10.0	50.9	76.1	58.1	58.1	11.3	69.4	83.7
25-29	67.0	65.3	12.0	79.0	82.6	71.0	68.9	11.9	82.9	83.2
30-34	66.8	63.4	9.8	76.6	82.8	67.0	64.4	10.7	77.7	82.9
35-39	81.2	76.3	9.7	90.9	84.0	81.9	78.0	10.8	92.7	84.1
40-44	59.3	54.7	18.6	77.8	70.3	61.1	55.8	20.1	81.2	68.8
45-49	47.8	46.5	9.3	57.1	81.4	53.2	51.3	10.1	63.3	81.1
Marital Status										
Married, or in union	66.4	63.7	13.3	79.7	79.9	na	na	na	na	na
Unmarried, sexually active	63.1	59.3	27.6	90.7	65.4	na	na	na	na	na
Parity										
0-1 children	48.8	47.2	15.1	64.0	73.9	50.7	50.7	13.0	63.6	79.6
2-3 children	66.9	64.5	11.7	78.6	82.1	67.8	66.6	13.0	80.9	82.3
4+ children	71.2	67.3	13.1	84.3	79.8	73.9	69.4	14.1	88.0	78.8
Residence										
Urban	56.0	55.6	15.1	71.1	78.1	64.0	63.3	19.6	83.6	75.8
Rural	43.6	41.2	9.4	53.0	77.7	67.0	63.8	11.8	78.8	81.0
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	51.3	49.7	13.5	64.8	76.7	63.0	61.0	17.0	80.0	76.2
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	35.8	34.8	8.0	43.8	79.4	67.3	64.4	9.8	77.0	83.6
College	60.5	53.2	8.2	68.7	77.5	78.1	72.8	7.1	85.2	85.5
University	--	--	--	--	--	--	--	--	--	--
Wealth Quintile										
Lowest	35.9	33.3	17.8	53.6	62.1	54.6	50.0	23.5	78.2	64.0
Lower	42.0	41.3	12.4	54.4	75.9	60.2	58.9	17.7	78.0	75.6
Middle	46.5	44.5	7.9	54.4	81.7	69.8	67.9	13.0	82.7	82.1
Higher	54.9	51.5	6.6	61.5	83.7	73.2	69.2	5.7	78.9	87.8
Highest	45.7	43.7	8.2	53.9	81.0	73.2	71.3	7.1	80.3	88.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=299)			Married ¹ Women with 1 or More Births (N=226)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	55.2	36.0	8.8	64.7	29.2	6.1
Age Group						
15-19	--	--	--	--	--	--
20-24	42.9	48.3	8.8	<i>57.7</i>	<i>40.7</i>	<i>1.6</i>
25-29	64.3	32.9	2.7	68.1	30.4	1.5
30-34	70.8	20.3	8.9	74.4	17.6	8.0
35-39	<i>62.7</i>	<i>28.0</i>	<i>9.3</i>	<i>62.5</i>	<i>27.4</i>	<i>10.1</i>
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	64.7	29.2	6.1	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	41.5	48.8	9.7	<i>60.7</i>	<i>39.3</i>	<i>0.0</i>
2-3 children	74.7	22.9	2.5	83.7	16.3	0.0
4+ children	49.1	36.9	14.0	50.6	35.4	14.0
Residence						
Urban	54.7	37.3	8.0	57.8	34.8	7.4
Rural	55.3	35.7	9.0	66.7	27.6	5.7
Education						
Never	--	--	--	--	--	--
Primary	51.7	37.9	10.4	58.9	33.1	7.9
Post Primary Vocational	--	--	--	--	--	--
Secondary	53.5	36.8	9.7	71.5	23.1	5.4
College	<i>76.3</i>	<i>23.7</i>	<i>0.0</i>	--	--	--
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	46.9	42.1	11.0	<i>56.5</i>	<i>33.6</i>	<i>9.9</i>
Lower	45.4	49.0	5.6	<i>48.1</i>	<i>46.7</i>	<i>5.2</i>
Middle	62.8	30.5	6.7	<i>72.8</i>	<i>23.1</i>	<i>4.1</i>
Higher	60.6	27.6	11.7	<i>80.0</i>	<i>17.1</i>	<i>2.9</i>
Highest	60.4	30.3	9.4	<i>67.5</i>	<i>23.3</i>	<i>9.2</i>

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 360)
Total				
All	70.3	27.5	2.2	
Age Group				
15-19	55.6	39.2	5.2	
20-24	72.1	26.3	1.6	
25-29	75.2	22.2	2.5	
30-34	66.4	30.6	3.1	
35-39	74.9	22.5	2.6	
40-44	65.3	34.7	0.0	
45-49	74.1	25.9	0.0	
Marital Status				
Married, or in union	70.7	28.0	1.2	
Unmarried, sexually active	69.6	27.3	3.1	
Parity				
0-1 children	75.8	22.5	1.7	
2-3 children	76.1	21.5	2.4	
4+ children	68.6	29.7	1.7	
Residence				
Urban	84.9	12.2	2.9	
Rural	67.0	31.0	2.0	
Education				
Never	--	--	--	
Primary	70.5	27.7	1.8	
Post Primary Vocational	--	--	--	
Secondary	71.9	25.4	2.7	
College	59.1	37.9	3.0	
University	--	--	--	
Wealth Quintile				
Lowest	66.6	33.4	0.0	
Lower	69.1	28.1	2.8	
Middle	67.0	29.2	3.8	
Higher	72.1	26.8	1.1	
Highest	75.9	21.9	2.2	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(360)	(267)	(360)	(267)	(230)	(178)	(360)	(267)
All	67.4	70.3	63.3	65.6	92.1	91.3	70.2	73.7
Age Group								
15-19	46.5	--	35.4	--	--	--	43.9	--
20-24	54.5	59.0	62.1	63.1	88.3	--	63.7	75.4
25-29	68.5	66.0	61.6	58.2	92.1	90.4	78.5	77.4
30-34	68.7	64.7	58.7	57.1	93.1	94.8	75.8	73.5
35-39	66.2	66.2	70.9	70.8	89.1	88.1	73.1	70.7
40-44	88.8	93.0	74.4	78.7	93.3	92.7	76.9	79.4
45-49	78.1	79.5	71.9	71.5	--	--	62.6	63.1
Marital Status								
Married, or in union	70.3	na	65.6	na	91.3	na	73.7	na
Unmarried, sexually active	52.6	na	48.8	na	--	na	54.0	na
Parity								
0-1 children	65.9	56.2	59.0	54.8	94.9	--	75.6	70.8
2-3 children	71.7	68.2	70.0	68.1	93.0	90.9	76.2	72.9
4+ children	72.7	73.6	65.7	65.9	92.7	92.9	73.5	74.5
Residence								
Urban	64.3	75.5	48.7	56.4	90.1	88.9	66.4	76.6
Rural	68.1	69.0	66.7	67.9	92.4	91.8	71.1	73.0
Education								
Never	--	--	--	--	--	--	--	--
Primary	73.0	72.0	69.1	70.4	91.0	88.9	73.9	74.1
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	63.1	67.1	59.4	60.9	96.4	96.4	67.4	72.7
College	62.1	76.4	54.0	59.0	--	--	65.5	77.5
University	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	47.8	46.7	46.1	44.4	81.0	--	63.5	67.7
Lower	67.4	68.7	68.8	73.0	90.5	87.5	72.9	78.6
Middle	75.2	78.4	67.9	69.9	96.8	95.7	76.0	76.2
Higher	69.5	71.0	65.5	65.0	89.9	88.3	67.4	67.9
Highest	68.0	78.0	60.7	69.5	95.4	97.1	68.6	77.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 358)	(N = 358)	(N = 358)
All	95.6	96.4	94.2
Age Group			
15-19	<i>100.0</i>	<i>95.1</i>	<i>95.1</i>
20-24	93.5	89.8	89.8
25-29	95.3	96.8	95.3
30-34	96.4	98.8	96.4
35-39	96.0	98.0	96.0
40-44	<i>95.5</i>	<i>97.4</i>	<i>92.8</i>
45-49	<i>93.7</i>	<i>100.0</i>	<i>93.7</i>
Marital Status			
Married, or in union	95.4	98.3	95.4
Unmarried, sexually active	97.5	89.7	89.7
Parity			
0-1 children	97.7	97.7	97.7
2-3 children	97.7	97.7	97.7
4+ children	94.1	98.1	93.4
Residence			
Urban	100.0	100.0	100.0
Rural	94.6	95.6	92.9
Education			
Never	--	--	--
Primary	94.8	97.5	94.2
Post Primary Vocational	--	--	--
Secondary	96.6	95.9	94.5
College	<i>93.1</i>	<i>91.2</i>	<i>91.2</i>
University	--	--	--
Wealth Quintile			
Lowest	<i>91.2</i>	<i>95.3</i>	<i>88.1</i>
Lower	96.4	97.9	94.3
Middle	94.3	94.3	94.3
Higher	95.6	94.9	93.4
Highest	99.0	100.0	99.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(845)	(428)	(845)	(428)	(845)	(428)
All	16.5	15.7	22.3	33.2	32.8	42.0
Age Group						
15-19	16.8	--	9.2	--	22.3	--
20-24	21.0	15.7	23.4	36.3	37.1	45.7
25-29	12.6	15.1	31.8	35.0	37.0	41.2
30-34	13.3	15.3	33.8	39.4	41.6	49.1
35-39	25.4	23.0	36.2	35.4	48.1	45.9
40-44	10.8	9.7	19.3	22.5	27.6	29.3
45-49	11.4	<i>13.7</i>	22.6	<i>28.3</i>	29.2	<i>37.5</i>
Marital Status						
Married, or in union	15.7	na	33.2	na	42.0	na
Unmarried, sexually active	18.8	na	18.5	na	27.5	na
Parity						
0-1 children	12.6	13.4	30.2	30.3	38.1	38.4
2-3 children	12.7	10.7	30.9	34.8	35.8	39.5
4+ children	19.1	19.8	32.5	34.6	43.1	45.7
Residence						
Urban	13.3	14.0	20.4	28.8	32.0	40.3
Rural	17.0	16.1	22.7	34.3	32.9	42.4
Education						
Never	--	--	--	--	--	--
Primary	16.1	17.4	20.7	27.3	31.4	37.7
Post Primary Vocational	--	--	--	--	--	--
Secondary	18.1	15.1	21.6	37.0	33.1	44.1
College	10.0	<i>8.5</i>	29.5	<i>42.1</i>	32.0	<i>44.3</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	19.2	18.0	21.1	29.6	34.7	39.8
Lower	16.4	15.8	27.5	37.3	33.9	43.3
Middle	16.7	13.3	18.9	32.6	31.4	41.2
Higher	13.6	16.6	22.3	32.8	31.7	43.3
Highest	17.0	15.4	22.4	33.6	32.7	42.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	210	665	875
Households Occupied	182	612	794
Households Interviewed	180	598	778
Household Response Rate ¹	98.90%	97.71%	97.98%
Interviews with Women			
Number of Eligible Women ²	167	683	850
Number of Eligible Women Interviewed	165	680	845
Eligible Woman Response Rate ³	98.80%	99.56%	99.41%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.432	0.023	0.385	0.481	0.637	0.038	0.555	0.711
Currently using a traditional method	0.021	0.006	0.012	0.036	0.027	0.008	0.015	0.048
Currently using any contraceptive method	0.454	0.022	0.408	0.500	0.664	0.035	0.589	0.731
Currently using DMPA-IM	0.263	0.027	0.211	0.322	0.318	0.024	0.271	0.370
Currently using DMPA-SC								
Currently using condoms	0.084	0.017	0.055	0.126	0.014	0.007	0.005	0.036
Currently using implants	0.446	0.032	0.381	0.513	0.446	0.033	0.380	0.514
Chose method by self or jointly in past 12 months	0.978	0.008	0.955	0.990	0.988	0.007	0.960	0.996
Informed by provider about other methods	0.674	0.054	0.555	0.774	0.703	0.058	0.570	0.809
Informed by provider about side effects	0.633	0.055	0.512	0.738	0.656	0.064	0.515	0.774
Satisfied with provider: Would return and refer friend/relative to provider	0.942	0.022	0.876	0.974	0.954	0.021	0.884	0.983
Visited by health worker who talked about family planning in past 12 months	0.165	0.040	0.098	0.264	0.157	0.038	0.094	0.251

¹ Married includes married women and those who are living with a man