

# PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Niger (Niamey) Snapshot of Indicators Phase 3 (2023) Cross-sectional Survey

Suggested citation: Institut National de la Statistique (INS) du Niger; the Bill & Melinda Gates Institute for Population and Reproductive Health at the Johns Hopkins Bloomberg School of Public Health; and Jhpiego. Performance Monitoring for Action (PMA) Niger Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Niger-P3-CS SOIs. 2023. Niger and Baltimore, Maryland, USA.

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	326	1369
<b>Age Group</b>			
15-19	26.6	87	373
20-24	20.9	68	282
25-29	14.4	47	199
30-34	12.5	41	167
35-39	10.5	34	145
40-44	9.2	30	123
45-49	6.0	20	80
<b>Marital Status</b>			
Married, or in union	55.9	183	735
Unmarried, sexually active	1.3	4	19
<b>Parity</b>			
0-1 children	9.3	30	128
2-3 children	20.2	66	278
4+ children	29.1	95	375
<b>Residence</b>			
Urban	94.2	308	1280
Rural	5.8	19	89
<b>Education</b>			
Never	21.2	69	268
Primary	20.7	68	281
Secondary	46.7	152	644
Tertiary	11.5	37	176
<b>Wealth Quintile</b>			
Lowest	0.9	3	10
Middle	1.3	4	16
Highest	97.7	319	1343

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	17.5	30.1	16.7	28.6	0.8	1.4
<b>Age Group</b>						
15-19	1.5	<i>17.7</i>	1.2	<i>13.8</i>	0.3	<i>3.9</i>
20-24	15.3	29.4	14.0	26.9	1.3	2.6
25-29	31.0	40.5	30.2	39.3	0.8	1.2
30-34	36.8	40.4	36.3	39.9	0.4	0.4
35-39	28.4	30.0	27.5	29.0	0.9	1.0
40-44	17.2	20.4	15.3	18.2	1.9	2.2
45-49	4.4	5.7	4.4	5.7	0.0	0.0
<b>Marital Status</b>						
Married, or in union	30.1	na	28.6	na	1.4	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	22.8	27.3	20.5	24.3	2.2	3.0
2-3 children	34.2	37.6	34.0	37.4	0.2	0.2
4+ children	28.3	30.8	26.5	28.7	1.9	2.0
<b>Residence</b>						
Urban	17.2	30.2	16.4	28.6	0.8	1.5
Rural	21.0	28.7	21.0	28.7	0.0	0.0
<b>Education</b>						
Never	17.8	21.9	16.0	19.7	1.8	2.2
Primary	23.0	29.8	22.4	28.9	0.6	0.8
Secondary	13.3	32.6	12.8	31.6	0.4	1.0
Tertiary	23.9	45.6	23.0	43.9	0.9	1.7
<b>Wealth Quintile</b>						
Lowest	--	--	--	--	--	--
Middle	--	--	--	--	--	--
Highest	17.7	30.5	16.9	29.1	0.8	1.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 239)										Married Users <sup>1</sup> (N = 231)									
	Sterilization	Implant	IUD	DMPA-IM	DMPA-SC	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	DMPA-IM	DMPA-SC	Pill	EC	Condom	Other Modern	Other Traditional
<b>Total</b>																				
All	1.3	16.2	7.9	10.5	5.5	52.8	0.0	0.7	0.6	4.5	1.3	15.7	8.2	10.5	5.0	54.0	0.0	0.0	0.6	4.7
<b>Age Group</b>																				
15-19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20-24	0.0	29.1	2.1	12.5	6.9	39.3	0.0	1.5	0.0	8.6	0.0	29.5	2.1	12.7	7.0	39.9	0.0	0.0	0.0	8.7
25-29	0.0	14.1	5.4	14.2	6.6	54.1	0.0	1.6	1.2	2.7	0.0	15.5	5.9	14.1	4.3	55.8	0.0	0.0	1.4	3.0
30-34	0.0	11.7	9.3	13.1	3.2	60.5	0.0	0.0	1.1	1.1	0.0	11.7	9.3	13.1	3.2	60.5	0.0	0.0	1.1	1.1
35-39	3.6	12.7	4.9	6.6	4.1	65.1	0.0	0.0	0.0	3.0	3.8	6.7	5.3	7.0	4.4	69.6	0.0	0.0	0.0	3.3
40-44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Marital Status</b>																				
Married, or in union	1.3	15.7	8.2	10.5	5.0	54.0	0.0	0.0	0.6	4.7	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	25.4	2.4	9.2	5.7	42.6	0.0	2.2	2.6	9.8	0.0	28.5	2.7	7.1	0.0	47.7	0.0	0.0	2.9	11.0
2-3 children	0.0	17.2	9.2	11.0	6.5	54.8	0.0	0.0	0.7	0.6	0.0	16.6	9.5	11.3	6.7	54.3	0.0	0.0	0.8	0.7
4+ children	2.6	13.4	8.3	10.6	4.7	53.7	0.0	0.0	0.0	6.5	2.7	12.2	8.5	10.8	4.8	54.5	0.0	0.0	0.0	6.6
<b>Residence</b>																				
Urban	1.3	16.6	8.1	10.5	3.9	53.3	0.0	0.7	0.7	4.9	1.4	16.0	8.4	10.5	3.3	54.5	0.0	0.0	0.7	5.1
Rural	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Education</b>																				
Never	0.0	7.7	6.8	15.9	8.3	51.2	0.0	0.0	0.0	10.0	0.0	6.2	6.9	16.2	8.4	52.0	0.0	0.0	0.0	10.2
Primary	2.4	15.9	9.5	16.5	10.2	43.0	0.0	0.0	0.0	2.6	2.6	14.5	10.6	16.8	8.5	44.1	0.0	0.0	0.0	2.8
Secondary	1.0	24.9	4.2	4.2	1.1	59.7	0.0	1.9	0.0	3.0	1.0	25.4	4.3	4.3	1.1	60.8	0.0	0.0	0.0	3.1
Tertiary	1.6	8.9	14.7	6.8	3.6	56.7	0.0	0.0	3.9	3.8	1.6	8.9	14.7	6.8	3.6	56.7	0.0	0.0	3.9	3.8
<b>Wealth Quintile</b>																				
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Middle	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
Highest	1.3	16.4	8.0	9.6	5.6	53.4	0.0	0.7	0.6	4.6	1.3	15.9	8.3	9.6	5.1	54.5	0.0	0.0	0.6	4.8

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods <sup>1</sup>		Long Acting Methods <sup>2</sup>	
	All Women (N = 1369)	Married Women <sup>3</sup> (N = 735)	All Women (N = 1369)	Married Women <sup>3</sup> (N = 735)
<b>Total</b>				
All	12.2	21.1	4.4	7.6
<b>Age Group</b>				
15-19	0.9	<i>10.7</i>	0.3	<i>3.2</i>
20-24	9.2	17.6	4.8	9.3
25-29	24.2	30.6	6.0	8.7
30-34	28.6	31.5	7.7	8.5
35-39	21.5	24.2	6.0	4.7
40-44	7.6	9.1	7.7	9.2
45-49	1.3	1.6	3.2	4.1
<b>Marital Status</b>				
Married, or in union	21.1	na	7.6	na
Unmarried, sexually active	--	na	--	na
<b>Parity</b>				
0-1 children	14.2	15.8	6.3	8.5
2-3 children	25.0	27.5	9.0	9.8
4+ children	19.6	21.6	6.9	7.2
<b>Residence</b>				
Urban	11.9	20.8	4.5	7.8
Rural	17.6	24.0	3.5	4.7
<b>Education</b>				
Never	13.4	16.8	2.6	2.9
Primary	16.0	20.7	6.4	8.3
Secondary	8.9	21.6	4.0	10.0
Tertiary	17.0	32.3	6.0	11.5
<b>Wealth Quintile</b>				
Lowest	--	--	--	--
Middle	--	--	--	--
Highest	12.3	21.3	4.5	7.8

<sup>1</sup> Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

<sup>2</sup> Long-acting methods include IUD, implants, and sterilization (male and female).

<sup>3</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1369)			Married Women <sup>1</sup> (N = 735)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	8.4	1.7	10.1	14.5	3.0	17.5
<b>Age Group</b>						
15-19	2.3	0.0	2.3	<i>25.0</i>	<i>0.0</i>	<i>25.0</i>
20-24	11.9	0.2	12.1	22.1	0.4	22.5
25-29	11.5	0.0	11.5	16.4	0.0	16.4
30-34	9.9	0.7	10.6	10.9	0.8	11.6
35-39	10.8	1.9	12.7	10.9	2.2	13.1
40-44	9.1	7.3	16.4	10.8	8.7	19.5
45-49	7.9	11.0	18.8	10.1	14.1	24.3
<b>Marital Status</b>						
Married, or in union	14.5	3.0	17.5	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	12.8	0.0	12.8	15.3	0.0	15.3
2-3 children	14.3	0.4	14.7	15.9	0.4	16.3
4+ children	11.8	5.5	17.3	13.0	6.0	19.0
<b>Residence</b>						
Urban	8.8	1.6	10.4	15.4	3.0	18.4
Rural	2.3	2.3	4.5	3.1	3.1	6.2
<b>Education</b>						
Never	13.3	1.7	15.0	16.3	2.1	18.4
Primary	11.7	3.1	14.8	16.4	4.4	20.8
Secondary	5.5	0.9	6.4	13.5	2.2	15.7
Tertiary	5.3	2.2	7.5	8.0	4.3	12.3
<b>Wealth Quintile</b>						
Lowest	--	--	--	--	--	--
Middle	--	--	--	--	--	--
Highest	8.2	1.6	9.8	14.1	2.9	17.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=1369)					Married Women <sup>2</sup> (N=735)				
	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	17.5	16.7	10.1	27.5	60.5	30.1	28.6	17.5	47.5	60.3
<b>Age Group</b>										
15-19	1.5	1.2	2.3	3.8	--	<i>17.7</i>	<i>13.8</i>	<i>25.0</i>	<i>42.7</i>	--
20-24	15.3	14.0	12.1	27.4	51.0	29.4	26.9	22.5	51.9	51.7
25-29	31.0	30.2	11.5	42.5	71.1	40.5	39.3	16.4	56.9	69.0
30-34	36.8	36.3	10.6	47.3	76.8	40.4	39.9	11.6	52.0	76.8
35-39	28.4	27.5	12.7	41.1	66.9	30.0	29.0	13.1	43.0	67.4
40-44	17.2	15.3	16.4	33.6	<i>45.7</i>	20.4	18.2	19.5	40.0	<i>45.7</i>
45-49	4.4	4.4	18.8	23.3	--	5.7	5.7	24.3	30.0	--
<b>Marital Status</b>										
Married, or in union	30.1	28.6	17.5	47.5	60.3	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	na	na	na	na	na
<b>Parity</b>										
0-1 children	22.8	20.5	12.8	35.6	<i>57.8</i>	27.3	24.3	15.3	42.5	<i>57.1</i>
2-3 children	34.2	34.0	14.7	48.9	69.5	37.6	37.4	16.3	53.9	69.3
4+ children	28.3	26.5	17.3	45.6	58.0	30.8	28.7	19.0	49.8	57.7
<b>Residence</b>										
Urban	17.2	16.4	10.4	27.7	59.3	30.2	28.6	18.4	48.6	59.0
Rural	21.0	21.0	4.5	25.6	--	28.7	28.7	6.2	34.9	--
<b>Education</b>										
Never	17.8	16.0	15.0	32.8	48.9	21.9	19.7	18.4	40.3	48.8
Primary	23.0	22.4	14.8	37.8	59.3	29.8	28.9	20.8	50.6	57.2
Secondary	13.3	12.8	6.4	19.6	65.4	32.6	31.6	15.7	48.3	65.4
Tertiary	23.9	23.0	7.5	31.4	73.2	45.6	43.9	12.3	57.9	75.8
<b>Wealth Quintile</b>										
Lowest	--	--	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--	--	--
Highest	17.7	16.9	9.8	27.5	61.3	30.5	29.1	17.0	47.5	61.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=540)			Married <sup>1</sup> Women with 1 or More Births (N=499)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	77.1	21.6	1.2	78.3	20.6	1.1
<b>Age Group</b>						
15-19	--	--	--	--	--	--
20-24	76.2	23.8	0.0	77.8	22.2	0.0
25-29	75.8	24.2	0.0	75.9	24.1	0.0
30-34	81.8	17.7	0.5	82.3	17.7	0.0
35-39	77.2	21.6	1.2	77.4	21.3	1.3
40-44	71.8	19.6	8.6	<i>71.9</i>	<i>19.1</i>	<i>9.0</i>
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	78.3	20.6	1.1	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	79.0	20.3	0.7	85.4	14.6	0.0
2-3 children	76.2	23.5	0.3	76.1	23.9	0.0
4+ children	77.3	20.6	2.1	78.0	19.8	2.2
<b>Residence</b>						
Urban	75.2	23.5	1.3	76.3	22.5	1.2
Rural	100.0	0.0	0.0	<i>100.0</i>	<i>0.0</i>	<i>0.0</i>
<b>Education</b>						
Never	78.3	19.8	1.9	78.6	19.8	1.6
Primary	75.4	23.7	1.0	76.1	22.9	1.0
Secondary	76.5	22.2	1.2	79.5	19.5	1.0
Tertiary	80.6	19.4	0.0	79.6	20.4	0.0
<b>Wealth Quintile</b>						
Lowest	--	--	--	--	--	--
Middle	--	--	--	--	--	--
Highest	77.4	21.7	1.0	78.6	20.6	0.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 230)
<b>Total</b>				
All	72.4	22.0	5.6	
<b>Age Group</b>				
15-19	--	--	--	
20-24	<i>83.4</i>	<i>14.3</i>	<i>2.3</i>	
25-29	76.4	19.0	4.7	
30-34	69.8	23.0	7.2	
35-39	<i>70.9</i>	<i>27.1</i>	<i>2.0</i>	
40-44	--	--	--	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	71.8	22.4	5.9	
Unmarried, sexually active	--	--	--	
<b>Parity</b>				
0-1 children	<i>80.6</i>	<i>19.4</i>	<i>0.0</i>	
2-3 children	76.7	17.8	5.5	
4+ children	66.9	25.8	7.3	
<b>Residence</b>				
Urban	72.0	22.3	5.7	
Rural	--	--	--	
<b>Education</b>				
Never	<i>70.4</i>	<i>20.0</i>	<i>9.6</i>	
Primary	71.2	22.4	6.3	
Secondary	79.1	17.3	3.5	
Tertiary	<i>61.9</i>	<i>34.1</i>	<i>4.1</i>	
<b>Wealth Quintile</b>				
Lowest	--	--	--	
Middle	na	na	na	
Highest	73.2	21.8	5.0	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>4</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(230)</b>	<b>(222)</b>	<b>(230)</b>	<b>(222)</b>	<b>(150)</b>	<b>(145)</b>	<b>(230)</b>	<b>(222)</b>
All	70.2	70.5	61.0	61.0	95.5	96.6	73.7	72.6
<b>Age Group</b>								
15-19	--	--	--	--	--	--	--	--
20-24	71.8	73.0	60.0	59.3	93.0	95.6	75.3	74.9
25-29	67.5	69.1	57.9	58.1	91.8	94.1	75.8	73.3
30-34	72.8	72.8	67.9	67.9	97.7	97.7	76.0	76.0
35-39	69.4	67.2	52.6	51.9	--	--	64.1	61.5
40-44	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--
<b>Marital Status</b>								
Married, or in union	70.5	na	61.0	na	96.6	na	72.6	na
Unmarried, sexually active	--	na	--	na	--	na	--	na
<b>Parity</b>								
0-1 children	68.7	--	66.0	--	--	--	86.0	--
2-3 children	78.2	77.4	62.1	61.9	98.2	98.2	75.0	74.1
4+ children	65.2	64.6	59.2	58.6	97.2	97.1	70.2	69.8
<b>Residence</b>								
Urban	69.5	69.8	59.1	59.1	95.8	97.0	72.8	71.6
Rural	--	--	--	--	--	--	--	--
<b>Education</b>								
Never	67.1	66.5	60.4	59.7	93.8	93.6	71.5	71.0
Primary	71.0	70.7	63.6	65.6	100.0	100.0	79.9	77.7
Secondary	67.1	68.5	56.0	55.1	90.2	93.5	69.7	69.1
Tertiary	79.9	79.9	68.4	68.4	100.0	100.0	74.5	74.5
<b>Wealth Quintile</b>								
Lowest	--	--	--	--	--	--	--	--
Middle	na	na	na	na	na	na	na	na
Highest	70.3	70.6	60.6	60.6	95.4	96.5	73.4	72.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 227)</b>	<b>(N = 227)</b>	<b>(N = 227)</b>
All	85.5	88.7	80.3
<b>Age Group</b>			
15-19	--	--	--
20-24	<i>88.6</i>	<i>91.7</i>	<i>84.3</i>
25-29	85.3	91.0	79.9
30-34	87.1	90.7	83.9
35-39	<i>86.1</i>	<i>88.0</i>	<i>80.3</i>
40-44	--	--	--
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	85.8	88.5	80.7
Unmarried, sexually active	--	--	--
<b>Parity</b>			
0-1 children	<i>97.1</i>	<i>92.5</i>	<i>89.6</i>
2-3 children	87.0	91.4	82.6
4+ children	83.4	85.1	77.8
<b>Residence</b>			
Urban	84.8	88.2	79.2
Rural	--	--	--
<b>Education</b>			
Never	<i>81.1</i>	<i>86.7</i>	<i>79.4</i>
Primary	87.6	83.3	79.0
Secondary	87.9	90.7	82.5
Tertiary	<i>82.1</i>	<i>96.3</i>	<i>78.4</i>
<b>Wealth Quintile</b>			
Lowest	--	--	--
Middle	na	na	na
Highest	85.4	88.6	80.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(1369)</b>	<b>(735)</b>	<b>(1369)</b>	<b>(735)</b>	<b>(1369)</b>	<b>(735)</b>
All	1.9	2.5	12.2	20.8	13.1	21.6
<b>Age Group</b>						
15-19	0.3	3.2	2.1	14.9	2.1	14.9
20-24	2.5	1.5	12.8	23.5	14.8	25.1
25-29	2.3	2.6	20.6	28.0	21.1	28.0
30-34	4.1	4.5	27.7	30.4	28.7	31.5
35-39	1.9	2.1	19.1	21.5	19.6	22.1
40-44	1.3	0.6	5.6	5.9	6.8	6.4
45-49	2.3	2.9	1.0	1.4	2.3	2.9
<b>Marital Status</b>						
Married, or in union	2.5	na	20.8	na	21.6	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	5.1	5.1	24.2	26.8	26.7	29.2
2-3 children	2.4	2.7	21.8	24.2	22.2	24.7
4+ children	1.9	2.0	19.0	20.7	19.7	21.5
<b>Residence</b>						
Urban	1.6	2.0	11.1	19.1	12.0	19.8
Rural	6.0	8.2	30.4	41.5	31.6	43.1
<b>Education</b>						
Never	2.2	2.7	15.9	19.0	16.6	19.8
Primary	2.1	2.0	18.5	26.1	19.6	26.6
Secondary	1.1	1.4	8.6	19.7	9.1	20.1
Tertiary	4.3	5.9	9.1	16.4	11.2	19.2
<b>Wealth Quintile</b>						
Lowest	--	--	--	--	--	--
Middle	--	--	--	--	--	--
Highest	1.9	2.5	12.4	21.0	13.2	21.9

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1095	70	1165
Households Occupied	1042	69	1111
Households Interviewed	1018	69	1087
Household Response Rate <sup>1</sup>	97.70%	100.00%	97.84%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1332	91	1423
Number of Eligible Women Interviewed	1280	89	1369
Eligible Woman Response Rate <sup>3</sup>	96.10%	97.80%	96.21%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.167	0.011	0.146	0.190	0.286	0.018	0.251	0.325
Currently using a traditional method	0.008	0.003	0.004	0.016	0.014	0.005	0.007	0.028
Currently using any contraceptive method	0.175	0.012	0.151	0.200	0.301	0.018	0.265	0.339
Currently using DMPA-IM	0.105	0.021	0.070	0.154	0.105	0.021	0.070	0.155
Currently using DMPA-SC	0.055	0.018	0.028	0.106	0.050	0.016	0.026	0.093
Currently using condoms	0.007	0.005	0.002	0.028				
Currently using implants	0.162	0.023	0.120	0.216	0.157	0.023	0.116	0.210
Chose method by self or jointly in past 12 months	0.944	0.021	0.884	0.973	0.941	0.021	0.879	0.972
Informed by provider about other methods	0.702	0.050	0.593	0.793	0.705	0.050	0.594	0.797
Informed by provider about side effects	0.610	0.071	0.460	0.741	0.610	0.074	0.452	0.747
Satisfied with provider: Would return and refer friend/relative to provider	0.803	0.047	0.689	0.882	0.807	0.048	0.691	0.886
Visited by health worker who talked about family planning in past 12 months	0.019	0.006	0.010	0.035	0.025	0.009	0.012	0.049

<sup>1</sup> Married includes married women and those who are living with a man