



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

DRC Round 7: Snapshot of Indicators (SOIs)

Suggested citation: Tulane University School of Public Health, University of Kinshasa School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 7, PMA2018/DRC-R7-Kinshasa Snapshot of Indicators*. 2018. Kinshasa, DRC and Baltimore, Maryland, USA.

www.pmadata.org

facebook.com/PM4Action

instagram.com/PM4Action

Twitter: @PM4Action

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1762	2583
Age Group			
15-19	21.8	385	560
20-24	19.7	348	499
25-29	16.5	291	436
30-34	14.8	260	376
35-39	12.0	212	313
40-44	8.4	149	219
45-49	6.7	117	180
Marital Status			
Married, or in union	49.3	868	1197
Unmarried, sexually active	17.1	302	430
Parity			
0-1 children	54.5	961	1440
2-3 children	22.2	391	573
4+ children	23.3	410	570
Residence			
Urban	100.0	1762	2583
Education			
Never	1.7	29	34
Primary	13.9	246	283
Secondary	69.1	1217	1828
4.0	15.3	269	437
Wealth Quintile			
Lowest	17.0	300	388
Lower	21.0	370	502
Middle	22.7	400	582
High	18.7	330	526
Highest	20.6	363	585
Region			
Kinshasa	100.0	1762	2583

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	46.6	51.3	26.5	27.4	20.1	23.9
Age Group						
15-19	22.6	<i>49.5</i>	10.0	<i>27.7</i>	12.6	<i>21.7</i>
20-24	57.2	56.1	38.6	38.3	18.6	17.8
25-29	59.6	55.5	37.2	31.8	22.4	23.7
30-34	56.4	54.7	34.3	33.3	22.1	21.5
35-39	49.9	49.8	24.4	22.9	25.5	26.9
40-44	49.0	50.7	22.1	21.2	26.9	29.5
45-49	31.0	34.2	11.0	9.1	20.0	25.1
Marital Status						
Married, or in union	51.3	na	27.4	na	23.9	na
Unmarried, sexually active	81.0	na	51.8	na	29.3	na
Parity						
0-1 children	39.4	39.6	22.6	21.4	16.8	18.2
2-3 children	56.9	56.6	33.6	31.6	23.3	24.9
4+ children	53.8	54.0	29.2	27.4	24.6	26.6
Residence						
Urban	46.6	51.3	26.5	27.4	20.1	23.9
Education						
Never	<i>40.8</i>	<i>41.8</i>	<i>27.5</i>	<i>24.3</i>	<i>13.3</i>	<i>17.6</i>
Primary	37.6	32.4	25.5	20.3	12.2	12.1
Secondary	46.6	55.9	25.6	28.9	21.0	27.0
4.0	55.8	55.7	31.8	30.5	23.9	25.2
Wealth Quintile						
Lowest	42.5	44.5	24.9	25.4	17.6	19.2
Lower	44.7	47.1	28.0	28.3	16.7	18.8
Middle	46.1	50.5	27.9	31.0	18.2	19.6
High	50.4	55.9	23.6	22.1	26.8	33.8
Highest	49.1	59.6	27.7	29.9	21.4	29.6
Region						
Kinshasa	46.6	51.3	26.5	27.4	20.1	23.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 821)										Married Users ¹ (N = 445)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.8	15.3	0.7	6.9	2.2	7.0	7.4	16.0	0.7	43.1	0.9	19.0	1.0	6.6	2.8	8.3	3.1	10.4	1.2	46.6
Age Group																				
15-19	0.0	11.1	0.0	1.5	0.0	6.8	10.6	14.1	0.0	55.9	--	--	--	--	--	--	--	--	--	--
20-24	0.0	9.6	0.0	8.6	2.9	13.6	12.2	20.4	0.0	32.5	0.0	10.3	0.0	9.8	1.8	31.0	2.0	13.4	0.0	31.8
25-29	0.2	14.8	0.5	8.5	2.2	7.2	8.4	19.8	0.8	37.6	0.0	15.4	1.0	7.8	4.5	8.8	8.2	9.9	1.7	42.7
30-34	0.0	23.3	1.3	8.7	3.7	1.7	5.8	13.6	2.6	39.2	0.0	24.9	1.3	9.7	5.2	2.0	2.7	11.9	3.2	39.2
35-39	1.9	19.5	0.6	8.6	1.2	3.5	2.6	11.0	0.0	51.1	2.5	19.4	0.8	6.1	0.4	3.9	1.4	11.6	0.0	54.0
40-44	3.8	19.2	1.4	1.3	0.0	5.3	1.6	11.7	0.9	54.9	2.5	21.5	1.8	0.5	0.0	6.6	0.9	6.9	1.1	58.2
45-49	4.1	6.9	2.5	2.5	4.1	4.7	0.0	10.5	0.0	64.6	<i>2.0</i>	<i>5.4</i>	<i>1.2</i>	<i>0.8</i>	<i>5.0</i>	<i>2.7</i>	<i>0.0</i>	<i>9.6</i>	<i>0.0</i>	<i>73.4</i>
Marital Status																				
Married, or in union	0.9	19.0	1.0	6.6	2.8	8.3	3.1	10.4	1.2	46.6	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.4	12.1	0.0	7.1	2.1	7.4	12.0	22.7	0.2	36.1	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	4.8	0.0	6.4	1.9	7.4	11.9	24.5	0.4	42.7	0.0	12.4	0.0	7.8	2.8	12.1	2.7	15.2	1.1	45.9
2-3 children	0.2	25.6	0.7	6.5	3.1	7.7	5.2	9.1	0.9	41.0	0.0	19.6	0.6	5.8	4.0	8.5	5.8	10.5	1.1	44.0
4+ children	2.9	23.0	1.7	8.2	1.8	5.6	1.7	8.4	1.1	45.7	2.2	21.5	1.7	6.9	1.6	6.4	0.9	8.2	1.3	49.2
Residence																				
Urban	0.8	15.3	0.7	6.9	2.2	7.0	7.4	16.0	0.7	43.1	0.9	19.0	1.0	6.6	2.8	8.3	3.1	10.4	1.2	46.6
Education																				
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Primary	1.4	30.0	0.9	10.8	2.3	7.1	2.2	13.1	0.0	32.3	0.0	25.9	1.5	13.7	4.1	9.4	0.0	7.9	0.0	37.3
Secondary	0.8	15.2	0.8	7.2	2.2	8.1	6.4	13.4	0.9	45.1	1.0	18.8	1.0	6.6	2.2	9.2	3.2	8.2	1.5	48.3
4.0	0.6	5.6	0.0	3.6	1.1	3.1	14.2	28.3	0.6	42.9	1.7	11.8	0.0	1.0	3.4	3.1	4.7	28.2	0.9	45.3
Wealth Quintile																				
Lowest	2.4	17.0	1.2	10.2	5.8	3.5	6.8	10.7	0.8	41.5	0.7	15.4	2.0	11.9	7.5	4.2	4.0	10.0	1.3	43.0
Lower	0.0	20.9	1.2	10.6	4.0	8.4	5.3	11.9	0.4	37.4	0.0	26.4	0.9	7.8	3.8	12.4	2.5	5.6	0.7	39.9
Middle	0.0	17.4	0.4	6.4	0.9	10.5	6.3	18.1	0.6	39.5	0.0	21.5	0.7	10.1	0.8	12.0	2.7	12.2	1.2	38.7
High	1.1	8.3	0.5	5.5	0.9	8.8	6.3	13.8	1.6	53.2	1.9	12.1	1.0	1.7	1.7	9.4	1.8	7.1	2.8	60.5
Highest	1.0	13.4	0.2	3.1	0.4	2.8	11.7	23.4	0.3	43.7	1.9	19.5	0.4	2.7	0.7	3.3	4.8	17.0	0.0	49.8
Region																				
Kinshasa	0.8	15.3	0.7	6.9	2.2	7.0	7.4	16.0	0.7	43.1	0.9	19.0	1.0	6.6	2.8	8.3	3.1	10.4	1.2	46.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1762)			Married Women ¹ (N = 868)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	11.3	3.6	14.9	17.0	6.5	23.5
Age Group						
15-19	10.7	0.6	11.2	<i>47.4</i>	<i>0.0</i>	<i>47.4</i>
20-24	13.1	0.5	13.6	26.1	1.6	27.6
25-29	13.9	1.6	15.5	22.4	2.8	25.3
30-34	15.3	2.0	17.2	18.6	2.5	21.1
35-39	10.3	11.8	22.1	11.6	14.3	25.9
40-44	6.4	6.6	13.0	7.7	7.4	15.1
45-49	1.2	13.1	14.2	0.7	15.1	15.8
Marital Status						
Married, or in union	17.0	6.5	23.5	na	na	na
Unmarried, sexually active	12.7	2.1	14.8	na	na	na
Parity						
0-1 children	9.3	0.4	9.7	21.1	0.7	21.8
2-3 children	15.5	3.3	18.8	18.1	4.2	22.3
4+ children	11.9	11.6	23.5	13.4	12.3	25.7
Residence						
Urban	11.3	3.6	14.9	17.0	6.5	23.5
Education						
Never	<i>12.2</i>	<i>13.1</i>	<i>25.3</i>	<i>13.0</i>	<i>17.3</i>	<i>30.3</i>
Primary	21.1	8.7	29.8	30.3	11.5	41.8
Secondary	11.0	3.1	14.1	15.4	5.6	21.0
4.0	3.7	0.4	4.1	5.0	1.2	6.3
Wealth Quintile						
Lowest	18.1	4.7	22.9	24.6	6.8	31.4
Lower	16.6	2.7	19.2	23.9	3.6	27.5
Middle	8.9	5.9	14.8	15.1	12.3	27.4
High	8.2	1.7	9.8	13.1	3.0	16.1
Highest	5.9	3.0	8.8	6.6	6.9	13.5
Region						
Kinshasa	11.3	3.6	14.9	17.0	6.5	23.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=1762)					Married Women ² (N=868)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	46.6	26.5	14.9	61.6	43.1	51.3	27.4	23.5	74.8	36.6
Age Group										
15-19	22.6	10.0	11.2	33.8	29.5	<i>49.5</i>	<i>27.7</i>	<i>47.4</i>	<i>96.9</i>	<i>28.6</i>
20-24	57.2	38.6	13.6	70.8	54.5	56.1	38.3	27.6	83.7	45.7
25-29	59.6	37.2	15.5	75.1	49.5	55.5	31.8	25.3	80.8	39.4
30-34	56.4	34.3	17.2	73.7	46.5	54.7	33.3	21.1	75.9	43.9
35-39	49.9	24.4	22.1	72.0	33.9	49.8	22.9	25.9	75.8	30.3
40-44	49.0	22.1	13.0	62.1	35.6	50.7	21.2	15.1	65.8	32.2
45-49	31.0	11.0	14.2	45.3	24.3	34.2	9.1	15.8	50.0	18.2
Marital Status										
Married, or in union	51.3	27.4	23.5	74.8	36.6	na	na	na	na	na
Unmarried, sexually active	81.0	51.8	14.8	95.8	54.0	na	na	na	na	na
Parity										
0-1 children	39.4	22.6	9.7	49.1	45.9	39.6	21.4	21.8	61.5	34.8
2-3 children	56.9	33.6	18.8	75.7	44.3	56.6	31.6	22.3	78.8	40.2
4+ children	53.8	29.2	23.5	77.3	37.8	54.0	27.4	25.7	79.7	34.4
Residence										
Urban	46.6	26.5	14.9	61.6	43.1	51.3	27.4	23.5	74.8	36.6
Education										
Never	<i>40.8</i>	<i>27.5</i>	<i>25.3</i>	<i>66.1</i>	--	<i>41.8</i>	<i>24.3</i>	<i>30.3</i>	<i>72.1</i>	--
Primary	37.6	25.5	29.8	67.4	37.8	32.4	20.3	41.8	74.2	27.4
Secondary	46.6	25.6	14.1	60.7	42.1	55.9	28.9	21.0	76.9	37.6
4.0	55.8	31.8	4.1	59.9	53.2	55.7	30.5	6.3	62.0	49.2
Wealth Quintile										
Lowest	42.5	24.9	22.9	65.4	38.0	44.5	25.4	31.4	75.9	33.4
Lower	44.7	28.0	19.2	63.9	43.8	47.1	28.3	27.5	74.6	38.0
Middle	46.1	27.9	14.8	60.9	45.8	50.5	31.0	27.4	77.9	39.8
High	50.4	23.6	9.8	60.3	39.2	55.9	22.1	16.1	72.0	30.7
Highest	49.1	27.7	8.8	58.0	47.7	59.6	29.9	13.5	73.0	41.0
Region										
Kinshasa	46.6	26.5	14.9	61.6	43.1	51.3	27.4	23.5	74.8	36.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=743)			Married ¹ Women with 1 or More Births (N=580)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	35.9	55.7	8.4	42.0	49.2	8.8
Age Group						
15-19	5.7	89.0	5.2	--	--	--
20-24	17.5	74.7	7.8	24.5	65.8	9.7
25-29	34.8	61.7	3.5	42.7	54.6	2.8
30-34	45.8	49.5	4.7	47.1	47.7	5.2
35-39	45.8	38.5	15.7	48.5	36.1	15.4
40-44	48.6	33.9	17.5	50.5	31.8	17.7
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	42.0	49.2	8.8	na	na	na
Unmarried, sexually active	9.4	81.9	8.7	na	na	na
Parity						
0-1 children	28.6	64.0	7.5	42.9	49.4	7.7
2-3 children	41.8	56.3	2.0	46.2	51.9	1.8
4+ children	35.0	48.7	16.3	37.3	46.5	16.2
Residence						
Urban	35.9	55.7	8.4	42.0	49.2	8.8
Education						
Never	--	--	--	--	--	--
Primary	24.5	60.2	15.3	25.0	59.0	16.0
Secondary	35.7	57.9	6.4	42.8	50.7	6.5
4.0	62.9	34.3	2.8	72.9	23.7	3.4
Wealth Quintile						
Lowest	30.1	55.0	14.9	33.2	52.6	14.2
Lower	24.0	67.8	8.3	29.1	61.1	9.7
Middle	34.4	56.0	9.5	42.6	45.8	11.6
High	47.3	49.3	3.4	53.3	43.3	3.4
Highest	51.3	45.2	3.5	57.3	39.8	2.9
Region						
Kinshasa	35.9	55.7	8.4	42.0	49.2	8.8

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 466)
Total				
All	41.3	48.1	10.7	
Age Group				
15-19	46.3	32.0	21.7	
20-24	41.3	46.1	12.6	
25-29	39.4	50.1	10.5	
30-34	41.5	50.2	8.3	
35-39	40.6	57.8	1.6	
40-44	<i>40.8</i>	<i>51.5</i>	<i>7.7</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	33.4	58.2	8.4	
Unmarried, sexually active	51.2	36.3	12.5	
Parity				
0-1 children	38.2	47.7	14.1	
2-3 children	48.6	44.6	6.9	
4+ children	38.9	52.5	8.6	
Residence				
Urban	41.3	48.1	10.7	
Education				
Never	--	--	--	
Primary	52.7	41.7	5.5	
Secondary	42.9	46.7	10.5	
4.0	29.2	56.3	14.5	
Wealth Quintile				
Lowest	40.1	50.1	9.8	
Lower	51.5	44.5	3.9	
Middle	40.6	49.3	10.1	
High	32.8	49.7	17.5	
Highest	38.8	47.6	13.6	
Region				
Kinshasa	41.3	48.1	10.7	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method ¹ who paid fees for services the last time they received the method, by marital status and background characteristics.

Background

Characteristics

	All Modern Contraceptive Users (N = 465)	Married ² Modern Contraceptive Users (N = 235)
Total		
All	82.5	78.6
Age Group		
15-19	79.1	--
20-24	89.3	89.9
25-29	84.3	82.1
30-34	72.2	74.4
35-39	78.0	77.1
40-44	83.3	80.2
45-49	--	--
Marital Status		
Married, or in union	78.6	na
Unmarried, sexually active	87.4	na
Parity		
0-1 children	89.7	73.8
2-3 children	77.6	84.2
4+ children	74.7	75.2
Residence		
Urban	82.5	78.6
Education		
Never	--	--
Primary	77.2	73.1
Secondary	81.5	79.4
4.0	90.5	82.8
Wealth Quintile		
Lowest	86.8	87.1
Lower	81.4	74.3
Middle	80.9	79.3
High	83.7	80.1
Highest	81.1	73.3
Region		
Kinshasa	82.5	78.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(466)	(236)	(466)	(236)	(228)	(151)
All	30.6	39.5	37.4	48.1	86.6	87.8
Age Group						
15-19	11.9	--	22.5	--	--	--
20-24	17.1	17.9	22.5	25.8	<i>85.6</i>	--
25-29	37.8	47.3	35.2	45.3	82.8	79.5
30-34	43.1	49.0	55.1	58.3	84.9	87.2
35-39	41.5	47.4	49.6	48.0	88.4	89.4
40-44	<i>27.0</i>	<i>30.2</i>	<i>54.2</i>	<i>59.4</i>	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	39.5	na	48.1	na	87.8	na
Unmarried, sexually active	22.4	na	25.3	na	88.9	na
Parity						
0-1 children	18.2	20.7	19.3	41.5	78.7	--
2-3 children	47.0	50.1	48.0	41.4	85.7	83.0
4+ children	35.2	38.2	58.9	58.2	92.1	91.7
Residence						
Urban	30.6	39.5	37.4	48.1	86.6	87.8
Education						
Never	--	--	--	--	--	--
Primary	33.7	<i>39.7</i>	54.3	<i>62.1</i>	<i>94.6</i>	--
Secondary	29.2	36.8	38.2	47.0	87.2	89.3
4.0	32.6	<i>55.4</i>	19.9	<i>36.3</i>	<i>66.7</i>	--
Wealth Quintile						
Lowest	44.3	45.8	51.7	56.5	<i>91.6</i>	<i>89.7</i>
Lower	28.1	34.4	44.1	54.4	93.4	97.8
Middle	24.6	31.6	37.2	52.0	81.8	83.6
High	30.6	42.4	25.8	35.9	78.5	78.3
Highest	29.9	46.2	29.4	38.2	<i>81.8</i>	<i>82.9</i>
Region						
Kinshasa	30.6	39.5	37.4	48.1	86.6	87.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 448)	(N = 448)	(N = 448)
All	58.2	58.3	42.4
Age Group			
15-19	53.5	65.0	35.7
20-24	55.0	55.7	40.5
25-29	63.6	55.9	46.2
30-34	52.4	57.5	32.2
35-39	62.8	55.4	47.7
40-44	69.7	77.9	64.6
45-49	--	--	--
Marital Status			
Married, or in union	58.5	61.4	42.8
Unmarried, sexually active	63.5	61.4	48.6
Parity			
0-1 children	55.4	53.7	40.2
2-3 children	60.3	61.7	43.3
4+ children	60.8	62.6	45.3
Residence			
Urban	58.2	58.3	42.4
Education			
Never	--	--	--
Primary	59.6	66.3	44.9
Secondary	58.7	57.8	42.2
4.0	55.0	54.7	41.0
Wealth Quintile			
Lowest	60.8	49.6	36.2
Lower	55.5	61.6	39.9
Middle	59.7	63.1	48.4
High	44.1	50.4	29.7
Highest	68.3	62.4	52.9
Region			
Kinshasa	58.2	58.3	42.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1762)	(868)	(1762)	(868)	(1762)	(868)
All	4.6	7.0	16.9	26.1	19.5	29.4
Age Group						
15-19	3.2	<i>17.7</i>	4.4	<i>21.4</i>	5.9	<i>23.1</i>
20-24	3.8	8.1	18.6	29.2	21.0	33.1
25-29	4.7	6.3	23.3	33.1	25.7	35.6
30-34	5.4	5.4	27.2	32.3	31.1	36.2
35-39	8.3	9.9	23.1	27.3	26.5	31.0
40-44	4.0	4.1	13.0	15.9	15.9	19.2
45-49	3.5	4.2	7.6	9.6	10.2	12.6
Marital Status						
Married, or in union	7.0	na	26.1	na	29.4	na
Unmarried, sexually active	2.1	na	13.4	na	15.2	na
Parity						
0-1 children	2.8	4.8	8.6	17.0	10.4	17.8
2-3 children	6.2	7.5	27.1	28.9	31.4	34.2
4+ children	7.3	8.0	26.4	29.5	29.5	32.7
Residence						
Urban	4.6	7.0	16.9	26.1	19.5	29.4
Education						
Never	<i>15.8</i>	<i>20.9</i>	<i>17.7</i>	<i>20.2</i>	<i>22.6</i>	<i>26.7</i>
Primary	6.3	7.8	22.7	31.0	23.9	31.5
Secondary	3.9	6.4	16.8	25.6	19.3	29.2
4.0	4.9	6.3	11.7	22.4	16.1	27.9
Wealth Quintile						
Lowest	2.5	2.3	19.7	26.9	21.4	28.3
Lower	4.4	7.7	21.8	31.1	23.9	34.5
Middle	5.5	11.5	16.8	27.2	17.9	29.1
High	4.7	7.1	13.2	22.2	17.3	28.1
Highest	5.3	6.3	13.0	22.2	17.1	26.6
Region						
Kinshasa	4.6	7.0	16.9	26.1	19.5	29.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	N/A	N/A	1914
Households Occupied	N/A	N/A	1885
Households Interviewed	N/A	N/A	1854
Household Response Rate ¹	0.00%	0.00%	98.36%
Interviews with Women			
Number of Eligible Women ²	N/A	N/A	2700
Number of Eligible Women Interviewed	N/A	N/A	2583
Eligible Woman Response Rate ³	0.00%	0.00%	95.67%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.265	0.019	0.230	0.304	0.274	0.022	0.232	0.320
Currently using a traditional method	0.201	0.026	0.155	0.257	0.239	0.035	0.176	0.315
Currently using any contraceptive method	0.466	0.021	0.424	0.508	0.513	0.032	0.448	0.576
Currently using DMPA-IM	0.032	0.006	0.022	0.047	0.034	0.008	0.021	0.055
Currently using DMPA-SC	0.010	0.003	0.006	0.018	0.014	0.005	0.007	0.029
Currently using condoms	0.160	0.016	0.131	0.193	0.104	0.018	0.073	0.147
Currently using implants	0.071	0.010	0.054	0.094	0.097	0.011	0.077	0.122
Chose method by self or jointly in past 12 months	0.893	0.020	0.845	0.928	0.916	0.017	0.874	0.945
Paid fees for family planning services in past 12 months	0.825	0.026	0.766	0.871	0.786	0.030	0.719	0.840
Informed by provider about other methods	0.306	0.050	0.216	0.414	0.395	0.077	0.256	0.554
Informed by provider about side effects	0.374	0.029	0.318	0.434	0.481	0.031	0.420	0.542
Satisfied with provider: Would return and refer friend/relative to provider	0.424	0.041	0.345	0.507	0.428	0.041	0.349	0.511
Visited by health worker who talked about family planning in past 12 months	0.046	0.011	0.028	0.074	0.070	0.021	0.038	0.126

¹ Married includes married women and those who are living with a man