



## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	11380	11380
<b>Age Group</b>			
15-19	19.6	2227	2427
20-24	17.0	1934	1999
25-29	17.8	2025	1991
30-34	16.9	1925	1836
35-39	13.3	1510	1401
40-44	8.8	1002	965
45-49	6.7	758	761
<b>Marital Status</b>			
Married, or in union	64.9	7389	7627
Unmarried, sexually active	7.7	876	730
<b>Parity</b>			
0-1 children	45.4	5164	4934
2-3 children	22.4	2553	2509
4+ children	32.1	3654	3923
<b>Residence</b>			
Urban	55.7	6337	5338
Rural	44.3	5043	6042
<b>Education</b>			
Never	17.4	1985	2587
Primary	17.3	1968	2140
Secondary	46.4	5285	4953
Higher	18.8	2138	1697
<b>Wealth Quintile</b>			
Lowest	22.7	2579	3369
Lower	21.0	2393	2661
Middle	18.8	2140	1950
High	18.4	2092	1758
Highest	19.1	2176	1642
<b>Region</b>			
Kaduna	9.4	1068	2855
Lagos	20.6	2339	1535
Taraba	12.5	1419	818
Kano	13.7	1556	1760
Rivers	15.9	1807	1163
Nasarawa	14.4	1637	1846
Anambra	13.7	1555	1403

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	21.0	24.0	14.7	16.1	6.2	7.8
<b>Age Group</b>						
15-19	5.9	3.6	4.6	1.7	1.3	1.9
20-24	17.9	13.4	13.6	9.4	4.4	4.0
25-29	25.8	23.1	19.3	16.7	6.5	6.4
30-34	24.6	25.5	15.6	16.0	8.9	9.5
35-39	30.9	32.7	21.6	22.7	9.3	10.0
40-44	29.0	31.5	18.7	20.1	10.3	11.4
45-49	20.3	23.7	13.8	16.0	6.5	7.7
<b>Marital Status</b>						
Married, or in union	24.0	na	16.1	na	7.8	na
Unmarried, sexually active	44.1	na	34.9	na	9.2	na
<b>Parity</b>						
0-1 children	13.9	11.6	10.3	6.8	3.6	4.8
2-3 children	25.7	26.2	17.3	17.6	8.4	8.6
4+ children	27.7	28.7	19.3	19.9	8.4	8.8
<b>Residence</b>						
Urban	26.3	32.5	17.9	20.6	8.5	11.9
Rural	14.2	15.4	10.8	11.6	3.5	3.8
<b>Education</b>						
Never	8.2	8.6	6.3	6.5	1.9	2.1
Primary	18.2	20.5	14.4	16.1	3.8	4.5
Secondary	22.3	30.0	15.1	19.3	7.2	10.7
Higher	32.1	36.3	21.9	22.6	10.2	13.7
<b>Wealth Quintile</b>						
Lowest	10.2	10.5	8.0	8.0	2.2	2.5
Lower	17.3	19.8	13.8	15.5	3.5	4.3
Middle	22.6	27.9	15.6	19.3	7.0	8.6
High	27.5	33.2	18.8	20.3	8.7	12.9
Highest	29.8	37.4	19.0	22.6	10.9	14.8
<b>Region</b>						
Kaduna	17.4	20.3	15.6	18.1	1.8	2.2
Lagos	29.7	35.9	20.6	23.3	9.2	12.6
Taraba	14.1	13.7	10.5	9.0	3.6	4.6
Kano	6.2	8.0	4.4	5.9	1.7	2.0
Rivers	29.0	31.1	17.7	18.0	11.3	13.1
Nasarawa	18.9	22.6	16.9	20.4	2.0	2.2
Anambra	24.2	33.3	13.9	15.3	10.3	18.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 2386)										Married Users <sup>1</sup> (N = 1771)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	1.6	9.9	3.5	13.2	1.9	11.5	4.4	22.7	1.6	29.7	2.0	12.6	4.4	16.6	2.3	10.4	2.5	14.6	2.0	32.7
<b>Age Group</b>																				
15-19	0.3	1.2	0.0	1.9	0.6	11.2	10.7	50.5	1.1	22.4	--	--	--	--	--	--	--	--	--	--
20-24	0.1	3.2	0.2	6.2	2.0	18.1	9.0	34.8	2.0	24.3	0.0	6.5	0.0	13.6	4.1	15.1	6.9	20.2	3.7	29.8
25-29	0.1	11.1	1.0	16.0	0.7	12.6	5.1	26.8	1.4	25.2	0.2	15.5	1.5	20.4	1.1	12.6	3.1	15.8	2.1	27.7
30-34	0.5	11.5	4.4	13.2	2.2	9.0	3.9	16.9	2.0	36.4	0.5	12.6	4.5	14.1	2.4	8.9	2.9	14.7	2.3	37.1
35-39	2.0	12.1	6.6	16.0	2.1	10.9	2.1	16.7	1.6	29.9	1.7	12.7	6.9	17.2	2.0	10.0	2.1	15.0	1.8	30.5
40-44	7.0	12.3	5.0	14.1	3.2	8.0	1.9	11.9	1.1	35.5	7.3	12.6	5.4	14.9	2.9	8.6	0.8	10.1	1.2	36.2
45-49	3.1	12.0	6.6	19.2	2.9	9.1	0.0	13.6	1.4	32.1	3.2	12.3	6.2	19.7	2.6	9.0	0.0	13.3	1.4	32.4
<b>Marital Status</b>																				
Married, or in union	2.0	12.6	4.4	16.6	2.3	10.4	2.5	14.6	2.0	32.7	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.7	1.8	0.4	4.7	0.9	16.6	8.4	45.3	0.4	20.9	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.1	2.1	0.4	3.1	0.7	13.1	8.8	44.1	1.4	26.2	0.0	4.8	1.6	5.7	1.5	9.4	4.9	27.4	3.4	41.4
2-3 children	1.3	10.4	2.9	15.5	2.6	10.8	4.2	17.8	1.8	32.6	1.5	10.9	2.7	16.2	2.8	10.1	3.3	17.7	2.0	32.9
4+ children	2.9	15.0	5.9	18.9	2.3	10.8	1.5	10.7	1.6	30.3	2.7	15.3	6.0	19.1	2.1	10.8	1.5	10.1	1.7	30.8
<b>Residence</b>																				
Urban	1.4	7.3	4.3	8.4	1.5	12.4	5.2	25.8	1.6	32.1	1.7	9.6	5.6	10.6	1.9	11.0	2.9	18.0	2.1	36.5
Rural	2.1	15.9	1.6	24.5	2.8	9.3	2.6	15.5	1.5	24.3	2.6	19.1	1.7	29.2	3.1	9.0	1.6	7.4	1.6	24.6
<b>Education</b>																				
Never	1.7	16.9	2.5	33.3	2.1	13.0	2.0	4.8	0.8	22.9	1.8	16.9	2.0	34.7	1.8	13.9	1.0	3.2	0.8	23.9
Primary	1.9	16.4	1.2	29.6	3.9	11.7	3.1	9.7	1.4	21.1	1.3	17.9	0.8	31.5	4.0	11.6	1.7	7.9	1.6	21.8
Secondary	1.3	8.6	2.6	9.7	1.5	12.9	5.2	24.6	1.4	32.2	1.7	11.6	3.6	12.8	2.1	11.2	3.3	16.5	1.7	35.7
Higher	2.0	7.0	6.3	6.0	1.5	8.6	4.4	30.4	2.2	31.7	2.9	9.6	8.8	7.5	1.8	7.1	2.1	19.4	3.1	37.7
<b>Wealth Quintile</b>																				
Lowest	1.9	13.6	1.2	34.2	3.3	9.9	1.1	11.4	1.7	21.7	2.1	16.1	1.5	39.7	3.0	8.6	0.3	2.9	2.1	23.8
Lower	0.7	15.7	1.8	20.5	2.8	14.4	4.5	17.7	1.6	20.5	0.8	20.0	1.2	25.9	3.8	12.8	2.6	9.4	1.7	21.7
Middle	0.9	10.6	1.6	12.3	0.8	13.6	5.4	23.2	0.6	31.0	0.6	14.3	2.0	15.7	1.2	15.0	4.4	15.4	0.8	30.8
High	1.8	5.3	3.6	8.5	1.9	12.4	5.0	28.2	1.8	31.5	2.5	7.1	4.9	11.3	2.5	10.4	2.3	17.7	2.5	38.7
Highest	2.5	8.1	6.7	4.8	1.6	7.9	4.5	25.2	2.2	36.5	3.1	10.2	8.6	6.1	1.7	6.6	2.2	19.5	2.4	39.5
<b>Region</b>																				
Kaduna	1.5	29.2	1.7	32.7	3.8	12.5	1.1	7.0	0.0	10.5	0.9	30.9	1.9	35.2	4.1	12.3	0.3	3.6	0.0	10.9
Lagos	1.3	6.5	6.4	8.2	1.9	12.2	5.4	25.7	1.5	30.8	1.7	8.0	7.7	10.2	2.3	11.9	2.6	18.6	1.9	35.0
Taraba	1.1	7.8	0.9	27.6	1.0	8.6	0.0	25.8	1.3	25.8	0.0	11.0	1.4	38.8	1.5	6.2	0.0	5.2	2.0	33.8
Kano	1.1	13.2	9.1	25.9	2.4	15.4	0.0	1.7	3.3	27.9	1.1	13.8	9.5	27.1	2.5	15.3	0.0	1.8	3.5	25.4
Rivers	2.6	3.3	1.8	4.2	0.3	12.1	9.7	25.5	1.4	39.1	4.0	3.6	2.2	5.0	0.3	10.5	6.2	23.8	2.3	42.1
Nasarawa	1.3	24.0	2.3	26.2	5.0	10.8	1.9	14.9	3.1	10.6	1.7	29.6	2.5	31.4	5.5	10.3	0.1	6.6	2.6	9.7
Anambra	1.5	4.4	2.0	3.7	1.0	9.9	2.5	31.0	1.3	42.6	2.3	6.5	3.0	4.0	1.0	5.9	3.2	18.1	1.9	54.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 11380)			Married Women <sup>1</sup> (N = 7389)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	13.5	5.6	19.0	17.5	7.9	25.4
<b>Age Group</b>						
15-19	9.0	1.3	10.3	25.3	3.5	28.8
20-24	18.2	1.9	20.1	27.6	3.2	30.8
25-29	18.8	2.7	21.5	22.5	3.4	25.9
30-34	17.2	7.5	24.7	19.2	8.4	27.6
35-39	12.4	11.0	23.5	13.9	12.0	25.9
40-44	5.2	12.7	17.8	5.5	14.0	19.5
45-49	3.7	9.9	13.6	3.8	11.2	15.0
<b>Marital Status</b>						
Married, or in union	17.5	7.9	25.4	na	na	na
Unmarried, sexually active	25.2	4.3	29.4	na	na	na
<b>Parity</b>						
0-1 children	9.1	1.1	10.2	16.4	1.8	18.2
2-3 children	17.5	4.8	22.3	18.2	4.9	23.1
4+ children	16.7	12.5	29.2	17.7	13.0	30.7
<b>Residence</b>						
Urban	10.4	5.2	15.6	14.2	8.3	22.6
Rural	17.3	6.1	23.4	20.9	7.5	28.3
<b>Education</b>						
Never	20.5	6.7	27.2	22.0	7.1	29.1
Primary	17.0	8.3	25.3	19.7	9.9	29.6
Secondary	11.9	5.0	16.8	17.0	8.4	25.4
Higher	7.6	3.6	11.2	10.0	5.7	15.7
<b>Wealth Quintile</b>						
Lowest	20.7	5.7	26.4	23.5	6.5	30.1
Lower	15.1	6.1	21.2	19.2	8.2	27.4
Middle	12.4	6.0	18.3	16.8	9.8	26.7
High	9.7	5.6	15.4	14.1	9.2	23.2
Highest	7.7	4.4	12.1	10.3	6.8	17.1
<b>Region</b>						
Kaduna	15.3	7.1	22.4	19.0	8.6	27.7
Lagos	9.5	5.7	15.2	12.3	8.6	20.9
Taraba	19.6	4.8	24.4	23.8	6.3	30.1
Kano	19.9	4.7	24.6	25.7	6.2	31.9
Rivers	11.0	6.3	17.2	15.1	9.9	25.0
Nasarawa	14.8	6.2	21.0	17.6	8.2	25.7
Anambra	7.6	4.4	12.0	9.5	7.2	16.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=11380)					Married Women <sup>2</sup> (N=7389)				
	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	21.0	14.7	19.0	40.0	36.8	24.0	16.1	25.4	49.4	32.6
<b>Age Group</b>										
15-19	5.9	4.6	10.3	16.2	28.4	3.6	1.7	28.8	32.4	5.2
20-24	17.9	13.6	20.1	38.0	35.6	13.4	9.4	30.8	44.2	21.2
25-29	25.8	19.3	21.5	47.3	40.8	23.1	16.7	25.9	49.0	34.1
30-34	24.6	15.6	24.7	49.3	31.7	25.5	16.0	27.6	53.1	30.2
35-39	30.9	21.6	23.5	54.3	39.8	32.7	22.7	25.9	58.6	38.8
40-44	29.0	18.7	17.8	46.9	40.0	31.5	20.1	19.5	51.0	39.4
45-49	20.3	13.8	13.6	34.0	40.6	23.7	16.0	15.0	38.6	41.4
<b>Marital Status</b>										
Married, or in union	24.0	16.1	25.4	49.4	32.6	na	na	na	na	na
Unmarried, sexually active	44.1	34.9	29.4	73.5	47.4	na	na	na	na	na
<b>Parity</b>										
0-1 children	13.9	10.3	10.2	24.1	42.5	11.6	6.8	18.2	29.8	22.8
2-3 children	25.7	17.3	22.3	48.0	36.0	26.2	17.6	23.1	49.3	35.6
4+ children	27.7	19.3	29.2	56.8	33.9	28.7	19.9	30.7	59.3	33.4
<b>Residence</b>										
Urban	26.3	17.9	15.6	41.9	42.7	32.5	20.6	22.6	55.1	37.5
Rural	14.2	10.8	23.4	37.6	28.7	15.4	11.6	28.3	43.7	26.5
<b>Education</b>										
Never	8.2	6.3	27.2	35.4	17.8	8.6	6.5	29.1	37.7	17.3
Primary	18.2	14.4	25.3	43.5	33.1	20.5	16.1	29.6	50.1	32.0
Secondary	22.3	15.1	16.8	39.1	38.7	30.0	19.3	25.4	55.4	34.8
Higher	32.1	21.9	11.2	43.2	50.7	36.3	22.6	15.7	52.0	43.5
<b>Wealth Quintile</b>										
Lowest	10.2	8.0	26.4	36.6	21.9	10.5	8.0	30.1	40.6	19.7
Lower	17.3	13.8	21.2	38.5	35.8	19.8	15.5	27.4	47.2	32.8
Middle	22.6	15.6	18.3	40.9	38.1	27.9	19.3	26.7	54.6	35.4
High	27.5	18.8	15.4	42.8	43.9	33.2	20.3	23.2	56.4	36.0
Highest	29.8	19.0	12.1	41.9	45.2	37.4	22.6	17.1	54.5	41.6
<b>Region</b>										
Kaduna	17.4	15.6	22.4	39.8	39.2	20.3	18.1	27.7	47.9	37.7
Lagos	29.7	20.6	15.2	44.9	45.8	35.9	23.3	20.9	56.7	41.1
Taraba	14.1	10.5	24.4	38.5	27.3	13.7	9.0	30.1	43.7	20.7
Kano	6.2	4.4	24.6	30.8	14.4	8.0	5.9	31.9	39.9	14.9
Rivers	29.0	17.7	17.2	46.2	38.2	31.1	18.0	25.0	56.1	32.1
Nasarawa	18.9	16.9	21.0	39.9	42.3	22.6	20.4	25.7	48.3	42.3
Anambra	24.2	13.9	12.0	36.2	38.3	33.3	15.3	16.8	50.0	30.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=5440)			Married <sup>1</sup> Women with 1 or More Births (N=5052)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	69.9	22.4	7.8	71.4	22.1	6.5
<b>Age Group</b>						
15-19	69.4	20.6	10.1	73.6	18.8	7.6
20-24	69.4	22.3	8.3	74.2	21.5	4.3
25-29	72.5	24.2	3.3	73.3	24.0	2.7
30-34	71.1	23.4	5.6	71.4	23.7	4.9
35-39	71.0	19.5	9.5	71.5	19.2	9.3
40-44	59.4	20.4	20.2	59.7	20.8	19.5
45-49	54.2	21.5	24.3	56.0	20.6	23.4
<b>Marital Status</b>						
Married, or in union	71.4	22.1	6.5	na	na	na
Unmarried, sexually active	55.8	21.7	22.5	na	na	na
<b>Parity</b>						
0-1 children	74.3	16.7	9.1	80.9	14.8	4.3
2-3 children	76.8	19.9	3.2	77.7	19.6	2.7
4+ children	62.5	26.9	10.6	62.7	27.0	10.3
<b>Residence</b>						
Urban	73.6	18.6	7.9	75.6	18.0	6.4
Rural	66.5	25.9	7.7	67.6	25.9	6.5
<b>Education</b>						
Never	70.7	23.5	5.8	71.1	23.4	5.6
Primary	60.2	31.5	8.2	61.8	31.2	7.1
Secondary	69.3	21.5	9.1	71.3	21.6	7.1
Higher	82.0	11.3	6.7	83.9	10.5	5.6
<b>Wealth Quintile</b>						
Lowest	67.7	26.9	5.3	68.1	27.1	4.8
Lower	65.0	25.3	9.7	67.0	24.8	8.1
Middle	69.7	21.2	9.1	72.7	20.7	6.6
High	70.3	20.8	9.0	70.8	20.6	8.6
Highest	80.7	12.6	6.7	82.4	12.3	5.3
<b>Region</b>						
Kaduna	72.0	20.3	7.7	72.3	20.2	7.5
Lagos	81.9	12.4	5.7	84.0	11.3	4.7
Taraba	61.5	31.7	6.8	62.7	32.5	4.8
Kano	67.8	28.1	4.1	68.1	27.8	4.1
Rivers	65.1	21.7	13.2	67.2	22.0	10.8
Nasarawa	68.8	24.0	7.2	70.1	24.0	5.9
Anambra	67.4	19.9	12.6	71.4	18.4	10.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 1667)
<b>Total</b>				
All	30.8	53.7	15.5	
<b>Age Group</b>				
15-19	24.7	44.7	30.6	
20-24	36.9	43.3	19.8	
25-29	30.4	52.8	16.9	
30-34	29.5	58.5	11.9	
35-39	28.1	61.7	10.3	
40-44	34.5	50.2	15.2	
45-49	29.2	59.8	11.0	
<b>Marital Status</b>				
Married, or in union	28.5	58.5	13.0	
Unmarried, sexually active	35.1	43.5	21.4	
<b>Parity</b>				
0-1 children	30.3	47.1	22.6	
2-3 children	30.7	58.1	11.2	
4+ children	31.4	55.9	12.7	
<b>Residence</b>				
Urban	33.8	51.0	15.1	
Rural	24.6	59.3	16.1	
<b>Education</b>				
Never	32.5	46.0	21.4	
Primary	33.8	55.0	11.2	
Secondary	31.6	52.7	15.6	
Higher	27.3	56.7	16.1	
<b>Wealth Quintile</b>				
Lowest	27.7	55.8	16.5	
Lower	31.1	53.8	15.1	
Middle	33.2	49.8	16.9	
High	35.5	49.9	14.6	
Highest	25.7	59.3	14.9	
<b>Region</b>				
Kaduna	27.8	63.6	8.5	
Lagos	37.2	44.7	18.1	
Taraba	13.0	73.3	13.7	
Kano	48.2	32.2	19.6	
Rivers	34.9	55.8	9.3	
Nasarawa	25.3	55.2	19.5	
Anambra	26.7	54.4	18.9	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 1676)	Married <sup>2</sup> Modern Contraceptive Users (N = 1192)
<b>Total</b>		
All	60.1	62.9
<b>Age Group</b>		
15-19	43.8	--
20-24	61.9	71.6
25-29	63.4	69.3
30-34	64.1	64.1
35-39	60.3	60.8
40-44	55.5	54.3
45-49	55.9	55.9
<b>Marital Status</b>		
Married, or in union	62.9	na
Unmarried, sexually active	55.2	na
<b>Parity</b>		
0-1 children	52.6	58.2
2-3 children	67.5	66.8
4+ children	61.2	61.3
<b>Residence</b>		
Urban	60.2	62.6
Rural	60.0	63.4
<b>Education</b>		
Never	77.8	78.9
Primary	64.0	66.3
Secondary	58.6	61.0
Higher	55.7	57.1
<b>Wealth Quintile</b>		
Lowest	65.8	69.2
Lower	62.2	66.0
Middle	63.3	67.5
High	56.6	60.7
Highest	56.4	55.3
<b>Region</b>		
Kaduna	74.0	74.8
Lagos	57.5	58.1
Taraba	57.7	<i>72.3</i>
Kano	57.7	57.3
Rivers	64.7	62.0
Nasarawa	55.3	56.2
Anambra	57.4	72.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(1676)</b>	<b>(1192)</b>	<b>(1667)</b>	<b>(1183)</b>	<b>(779)</b>	<b>(689)</b>
All	48.7	57.6	42.9	51.7	83.6	85.3
<b>Age Group</b>						
15-19	27.5	--	23.4	--	<i>60.7</i>	--
20-24	29.4	40.0	28.2	40.0	74.9	77.1
25-29	49.9	62.2	41.0	52.3	87.1	88.3
30-34	57.0	60.5	48.6	51.7	78.6	80.3
35-39	56.0	59.2	44.9	47.5	89.4	88.9
40-44	55.7	56.7	55.7	58.6	86.5	86.7
45-49	54.2	53.3	61.0	61.4	86.4	86.0
<b>Marital Status</b>						
Married, or in union	57.6	na	51.7	na	85.3	na
Unmarried, sexually active	31.4	na	23.5	na	73.9	na
<b>Parity</b>						
0-1 children	27.3	37.0	22.7	31.6	68.4	<i>64.1</i>
2-3 children	53.4	55.3	45.5	48.1	85.2	85.1
4+ children	61.9	62.5	56.6	57.2	87.3	87.4
<b>Residence</b>						
Urban	44.7	55.8	37.0	46.8	82.0	83.6
Rural	57.0	60.8	55.4	60.5	85.8	87.7
<b>Education</b>						
Never	60.5	60.5	61.4	61.6	88.3	88.4
Primary	58.3	59.3	58.9	62.1	85.8	85.3
Secondary	44.0	54.4	36.7	45.4	80.6	82.8
Higher	47.8	60.9	39.0	50.5	84.2	87.8
<b>Wealth Quintile</b>						
Lowest	60.8	64.2	61.4	69.6	90.1	91.9
Lower	52.5	60.4	46.6	56.6	85.5	86.8
Middle	44.9	52.2	44.0	50.7	85.5	88.0
High	45.8	58.7	38.3	48.2	75.9	76.9
Highest	45.5	55.2	34.3	42.0	81.9	83.2
<b>Region</b>						
Kaduna	75.2	79.2	67.1	71.4	93.5	93.3
Lagos	43.5	53.6	39.2	46.6	74.0	77.5
Taraba	59.4	<i>64.2</i>	43.7	<i>62.0</i>	<i>91.6</i>	<i>89.8</i>
Kano	70.1	70.8	64.1	64.8	84.6	84.6
Rivers	31.0	41.4	22.8	26.2	75.6	<i>73.5</i>
Nasarawa	63.2	67.0	68.8	73.1	87.9	89.2
Anambra	33.2	38.6	21.7	28.7	<i>81.1</i>	--

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Quality of Care

Percentage of current modern<sup>1</sup>contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 1622)</b>	<b>(N = 1622)</b>	<b>(N = 1622)</b>
All	85.7	77.3	73.5
<b>Age Group</b>			
15-19	74.5	52.6	46.6
20-24	81.1	74.5	71.3
25-29	89.6	77.6	74.9
30-34	86.4	77.2	73.0
35-39	87.1	83.7	80.2
40-44	89.3	83.3	79.6
45-49	80.7	75.4	68.8
<b>Marital Status</b>			
Married, or in union	87.8	80.3	77.1
Unmarried, sexually active	89.0	74.1	71.0
<b>Parity</b>			
0-1 children	79.3	69.5	64.9
2-3 children	89.1	78.3	75.0
4+ children	88.3	82.3	78.8
<b>Residence</b>			
Urban	85.3	77.6	73.4
Rural	86.6	76.6	73.8
<b>Education</b>			
Never	88.4	78.7	73.7
Primary	89.6	81.0	79.3
Secondary	85.3	75.7	72.2
Higher	83.4	77.4	72.2
<b>Wealth Quintile</b>			
Lowest	83.2	74.8	70.4
Lower	88.6	78.6	74.8
Middle	86.6	74.5	73.7
High	82.7	79.0	75.0
Highest	87.0	77.9	72.4
<b>Region</b>			
Kaduna	91.0	87.0	83.9
Lagos	82.4	76.0	72.4
Taraba	88.1	75.5	71.9
Kano	91.3	89.2	83.8
Rivers	88.9	76.1	71.2
Nasarawa	87.1	78.3	75.4
Anambra	79.7	70.3	66.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(11380)</b>	<b>(7389)</b>	<b>(11380)</b>	<b>(7389)</b>	<b>(11380)</b>	<b>(7389)</b>
All	12.2	15.3	23.1	31.7	28.1	37.6
<b>Age Group</b>						
15-19	4.2	6.0	5.5	22.1	8.3	24.4
20-24	11.5	14.1	20.9	30.9	25.9	37.0
25-29	15.4	17.1	30.8	36.7	36.6	43.0
30-34	17.1	18.2	37.3	40.5	42.4	46.0
35-39	15.7	17.1	27.8	30.8	33.9	37.5
40-44	11.2	11.5	21.6	22.7	26.9	28.3
45-49	11.5	12.3	16.6	17.0	22.9	23.9
<b>Marital Status</b>						
Married, or in union	15.3	na	31.7	na	37.6	na
Unmarried, sexually active	9.8	na	12.7	na	16.8	na
<b>Parity</b>						
0-1 children	7.7	11.9	13.0	29.1	16.7	33.9
2-3 children	17.6	17.8	34.1	35.4	40.1	41.8
4+ children	14.9	15.2	29.8	30.4	35.8	36.6
<b>Residence</b>						
Urban	13.2	17.5	25.6	38.4	30.5	44.2
Rural	11.0	13.0	20.0	24.9	25.2	30.9
<b>Education</b>						
Never	8.9	9.5	16.5	17.9	20.6	22.4
Primary	13.0	15.3	24.9	28.6	30.9	35.6
Secondary	12.6	18.3	22.7	38.1	27.6	44.5
Higher	13.8	16.9	28.7	40.5	33.8	46.0
<b>Wealth Quintile</b>						
Lowest	8.8	10.3	17.1	20.3	21.8	25.8
Lower	12.9	15.7	23.3	30.0	28.1	36.3
Middle	12.2	18.2	22.5	34.7	27.8	42.1
High	15.1	19.8	27.1	40.6	32.5	47.0
Highest	12.8	15.7	26.8	40.0	31.6	44.4
<b>Region</b>						
Kaduna	17.5	20.3	34.1	41.5	40.4	48.0
Lagos	13.9	18.0	30.5	43.1	35.7	48.7
Taraba	8.9	10.2	17.8	22.4	23.8	29.4
Kano	6.3	7.7	12.8	17.0	16.4	21.3
Rivers	10.7	13.8	22.3	32.6	27.0	38.7
Nasarawa	15.3	18.9	24.7	30.6	29.6	37.5
Anambra	13.6	19.3	19.0	31.6	23.6	37.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	5509	5317	10826
Households Occupied	5246	5106	10352
Households Interviewed	4999	5064	10063
Household Response Rate <sup>1</sup>	95.29%	99.18%	97.21%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	5419	6106	11525
Number of Eligible Women Interviewed	5338	6042	11380
Eligible Woman Response Rate <sup>3</sup>	98.51%	98.95%	98.74%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.147	0.007	0.134	0.161	0.161	0.008	0.146	0.178
Currently using a traditional method	0.062	0.005	0.053	0.073	0.078	0.006	0.067	0.092
Currently using any contraceptive method	0.210	0.009	0.192	0.229	0.240	0.011	0.218	0.263
Currently using DMPA-IM	0.028	0.003	0.023	0.034	0.040	0.004	0.033	0.049
Currently using DMPA-SC	0.004	0.001	0.003	0.006	0.006	0.001	0.004	0.008
Currently using condoms	0.227	0.015	0.199	0.257	0.146	0.013	0.122	0.173
Currently using implants	0.021	0.002	0.017	0.025	0.030	0.003	0.025	0.037
Chose method by self or jointly in past 12 months	0.845	0.016	0.812	0.874	0.870	0.014	0.839	0.896
Paid fees for family planning services in past 12 months	0.442	0.020	0.402	0.481	0.442	0.021	0.401	0.483
Informed by provider about other methods	0.496	0.019	0.458	0.535	0.577	0.020	0.537	0.616
Informed by provider about side effects	0.429	0.023	0.384	0.476	0.517	0.026	0.466	0.568
Satisfied with provider: Would return and refer friend/relative to provider	0.735	0.022	0.691	0.775	0.771	0.023	0.722	0.813
Visited by health worker who talked about family planning in past 12 months	0.122	0.010	0.103	0.144	0.153	0.012	0.130	0.179

<sup>1</sup> Married includes married women and those who are living with a man