



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	2738	2738
Age Group			
15-19	21.4	587	574
20-24	19.8	541	529
25-29	19.2	526	511
30-34	15.1	414	416
35-39	10.8	295	312
40-44	8.2	224	230
45-49	5.5	152	166
Marital Status			
Married, or in union	64.3	1760	1775
Unmarried, sexually active	12.8	352	351
Parity			
0-1 children	43.9	1203	1172
2-3 children	27.1	741	728
4+ children	28.7	787	821
Residence			
Urban	64.4	1764	1723
Rural	35.6	974	1015
Education			
Never	46.0	1261	1304
Primary	23.6	648	675
Secondary	23.7	650	611
Tertiary	6.6	180	148
Wealth Quintile			
Lowest	17.0	467	484
Lower	18.7	513	487
Middle	18.4	503	528
High	19.9	545	583
Highest	26.0	711	656

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	26.0	23.5	21.8	18.9	4.1	4.6
Age Group						
15-19	19.5	15.3	17.5	13.3	2.0	2.0
20-24	30.9	20.8	25.4	16.2	5.6	4.6
25-29	29.8	25.4	25.6	20.4	4.2	5.0
30-34	29.7	27.3	25.1	23.2	4.6	4.2
35-39	28.2	28.0	23.1	21.7	5.1	6.3
40-44	21.0	23.3	17.6	19.6	3.4	3.7
45-49	12.7	15.5	8.0	9.8	4.7	5.7
Marital Status						
Married, or in union	23.5	na	18.9	na	4.6	na
Unmarried, sexually active	55.6	na	49.7	na	5.9	na
Parity						
0-1 children	28.1	22.1	24.5	18.1	3.6	4.0
2-3 children	24.9	23.6	19.9	18.4	5.0	5.2
4+ children	23.6	24.3	19.6	19.9	4.0	4.4
Residence						
Urban	31.7	29.2	26.9	23.8	4.8	5.4
Rural	15.6	15.9	12.7	12.4	2.9	3.5
Education						
Never	17.0	17.0	13.9	13.6	3.1	3.4
Primary	28.6	28.3	23.1	21.8	5.5	6.5
Secondary	33.7	31.1	30.3	27.2	3.4	3.9
Tertiary	50.9	49.2	42.4	38.8	8.5	10.4
Wealth Quintile						
Lowest	14.3	15.0	10.7	10.5	3.6	4.5
Lower	14.8	14.0	13.3	12.3	1.5	1.7
Middle	24.6	22.9	19.9	17.7	4.7	5.3
High	28.6	29.2	23.4	23.5	5.2	5.7
Highest	40.6	38.2	35.5	32.0	5.1	6.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

Background Characteristics	All Users (N = 711)									Married Users ¹ (N = 414)								
	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional
Total																		
All	0.4	8.5	1.2	18.8	20.9	6.5	26.8	1.0	15.9	0.7	10.7	1.7	23.6	26.8	3.3	11.9	1.8	19.6
Age Group																		
15-19	0.0	1.8	0.0	6.6	11.2	7.7	62.5	0.0	10.3	--	--	--	--	--	--	--	--	--
20-24	0.0	7.5	1.0	14.3	15.4	7.5	36.2	0.0	18.0	0.0	6.4	2.4	17.4	24.6	6.3	20.8	0.0	22.1
25-29	0.0	12.6	0.6	25.0	19.2	9.9	16.2	2.4	14.1	0.0	13.4	0.0	24.8	23.6	4.0	10.9	3.8	19.7
30-34	0.0	5.3	2.8	28.4	25.8	4.6	17.6	0.0	15.4	0.0	6.2	3.7	32.2	26.1	1.3	15.4	0.0	15.3
35-39	0.0	14.1	0.0	21.3	28.2	4.3	9.8	4.4	18.1	0.0	16.9	0.0	21.2	25.3	4.7	4.1	5.4	22.4
40-44	0.0	15.5	5.2	14.1	43.9	0.0	5.3	0.0	16.1	<i>0.0</i>	<i>16.6</i>	<i>4.5</i>	<i>13.6</i>	<i>43.9</i>	<i>0.0</i>	<i>5.6</i>	<i>0.0</i>	<i>15.7</i>
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																		
Married, or in union	0.7	10.7	1.7	23.6	26.8	3.3	11.9	1.8	19.6	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	5.6	0.8	12.4	11.9	9.1	49.6	0.0	10.7	na	na	na	na	na	na	na	na	na
Parity																		
0-1 children	0.0	6.3	0.4	11.1	12.2	11.6	44.8	0.8	12.7	0.0	9.6	0.0	20.9	22.5	8.0	17.9	2.9	18.2
2-3 children	0.0	7.4	0.9	29.4	27.1	2.6	11.9	0.5	20.2	0.0	7.9	1.1	27.9	26.3	2.7	11.5	0.7	22.0
4+ children	1.5	13.5	2.9	22.2	30.8	1.2	8.9	2.0	17.1	1.6	13.7	3.1	21.8	29.7	1.2	8.6	2.1	18.2
Residence																		
Urban	0.5	8.5	1.2	16.7	19.1	8.3	29.4	1.3	15.1	1.0	11.5	1.7	23.2	24.9	4.6	12.0	2.5	18.6
Rural	0.0	8.5	1.3	26.7	27.6	0.0	17.2	0.0	18.7	0.0	8.8	1.7	24.6	31.4	0.0	11.6	0.0	22.0
Education																		
Never	0.6	11.3	1.2	22.1	32.5	0.7	13.3	0.0	18.3	0.8	12.7	1.2	24.1	33.2	0.6	7.6	0.0	19.8
Primary	0.0	8.6	0.9	22.9	20.0	2.0	24.3	2.0	19.3	0.0	8.9	1.3	25.9	24.1	1.3	12.5	3.0	22.9
Secondary	0.7	5.4	0.6	15.7	15.3	8.5	43.2	0.4	10.2	2.0	5.6	0.5	26.2	24.8	7.1	20.3	1.2	12.5
Tertiary	0.0	9.2	3.3	10.4	8.9	24.3	24.2	3.0	16.6	<i>0.0</i>	<i>16.5</i>	<i>6.4</i>	<i>12.0</i>	<i>14.3</i>	<i>11.7</i>	<i>12.3</i>	<i>5.7</i>	<i>21.1</i>
Wealth Quintile																		
Lowest	0.0	8.1	3.0	32.3	23.9	0.0	7.8	0.0	25.0	0.0	7.7	3.6	27.5	27.3	0.0	3.8	0.0	30.2
Lower	0.0	9.4	0.0	28.2	25.2	0.0	25.7	1.1	10.3	0.0	13.3	0.0	27.8	31.5	0.0	13.5	1.6	12.3
Middle	0.0	8.2	0.0	11.7	29.8	1.4	29.9	0.0	19.0	0.0	11.5	0.0	15.5	35.1	0.0	15.0	0.0	22.9
High	1.8	7.6	0.2	21.8	20.9	2.5	26.5	0.6	18.1	2.9	9.0	0.4	29.9	22.6	1.0	13.9	1.0	19.4
Highest	0.0	9.0	2.2	14.7	15.3	14.0	30.3	1.9	12.6	0.0	11.7	3.6	20.3	23.0	9.6	11.4	4.2	16.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 2738)			Married Women ¹ (N = 1760)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	20.6	4.6	25.1	26.3	6.3	32.7
Age Group						
15-19	20.8	1.0	21.8	48.0	0.7	48.7
20-24	23.8	1.4	25.1	31.2	1.1	32.3
25-29	26.5	1.9	28.4	33.9	2.4	36.3
30-34	24.9	6.5	31.4	27.2	7.1	34.3
35-39	14.9	11.5	26.3	17.4	13.8	31.2
40-44	10.3	14.9	25.2	11.2	17.8	28.9
45-49	2.4	4.8	7.2	2.4	5.1	7.5
Marital Status						
Married, or in union	26.3	6.3	32.7	na	na	na
Unmarried, sexually active	22.0	3.4	25.4	na	na	na
Parity						
0-1 children	16.3	0.5	16.8	26.1	0.0	26.1
2-3 children	25.7	2.9	28.6	29.7	2.9	32.6
4+ children	22.3	12.3	34.6	23.6	13.0	36.6
Residence						
Urban	17.7	2.7	20.4	24.9	4.4	29.3
Rural	25.8	7.9	33.7	28.3	8.9	37.2
Education						
Never	24.5	5.9	30.4	28.5	7.0	35.5
Primary	20.5	4.7	25.2	25.2	6.3	31.5
Secondary	15.3	2.5	17.8	23.2	4.8	28.0
Tertiary	12.6	1.9	14.4	17.4	3.4	20.8
Wealth Quintile						
Lowest	28.1	7.1	35.2	30.3	8.4	38.7
Lower	27.4	6.8	34.3	30.6	7.1	37.7
Middle	23.3	3.8	27.1	29.8	5.3	35.2
High	18.4	3.6	22.0	22.5	5.6	28.1
Highest	10.5	2.5	13.0	17.8	4.9	22.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=2738)					Married Women ² (N=1760)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	26.0	21.8	25.1	51.1	42.7	23.5	18.9	32.7	56.2	33.7
Age Group										
15-19	19.5	17.5	21.8	41.3	42.4	15.3	13.3	48.7	64.0	20.8
20-24	30.9	25.4	25.1	56.1	45.2	20.8	16.2	32.3	53.1	30.5
25-29	29.8	25.6	28.4	58.2	44.0	25.4	20.4	36.3	61.7	33.0
30-34	29.7	25.1	31.4	61.2	41.1	27.3	23.2	34.3	61.6	37.6
35-39	28.2	23.1	26.3	54.5	42.3	28.0	21.7	31.2	59.2	36.7
40-44	21.0	17.6	25.2	46.3	38.1	23.3	19.6	28.9	52.2	37.6
45-49	12.7	8.0	7.2	19.9	<i>40.1</i>	15.5	9.8	7.5	23.0	<i>42.5</i>
Marital Status										
Married, or in union	23.5	18.9	32.7	56.2	33.7	na	na	na	na	na
Unmarried, sexually active	55.6	49.7	25.4	81.0	61.3	na	na	na	na	na
Parity										
0-1 children	28.1	24.5	16.8	44.9	54.6	22.1	18.1	26.1	48.2	37.6
2-3 children	24.9	19.9	28.6	53.6	37.1	23.6	18.4	32.6	56.2	32.8
4+ children	23.6	19.6	34.6	58.2	33.6	24.3	19.9	36.6	60.9	32.6
Residence										
Urban	31.7	26.9	20.4	52.1	51.6	29.2	23.8	29.3	58.5	40.6
Rural	15.6	12.7	33.7	49.3	25.8	15.9	12.4	37.2	53.1	23.4
Education										
Never	17.0	13.9	30.4	47.5	29.3	17.0	13.6	35.5	52.5	26.0
Primary	28.6	23.1	25.2	53.9	42.9	28.3	21.8	31.5	59.8	36.4
Secondary	33.7	30.3	17.8	51.5	58.8	31.1	27.2	28.0	59.1	46.1
Tertiary	50.9	42.4	14.4	65.3	64.9	49.2	38.8	20.8	70.0	<i>55.4</i>
Wealth Quintile										
Lowest	14.3	10.7	35.2	49.5	21.7	15.0	10.5	38.7	53.8	19.5
Lower	14.8	13.3	34.3	49.1	27.1	14.0	12.3	37.7	51.7	23.7
Middle	24.6	19.9	27.1	51.7	38.5	22.9	17.7	35.2	58.1	30.4
High	28.6	23.4	22.0	50.6	46.3	29.2	23.5	28.1	57.3	41.0
Highest	40.6	35.5	13.0	53.6	66.2	38.2	32.0	22.7	60.9	52.6

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

- na Not applicable
 -- Less than 25 unweighted observations
 <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1561)			Married ¹ Women with 1 or More Births (N=1312)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	60.8	34.1	5.1	63.9	31.8	4.3
Age Group						
15-19	42.1	54.5	3.4	53.5	44.9	1.6
20-24	61.8	34.8	3.4	68.6	29.7	1.7
25-29	62.5	34.4	3.2	64.4	33.8	1.8
30-34	66.6	27.2	6.3	66.2	27.8	6.0
35-39	60.3	32.2	7.5	58.4	34.8	6.8
40-44	67.1	21.4	11.4	65.3	22.6	12.1
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	63.9	31.8	4.3	na	na	na
Unmarried, sexually active	40.0	47.2	12.8	na	na	na
Parity						
0-1 children	61.7	34.9	3.5	72.5	27.2	0.3
2-3 children	62.7	34.3	3.0	65.7	31.8	2.5
4+ children	58.2	33.3	8.5	57.1	34.5	8.4
Residence						
Urban	66.0	31.7	2.3	69.9	28.3	1.8
Rural	53.7	37.3	8.9	56.2	36.3	7.5
Education						
Never	63.9	31.3	4.8	65.3	30.2	4.5
Primary	57.6	34.6	7.8	59.7	33.8	6.4
Secondary	54.6	41.6	3.8	65.1	33.8	1.1
Tertiary	65.8	33.7	0.5	<i>66.1</i>	<i>33.4</i>	<i>0.6</i>
Wealth Quintile						
Lowest	54.1	39.6	6.2	55.9	37.4	6.7
Lower	57.0	33.4	9.5	59.9	33.5	6.6
Middle	60.2	35.6	4.2	65.4	31.3	3.2
High	64.1	32.8	3.0	66.7	30.7	2.6
Highest	69.3	28.9	1.8	73.9	24.8	1.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 598)
Total				
All	50.8	31.9	17.3	
Age Group				
15-19	39.6	38.3	22.0	
20-24	52.5	26.4	21.1	
25-29	52.3	36.0	11.6	
30-34	54.2	30.0	15.8	
35-39	61.0	26.1	12.9	
40-44	45.5	35.7	18.7	
45-49	--	--	--	
Marital Status				
Married, or in union	49.5	34.6	15.9	
Unmarried, sexually active	51.0	31.5	17.5	
Parity				
0-1 children	51.3	29.6	19.1	
2-3 children	53.7	30.9	15.4	
4+ children	47.6	37.4	15.0	
Residence				
Urban	50.4	32.1	17.5	
Rural	52.5	31.0	16.5	
Education				
Never	50.1	30.3	19.6	
Primary	48.0	30.2	21.8	
Secondary	52.0	32.0	15.9	
Tertiary	55.0	38.6	6.3	
Wealth Quintile				
Lowest	55.1	30.9	14.0	
Lower	41.0	41.5	17.5	
Middle	47.0	32.2	20.8	
High	54.0	25.2	20.8	
Highest	52.6	32.8	14.7	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 598)	Married ² Modern Contraceptive Users (N = 333)
Total		
All	75.8	83.6
Age Group		
15-19	60.1	--
20-24	72.8	85.9
25-29	80.8	85.7
30-34	86.1	84.8
35-39	79.0	85.4
40-44	77.0	78.5
45-49	--	--
Marital Status		
Married, or in union	83.6	na
Unmarried, sexually active	66.8	na
Parity		
0-1 children	67.1	78.9
2-3 children	83.9	86.2
4+ children	84.6	84.2
Residence		
Urban	74.8	84.6
Rural	79.6	80.9
Education		
Never	82.9	85.6
Primary	75.8	83.8
Secondary	70.9	79.5
Tertiary	71.9	--
Wealth Quintile		
Lowest	75.7	74.5
Lower	77.6	82.9
Middle	80.9	92.2
High	80.7	84.0
Highest	70.8	82.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(598)	(333)	(598)	(333)	(192)	(135)
All	42.9	51.9	34.3	43.6	84.8	88.5
Age Group						
15-19	19.4	--	10.0	--	--	--
20-24	30.2	27.5	25.3	28.1	<i>76.8</i>	--
25-29	60.7	69.2	49.6	60.3	83.1	<i>83.1</i>
30-34	45.7	53.4	41.6	44.2	<i>86.9</i>	<i>85.1</i>
35-39	60.3	61.8	42.3	42.2	<i>96.4</i>	--
40-44	<i>50.7</i>	<i>51.0</i>	<i>42.8</i>	<i>43.9</i>	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	51.9	na	43.6	na	88.5	na
Unmarried, sexually active	33.7	na	20.1	na	75.8	na
Parity						
0-1 children	33.9	49.4	23.0	42.0	73.4	--
2-3 children	51.0	51.2	44.7	42.6	89.5	87.3
4+ children	52.6	54.1	46.4	45.5	91.8	90.9
Residence						
Urban	43.7	55.8	34.2	47.4	85.4	91.3
Rural	39.9	41.7	34.9	33.8	82.4	<i>78.1</i>
Education						
Never	42.1	46.9	38.6	42.7	92.5	91.9
Primary	46.4	52.2	37.4	40.1	84.5	<i>87.5</i>
Secondary	39.5	49.5	24.0	39.1	<i>77.7</i>	--
Tertiary	47.0	--	45.1	--	--	--
Wealth Quintile						
Lowest	43.7	<i>42.2</i>	38.9	<i>33.0</i>	78.4	--
Lower	29.6	32.2	24.1	29.5	--	--
Middle	43.1	43.8	37.7	47.5	79.3	<i>84.6</i>
High	41.0	50.9	34.5	45.9	<i>92.3</i>	<i>93.4</i>
Highest	47.3	68.6	34.8	49.6	83.2	<i>90.0</i>

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 578)	(N = 578)	(N = 578)
All	85.4	83.2	76.5
Age Group			
15-19	78.6	81.6	71.8
20-24	79.0	80.8	73.2
25-29	88.5	89.8	83.3
30-34	91.2	86.9	82.2
35-39	89.3	81.8	76.7
40-44	<i>94.4</i>	<i>70.5</i>	<i>70.5</i>
45-49	--	--	--
Marital Status			
Married, or in union	88.3	81.3	76.4
Unmarried, sexually active	82.6	84.3	76.1
Parity			
0-1 children	81.1	85.0	76.1
2-3 children	88.7	87.3	81.5
4+ children	90.5	76.4	72.8
Residence			
Urban	85.6	87.6	79.8
Rural	84.5	66.5	63.8
Education			
Never	89.9	77.3	74.1
Primary	81.4	81.1	71.7
Secondary	83.7	87.1	78.8
Tertiary	87.2	91.2	85.1
Wealth Quintile			
Lowest	91.0	76.8	75.3
Lower	80.4	74.2	69.8
Middle	90.2	77.4	75.1
High	83.5	84.4	76.2
Highest	84.6	88.9	79.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(2738)	(1760)	(2738)	(1760)	(2738)	(1760)
All	4.6	5.1	18.3	23.7	20.4	25.5
Age Group						
15-19	3.9	3.6	7.2	16.4	10.2	17.4
20-24	5.4	6.7	19.4	24.8	21.6	27.1
25-29	4.5	5.1	22.5	26.1	24.4	27.9
30-34	4.8	5.2	23.5	26.0	25.6	28.5
35-39	4.5	5.1	24.0	24.9	25.0	25.8
40-44	4.8	4.0	19.6	21.0	22.1	22.7
45-49	3.6	3.6	14.8	15.8	16.4	17.5
Marital Status						
Married, or in union	5.1	na	23.7	na	25.5	na
Unmarried, sexually active	3.8	na	11.8	na	14.2	na
Parity						
0-1 children	4.3	5.8	11.4	21.1	14.1	23.4
2-3 children	4.3	4.8	22.6	23.6	24.1	25.4
4+ children	5.3	5.0	24.6	25.2	26.5	26.8
Residence						
Urban	4.5	5.6	18.1	26.9	20.2	28.6
Rural	4.7	4.4	18.5	19.3	20.8	21.2
Education						
Never	4.4	4.6	18.5	20.7	20.5	22.6
Primary	4.5	5.2	20.7	26.2	22.1	27.3
Secondary	5.9	8.3	15.5	30.8	18.9	34.2
Tertiary	1.8	1.9	18.0	24.0	18.9	24.5
Wealth Quintile						
Lowest	3.1	2.6	18.2	18.6	19.3	19.3
Lower	5.9	6.2	17.9	20.6	20.5	22.8
Middle	4.9	5.5	15.9	20.8	18.8	23.6
High	6.8	7.7	20.9	27.8	23.9	30.1
Highest	2.7	3.5	18.2	31.1	19.6	32.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1534	1014	2548
Households Occupied	1503	998	2501
Households Interviewed	1411	991	2402
Household Response Rate ¹	93.88%	99.30%	96.04%
Interviews with Women			
Number of Eligible Women ²	1799	1022	2821
Number of Eligible Women Interviewed	1723	1015	2738
Eligible Woman Response Rate ³	95.78%	99.32%	97.06%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.218	0.019	0.183	0.259	0.189	0.019	0.155	0.229
Currently using a traditional method	0.041	0.006	0.030	0.055	0.046	0.006	0.035	0.060
Currently using any contraceptive method	0.260	0.021	0.220	0.304	0.235	0.021	0.196	0.279
Currently using DMPA-IM	0.049	0.006	0.038	0.063	0.056	0.008	0.041	0.075
Currently using condoms	0.268	0.031	0.211	0.334	0.119	0.024	0.078	0.177
Currently using implants	0.022	0.004	0.015	0.032	0.025	0.005	0.017	0.037
Chose method by self or jointly in past 12 months	0.827	0.031	0.755	0.881	0.841	0.027	0.781	0.887
Paid fees for family planning services in past 12 months	0.654	0.051	0.546	0.748	0.696	0.034	0.626	0.759
Informed by provider about other methods	0.439	0.039	0.363	0.518	0.509	0.043	0.423	0.594
Informed by provider about side effects	0.345	0.034	0.280	0.415	0.435	0.044	0.349	0.524
Satisfied with provider: Would return and refer friend/relative to provider	0.762	0.030	0.696	0.817	0.760	0.037	0.678	0.826
Visited by health worker who talked about family planning in past 12 months	0.046	0.009	0.031	0.067	0.051	0.011	0.033	0.078

¹ Married includes married women and those who are living with a man