



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1545	1565
Age Group			
15-19	20.8	321	329
20-24	16.2	251	254
25-29	16.8	259	263
30-34	14.6	225	227
35-39	14.5	224	226
40-44	9.2	142	142
45-49	7.9	122	124
Marital Status			
Married, or in union	65.1	1005	1013
Unmarried, sexually active	11.2	174	180
Parity			
0-1 children	41.3	638	650
2-3 children	30.2	467	469
4+ children	28.1	434	440
Residence			
Urban	100.0	1545	1565
Education			
Never	10.7	166	169
Primary	31.9	493	499
Secondary	54.0	835	844
Tertiary	3.1	47	49
Wealth Quintile			
Lowest	17.0	262	261
Lower	18.4	284	285
Middle	20.8	322	330
High	20.5	316	325
Highest	23.3	361	364
Region			
2.0	100.0	1545	1565

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	29.8	32.5	20.0	21.0	9.8	11.5
Age Group						
15-19	20.4	25.6	13.0	14.8	7.4	10.8
20-24	36.1	33.8	24.7	22.6	11.4	11.2
25-29	36.1	36.1	24.3	23.5	11.8	12.6
30-34	33.9	33.6	23.4	21.2	10.5	12.4
35-39	28.8	30.8	22.0	23.3	6.7	7.4
40-44	34.0	37.3	20.9	20.4	13.2	16.9
45-49	18.1	22.4	8.7	11.9	9.4	10.6
Marital Status						
Married, or in union	32.5	na	21.0	na	11.5	na
Unmarried, sexually active	42.0	na	28.3	na	13.7	na
Parity						
0-1 children	24.3	21.8	16.8	14.2	7.5	7.6
2-3 children	35.1	36.9	23.7	24.3	11.3	12.6
4+ children	32.7	34.9	20.9	22.0	11.8	12.9
Residence						
Urban	29.8	32.5	20.0	21.0	9.8	11.5
Education						
Never	23.8	24.1	15.1	15.5	8.7	8.6
Primary	24.5	28.6	15.3	17.8	9.2	10.9
Secondary	33.2	38.1	23.1	25.5	10.1	12.6
Tertiary	<i>47.1</i>	--	<i>32.6</i>	--	<i>14.4</i>	--
Wealth Quintile						
Lowest	19.2	18.2	12.1	10.6	7.1	7.5
Lower	25.3	26.5	18.2	19.4	7.1	7.2
Middle	27.7	31.9	16.1	16.9	11.6	15.0
High	32.9	40.2	21.6	25.4	11.3	14.7
Highest	40.3	45.3	29.2	32.1	11.1	13.3
Region						
2.0	29.8	32.5	20.0	21.0	9.8	11.5

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

- na Not applicable
- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 462)										Married Users ¹ (N = 328)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	4.3	3.4	1.2	7.7	1.7	13.3	0.0	32.1	3.3	32.9	4.1	3.6	0.9	8.5	2.1	14.6	0.0	27.2	3.8	35.3
Age Group																				
15-19	8.5	0.0	2.9	1.4	0.0	2.9	0.0	46.8	1.4	36.1	--	--	--	--	--	--	--	--	--	--
20-24	2.2	3.3	0.0	3.2	0.0	8.8	0.0	46.4	4.4	31.7	2.0	4.0	0.0	3.9	0.0	10.2	0.0	42.9	3.8	33.2
25-29	2.0	4.3	2.0	6.4	1.5	19.1	0.0	27.8	4.2	32.8	2.5	2.8	1.3	6.8	1.9	21.5	0.0	23.1	5.2	34.9
30-34	1.2	5.1	2.5	11.6	4.2	13.6	0.0	28.4	2.4	31.0	0.0	4.8	3.1	9.3	5.2	12.1	0.0	25.6	3.0	36.9
35-39	6.0	6.0	0.0	12.8	3.4	20.4	0.0	23.6	4.4	23.4	6.2	6.2	0.0	11.6	1.8	21.1	0.0	24.4	4.6	24.1
40-44	<i>6.1</i>	<i>1.9</i>	<i>0.0</i>	<i>11.8</i>	<i>0.0</i>	<i>15.5</i>	<i>0.0</i>	<i>22.1</i>	<i>3.8</i>	<i>38.7</i>	<i>7.2</i>	<i>2.2</i>	<i>0.0</i>	<i>11.6</i>	<i>0.0</i>	<i>8.1</i>	<i>0.0</i>	<i>21.2</i>	<i>4.5</i>	<i>45.2</i>
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																				
Married, or in union	4.1	3.6	0.9	8.5	2.1	14.6	0.0	27.2	3.8	35.3	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	7.6	0.0	1.3	5.6	1.4	10.4	0.0	39.7	1.3	32.7	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	5.4	0.0	1.2	4.9	0.0	6.2	0.0	47.1	4.4	30.7	3.6	0.0	0.0	5.7	0.0	6.0	0.0	42.3	7.5	34.9
2-3 children	3.1	7.2	1.7	8.8	1.3	16.6	0.0	27.8	1.2	32.3	3.6	6.3	1.4	7.9	1.5	16.5	0.0	27.3	1.4	34.1
4+ children	4.7	2.8	0.7	9.6	3.9	17.3	0.0	20.7	4.6	35.8	5.0	2.2	0.7	10.2	3.4	15.9	0.0	21.2	4.8	36.6
Residence																				
Urban	4.3	3.4	1.2	7.7	1.7	13.3	0.0	32.1	3.3	32.9	4.1	3.6	0.9	8.5	2.1	14.6	0.0	27.2	3.8	35.3
Education																				
Never	<i>2.4</i>	<i>2.7</i>	<i>0.0</i>	<i>13.2</i>	<i>0.0</i>	<i>22.0</i>	<i>0.0</i>	<i>20.8</i>	<i>2.3</i>	<i>36.7</i>	<i>3.0</i>	<i>3.3</i>	<i>0.0</i>	<i>13.2</i>	<i>0.0</i>	<i>16.6</i>	<i>0.0</i>	<i>25.4</i>	<i>2.8</i>	<i>35.7</i>
Primary	7.8	0.8	0.8	7.5	1.1	22.4	0.0	18.4	3.8	37.3	9.0	1.0	0.9	6.9	1.3	20.5	0.0	18.5	4.3	37.6
Secondary	3.1	4.9	1.7	7.7	2.3	8.9	0.0	37.5	3.5	30.3	1.7	5.4	1.0	8.9	2.9	11.5	0.0	31.8	3.8	33.0
Tertiary	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	13.1	0.0	0.0	1.9	0.0	11.0	0.0	31.7	5.4	37.0	<i>11.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>10.1</i>	<i>0.0</i>	<i>29.7</i>	<i>7.8</i>	<i>41.5</i>
Lower	2.6	1.3	0.0	10.6	0.0	18.8	0.0	32.0	6.6	28.0	3.3	1.7	0.0	9.5	0.0	19.9	0.0	33.7	4.8	27.1
Middle	5.4	2.3	2.1	4.6	0.0	13.4	0.0	28.1	2.3	41.8	4.5	1.6	1.5	4.9	0.0	14.1	0.0	23.4	3.1	46.9
High	5.6	3.7	2.7	9.9	2.0	15.7	0.0	23.8	2.8	33.9	6.6	1.4	2.6	11.6	2.8	17.1	0.0	17.9	3.9	36.2
Highest	0.6	6.1	0.6	8.6	4.0	9.7	0.0	40.7	2.0	27.6	0.0	9.2	0.0	11.1	4.8	11.6	0.0	32.0	2.0	29.3
Region																				
2.0	4.3	3.4	1.2	7.7	1.7	13.3	0.0	32.1	3.3	32.9	4.1	3.6	0.9	8.5	2.1	14.6	0.0	27.2	3.8	35.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1545)			Married Women ¹ (N = 1005)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	16.6	9.9	26.5	19.7	12.2	31.9
Age Group						
15-19	17.0	7.9	24.8	38.7	9.4	48.1
20-24	20.7	9.7	30.3	25.0	14.2	39.2
25-29	22.6	6.7	29.3	26.3	7.5	33.8
30-34	18.6	10.4	29.0	20.8	10.8	31.6
35-39	14.8	13.6	28.4	15.3	14.6	29.9
40-44	7.8	13.7	21.5	7.5	16.7	24.2
45-49	3.9	10.4	14.3	5.3	13.1	18.4
Marital Status						
Married, or in union	19.7	12.2	31.9	na	na	na
Unmarried, sexually active	24.7	14.9	39.5	na	na	na
Parity						
0-1 children	15.0	6.6	21.6	23.6	7.2	30.7
2-3 children	21.1	9.1	30.2	22.0	10.4	32.4
4+ children	14.1	15.8	29.9	15.2	17.1	32.4
Residence						
Urban	16.6	9.9	26.5	19.7	12.2	31.9
Education						
Never	16.4	10.6	27.0	18.9	11.6	30.6
Primary	18.6	12.4	31.0	20.7	15.5	36.2
Secondary	15.8	8.9	24.7	19.3	10.5	29.8
Tertiary	<i>8.0</i>	<i>0.0</i>	<i>8.0</i>	--	--	--
Wealth Quintile						
Lowest	17.3	16.3	33.6	22.6	18.9	41.4
Lower	19.6	10.1	29.7	23.4	13.0	36.4
Middle	20.3	9.3	29.6	24.2	9.4	33.5
High	15.2	8.8	24.0	16.5	10.0	26.5
Highest	11.5	6.6	18.0	12.1	9.8	21.8
Region						
2.0	16.6	9.9	26.5	19.7	12.2	31.9

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=1545)					Married Women ² (N=1005)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	29.8	20.0	26.5	56.3	35.5	32.5	21.0	31.9	64.4	32.6
Age Group										
15-19	20.4	13.0	24.8	45.2	28.8	25.6	14.8	48.1	73.7	<i>20.1</i>
20-24	36.1	24.7	30.3	66.4	37.1	33.8	22.6	39.2	73.1	30.9
25-29	36.1	24.3	29.3	65.4	37.1	36.1	23.5	33.8	69.9	33.6
30-34	33.9	23.4	29.0	62.9	37.2	33.6	21.2	31.6	65.2	32.6
35-39	28.8	22.0	28.4	57.2	38.6	30.8	23.3	29.9	60.7	38.5
40-44	34.0	20.9	21.5	55.5	37.6	37.3	20.4	24.2	61.5	33.2
45-49	18.1	8.7	14.3	32.4	<i>27.0</i>	22.4	11.9	18.4	40.8	<i>29.1</i>
Marital Status										
Married, or in union	32.5	21.0	31.9	64.4	32.6	na	na	na	na	na
Unmarried, sexually active	42.0	28.3	39.5	81.5	34.7	na	na	na	na	na
Parity										
0-1 children	24.3	16.8	21.6	45.9	36.6	21.8	14.2	30.7	52.6	27.0
2-3 children	35.1	23.7	30.2	65.2	36.4	36.9	24.3	32.4	69.3	35.1
4+ children	32.7	20.9	29.9	62.7	33.4	34.9	22.0	32.4	67.3	32.8
Residence										
Urban	29.8	20.0	26.5	56.3	35.5	32.5	21.0	31.9	64.4	32.6
Education										
Never	23.8	15.1	27.0	50.8	29.7	24.1	15.5	30.6	54.7	28.3
Primary	24.5	15.3	31.0	55.5	27.5	28.6	17.8	36.2	64.9	27.4
Secondary	33.2	23.1	24.7	57.9	40.0	38.1	25.5	29.8	67.9	37.6
Tertiary	<i>47.1</i>	<i>32.6</i>	<i>8.0</i>	<i>55.1</i>	<i>59.2</i>	--	--	--	--	--
Wealth Quintile										
Lowest	19.2	12.1	33.6	52.8	22.9	18.2	10.6	41.4	59.6	17.8
Lower	25.3	18.2	29.7	55.1	33.1	26.5	19.4	36.4	63.0	30.7
Middle	27.7	16.1	29.6	57.3	28.1	31.9	16.9	33.5	65.5	25.9
High	32.9	21.6	24.0	56.9	38.0	40.2	25.4	26.5	66.6	38.2
Highest	40.3	29.2	18.0	58.3	50.0	45.3	32.1	21.8	67.2	47.7
Region										
2.0	29.8	20.0	26.5	56.3	35.5	32.5	21.0	31.9	64.4	32.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=851)			Married ¹ Women with 1 or More Births (N=707)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	31.2	54.6	14.2	34.7	52.5	12.8
Age Group						
15-19	20.7	70.7	8.7	<i>25.2</i>	<i>69.2</i>	<i>5.5</i>
20-24	25.0	68.1	6.9	31.7	64.3	4.0
25-29	31.9	60.0	8.1	34.3	59.4	6.3
30-34	36.3	52.4	11.3	37.6	52.2	10.2
35-39	37.4	38.6	24.0	38.7	37.0	24.3
40-44	27.8	36.3	36.0	29.3	39.2	31.5
45-49	<i>36.1</i>	<i>24.4</i>	<i>39.5</i>	--	--	--
Marital Status						
Married, or in union	34.7	52.5	12.8	na	na	na
Unmarried, sexually active	<i>14.3</i>	<i>70.8</i>	<i>15.0</i>	na	na	na
Parity						
0-1 children	32.2	59.7	8.1	43.1	53.8	3.1
2-3 children	31.7	61.2	7.1	33.9	60.4	5.7
4+ children	29.9	43.7	26.3	31.6	43.7	24.6
Residence						
Urban	31.2	54.6	14.2	34.7	52.5	12.8
Education						
Never	34.6	51.1	14.3	36.9	51.7	11.4
Primary	29.2	52.4	18.5	30.1	52.7	17.2
Secondary	30.9	57.8	11.3	36.3	53.7	10.0
Tertiary	--	--	--	--	--	--
Wealth Quintile						
Lowest	28.9	59.3	11.8	30.7	59.0	10.3
Lower	26.7	61.0	12.3	28.6	60.2	11.2
Middle	28.1	55.6	16.3	31.2	54.0	14.9
High	33.6	45.8	20.6	40.4	41.6	18.0
Highest	39.9	49.7	10.4	45.5	43.9	10.6
Region						
2.0	31.2	54.6	14.2	34.7	52.5	12.8

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 309)
Total				
All	49.2	45.1	5.7	
Age Group				
15-19	<i>52.5</i>	<i>40.5</i>	<i>7.1</i>	
20-24	48.4	45.5	6.1	
25-29	54.9	38.5	6.6	
30-34	54.0	42.6	3.4	
35-39	34.5	55.7	9.8	
40-44	<i>54.5</i>	<i>45.5</i>	<i>0.0</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	40.8	54.5	4.7	
Unmarried, sexually active	65.7	24.6	9.7	
Parity				
0-1 children	52.8	41.0	6.2	
2-3 children	57.7	37.2	5.1	
4+ children	34.5	59.7	5.8	
Residence				
Urban	49.2	45.1	5.7	
Education				
Never	<i>65.7</i>	<i>34.3</i>	<i>0.0</i>	
Primary	38.2	55.1	6.7	
Secondary	53.2	40.8	6.0	
Tertiary	--	--	--	
Wealth Quintile				
Lowest	<i>25.5</i>	<i>68.8</i>	<i>5.7</i>	
Lower	49.2	49.0	1.8	
Middle	49.8	46.6	3.6	
High	64.9	25.3	9.8	
Highest	45.8	48.2	5.9	
Region				
2.0	49.2	45.1	5.7	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 309)	Married ² Modern Contraceptive Users (N = 211)
Total		
All	51.0	51.4
Age Group		
15-19	<i>32.1</i>	--
20-24	51.4	45.8
25-29	60.8	61.1
30-34	54.1	52.6
35-39	50.7	48.6
40-44	45.8	--
45-49	--	--
Marital Status		
Married, or in union	51.4	na
Unmarried, sexually active	48.1	na
Parity		
0-1 children	44.6	42.5
2-3 children	58.6	58.0
4+ children	49.2	47.8
Residence		
Urban	51.0	51.4
Education		
Never	42.9	--
Primary	47.6	43.6
Secondary	51.5	57.1
Tertiary	--	--
Wealth Quintile		
Lowest	47.6	--
Lower	39.5	38.6
Middle	42.8	50.1
High	49.7	44.2
Highest	62.5	63.6
Region		
2.0	51.0	51.4

- 1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method
- 2 Married includes married women and those who are living with a man

- na Not applicable
- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(309)	(211)	(309)	(211)	(124)	(94)
All	27.9	33.6	40.0	44.8	68.3	67.7
Age Group						
15-19	13.2	--	17.6	--	--	--
20-24	13.6	16.3	28.0	28.2	--	--
25-29	30.4	37.6	45.1	48.8	58.8	--
30-34	33.0	32.1	53.4	51.8	65.9	--
35-39	51.1	51.2	53.3	53.5	73.4	72.4
40-44	25.9	--	38.2	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	33.6	na	44.8	na	67.7	na
Unmarried, sexually active	15.0	na	31.7	na	--	na
Parity						
0-1 children	15.8	27.9	29.2	39.6	77.1	--
2-3 children	33.1	33.1	45.9	43.9	59.2	61.4
4+ children	35.9	36.2	45.5	47.8	72.8	74.4
Residence						
Urban	27.9	33.6	40.0	44.8	68.3	67.7
Education						
Never	13.1	--	16.5	--	--	--
Primary	37.5	39.2	47.4	46.3	67.5	74.0
Secondary	26.7	33.6	41.8	48.5	67.1	63.5
Tertiary	--	--	--	--	--	--
Wealth Quintile						
Lowest	24.1	--	36.6	--	--	--
Lower	27.8	29.8	48.9	53.5	--	--
Middle	35.5	39.7	33.8	40.0	--	--
High	20.9	28.9	37.7	41.2	63.0	--
Highest	29.9	39.0	41.2	47.5	66.6	67.8
Region						
2.0	27.9	33.6	40.0	44.8	68.3	67.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 305)	(N = 305)	(N = 305)
All	58.5	56.5	42.1
Age Group			
15-19	<i>50.1</i>	<i>55.0</i>	<i>38.7</i>
20-24	55.5	62.1	41.4
25-29	62.1	56.6	42.2
30-34	65.9	62.0	48.7
35-39	<i>64.0</i>	<i>52.6</i>	<i>44.6</i>
40-44	<i>47.5</i>	<i>47.2</i>	<i>33.9</i>
45-49	--	--	--
Marital Status			
Married, or in union	61.9	51.5	42.1
Unmarried, sexually active	57.8	71.8	48.0
Parity			
0-1 children	50.6	68.2	44.4
2-3 children	62.7	53.6	43.0
4+ children	62.7	46.2	38.3
Residence			
Urban	58.5	56.5	42.1
Education			
Never	<i>45.0</i>	<i>31.8</i>	<i>24.3</i>
Primary	70.5	57.3	50.5
Secondary	54.3	56.5	38.6
Tertiary	--	--	--
Wealth Quintile			
Lowest	<i>80.2</i>	<i>68.6</i>	<i>65.6</i>
Lower	60.3	49.4	43.2
Middle	58.2	58.0	39.3
High	48.2	48.6	30.9
Highest	57.5	60.7	42.9
Region			
2.0	58.5	56.5	42.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1545)	(1005)	(1545)	(1005)	(1545)	(1005)
All	10.7	12.6	10.1	12.7	16.3	19.5
Age Group						
15-19	6.1	12.2	3.8	10.0	8.2	16.5
20-24	12.6	13.1	11.4	14.3	19.1	20.8
25-29	9.2	9.3	10.3	10.7	16.7	16.4
30-34	13.0	14.4	13.0	15.0	18.8	21.0
35-39	12.2	13.0	12.7	13.5	19.2	20.7
40-44	14.8	14.7	12.2	12.3	22.1	23.4
45-49	10.6	12.3	10.6	10.9	14.9	15.6
Marital Status						
Married, or in union	12.6	na	12.7	na	19.5	na
Unmarried, sexually active	11.0	na	6.1	na	15.0	na
Parity						
0-1 children	8.1	11.0	5.6	8.9	11.4	15.8
2-3 children	12.9	13.0	14.4	15.3	20.3	20.9
4+ children	12.3	13.2	12.1	12.6	19.5	20.5
Residence						
Urban	10.7	12.6	10.1	12.7	16.3	19.5
Education						
Never	3.0	3.0	6.4	7.9	8.1	9.3
Primary	12.9	13.7	9.9	10.7	18.2	19.0
Secondary	11.3	14.6	10.7	15.6	17.0	22.9
Tertiary	4.5	--	12.6	--	14.7	--
Wealth Quintile						
Lowest	9.3	12.2	7.7	9.8	14.1	18.0
Lower	14.0	15.3	11.0	13.2	19.6	21.7
Middle	10.6	9.0	8.1	8.4	15.6	14.7
High	9.8	12.8	9.2	13.3	14.3	18.5
Highest	10.1	13.4	13.6	18.4	17.8	23.8
Region						
2.0	10.7	12.6	10.1	12.7	16.3	19.5

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	N/A	N/A	1720
Households Occupied	N/A	N/A	1688
Households Interviewed	N/A	N/A	1625
Household Response Rate ¹			96.27%
Interviews with Women			
Number of Eligible Women ²	N/A	N/A	1634
Number of Eligible Women Interviewed	N/A	N/A	1565
Eligible Woman Response Rate ³			95.78%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.200	0.020	0.163	0.243	0.210	0.025	0.165	0.263
Currently using a traditional method	0.098	0.015	0.072	0.132	0.115	0.019	0.082	0.159
Currently using any contraceptive method	0.298	0.028	0.244	0.358	0.325	0.037	0.255	0.403
Currently using DMPA-IM	0.024	0.005	0.015	0.037	0.028	0.007	0.017	0.045
Currently using DMPA-SC	0.005	0.002	0.002	0.013	0.007	0.003	0.002	0.018
Currently using condoms	0.321	0.034	0.257	0.392	0.272	0.036	0.205	0.350
Currently using implants	0.010	0.003	0.005	0.019	0.012	0.004	0.006	0.025
Chose method by self or jointly in past 12 months	0.943	0.016	0.902	0.968	0.953	0.018	0.901	0.978
Paid fees for family planning services in past 12 months	0.376	0.048	0.285	0.477	0.360	0.054	0.260	0.473
Informed by provider about other methods	0.267	0.033	0.206	0.339	0.300	0.038	0.229	0.381
Informed by provider about side effects	0.383	0.042	0.302	0.471	0.421	0.046	0.331	0.516
Satisfied with provider: Would return and refer friend/relative to provider	0.409	0.058	0.298	0.529	0.406	0.064	0.286	0.538
Visited by health worker who talked about family planning in past 12 months	0.107	0.029	0.061	0.180	0.125	0.033	0.073	0.207

¹ Married includes married women and those who are living with a man