



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	7358	7361
Age Group			
15-19	23.7	1745	1768
20-24	16.5	1215	1333
25-29	18.9	1389	1410
30-34	14.7	1085	1040
35-39	12.8	944	880
40-44	7.9	579	541
45-49	5.5	401	389
Marital Status			
Married, or in union	66.0	4854	4340
Unmarried, sexually active	2.3	168	226
Parity			
0-1 children	46.4	3413	3908
2-3 children	19.5	1432	1469
4+ children	34.1	2512	1983
Residence			
Urban	24.5	1804	3816
Rural	75.5	5553	3545
Education			
Never	41.3	3040	2326
Primary	37.9	2786	2574
Secondary	15.1	1108	1676
Technical & vocational	3.7	269	481
Higher	1.8	131	280
Wealth Quintile			
Lowest	20.2	1489	933
Lower	19.2	1409	871
Middle	18.6	1371	925
High	19.9	1468	1398
Highest	22.0	1621	3234
Region			
Addis	5.1	372	878
Amhara	24.4	1797	1268
Oromiya	38.9	2863	1694
SNNP	20.1	1482	1545
Tigray	6.2	460	1148
Other	5.2	384	828

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	26.4	36.5	25.5	35.2	1.0	1.3
Age Group						
15-19	10.7	37.9	10.7	37.8	0.0	0.1
20-24	33.2	43.7	32.0	42.2	1.2	1.5
25-29	35.6	40.2	34.3	38.7	1.3	1.5
30-34	34.1	37.1	32.0	35.0	2.1	2.1
35-39	32.9	37.1	31.8	35.8	1.1	1.3
40-44	22.1	26.2	21.4	25.3	0.8	0.9
45-49	13.2	15.4	13.1	15.3	0.2	0.1
Marital Status						
Married, or in union	36.5	na	35.2	na	1.3	na
Unmarried, sexually active	50.6	na	47.1	na	3.6	na
Parity						
0-1 children	20.0	42.9	19.3	41.6	0.7	1.4
2-3 children	41.9	45.6	40.2	43.6	1.7	2.0
4+ children	26.4	28.0	25.5	27.1	0.9	0.9
Residence						
Urban	28.7	48.6	26.8	45.4	1.9	3.2
Rural	25.7	33.7	25.0	32.9	0.7	0.9
Education						
Never	26.4	29.4	26.1	29.0	0.3	0.4
Primary	26.2	40.2	25.4	39.0	0.7	1.2
Secondary	24.8	54.3	23.3	51.1	1.4	3.2
Technical & vocational	33.5	59.3	27.8	49.9	5.7	9.5
Higher	35.2	56.4	28.8	46.3	6.4	10.1
Wealth Quintile						
Lowest	21.9	27.6	21.7	27.3	0.2	0.2
Lower	24.7	32.4	24.7	32.4	0.0	0.0
Middle	23.1	31.3	22.2	29.9	0.9	1.3
High	31.2	43.6	29.9	41.8	1.3	1.8
Highest	30.7	50.9	28.4	47.3	2.2	3.6
Region						
Addis	28.1	57.3	24.2	48.9	3.9	8.4
Amhara	34.6	47.4	34.6	47.4	0.0	0.0
Oromiya	21.1	28.3	20.2	27.1	0.9	1.3
SNNP	29.4	41.3	27.7	39.0	1.8	2.4
Tigray	20.7	30.3	20.2	30.0	0.4	0.3
Other	21.7	28.2	21.2	27.8	0.4	0.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 1946)									Married Users ¹ (N = 1772)								
	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional
Total																		
All	0.7	23.3	3.1	62.0	5.0	0.9	1.1	0.3	3.6	0.7	22.9	3.2	63.9	5.0	0.3	0.2	0.3	3.6
Age Group																		
15-19	0.0	14.5	1.3	77.7	1.5	1.8	2.8	0.0	0.3	0.0	13.8	1.6	82.4	1.9	0.0	0.0	0.0	0.3
20-24	0.0	23.5	1.6	63.0	5.1	1.9	1.2	0.1	3.5	0.0	22.4	1.7	66.6	4.6	0.7	0.5	0.2	3.4
25-29	0.0	24.6	3.1	61.1	5.9	1.0	0.6	0.1	3.6	0.1	24.3	3.3	62.6	5.7	0.1	0.1	0.1	3.6
30-34	0.7	23.9	2.8	61.7	3.1	0.6	0.8	0.4	6.1	0.6	23.6	2.3	63.6	3.2	0.3	0.2	0.4	5.7
35-39	1.5	23.2	5.1	58.8	6.9	0.2	0.3	0.8	3.3	1.6	22.9	5.1	59.0	6.9	0.1	0.2	0.8	3.4
40-44	1.3	32.2	7.5	50.4	2.5	0.0	2.0	0.6	3.4	0.7	32.1	7.8	52.4	2.7	0.0	0.2	0.7	3.5
45-49	8.2	15.1	0.0	56.8	17.1	0.0	1.5	0.0	1.3	9.0	12.9	0.0	60.6	16.4	0.0	0.5	0.0	0.6
Marital Status																		
Married, or in union	0.7	22.9	3.2	63.9	5.0	0.3	0.2	0.3	3.6	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.2	30.8	0.0	30.9	6.6	9.0	15.3	0.0	7.0	na	na	na	na	na	na	na	na	na
Parity																		
0-1 children	0.0	21.1	2.5	62.8	5.3	2.5	2.2	0.1	3.5	0.0	20.1	2.8	67.9	5.0	0.5	0.3	0.2	3.2
2-3 children	1.0	23.9	2.8	61.3	5.4	0.2	0.6	0.5	4.1	1.0	23.6	2.7	61.7	5.6	0.3	0.2	0.6	4.3
4+ children	1.1	25.0	3.9	61.9	4.3	0.0	0.3	0.2	3.3	1.0	24.7	3.9	62.4	4.4	0.0	0.1	0.2	3.3
Residence																		
Urban	0.9	22.5	4.8	45.2	12.5	3.2	3.3	1.0	6.6	0.8	22.8	5.4	48.6	12.7	1.0	0.9	1.2	6.6
Rural	0.6	23.6	2.4	68.1	2.3	0.1	0.3	0.0	2.6	0.7	22.9	2.4	69.0	2.4	0.0	0.0	0.0	2.6
Education																		
Never	1.0	27.3	2.6	66.0	1.6	0.0	0.3	0.0	1.3	1.0	26.0	2.4	67.6	1.7	0.0	0.0	0.0	1.4
Primary	0.6	21.0	2.5	66.6	4.9	0.4	0.9	0.2	2.8	0.6	20.4	2.6	67.7	5.1	0.1	0.2	0.2	3.1
Secondary	0.4	21.3	4.6	50.6	11.3	2.3	2.6	1.2	5.8	0.4	22.6	5.3	52.5	11.2	0.0	0.7	1.3	5.9
Technical & vocational	0.0	15.6	4.8	41.5	13.2	5.6	2.3	0.0	17.0	0.0	16.1	6.0	44.5	13.5	3.9	0.0	0.0	15.9
Higher	0.0	16.9	8.3	26.8	12.8	8.8	6.4	1.8	18.3	0.0	20.5	10.1	32.6	11.4	2.4	2.8	2.2	18.0
Wealth Quintile																		
Lowest	1.2	27.5	3.4	63.6	2.9	0.5	0.0	0.0	0.8	1.3	25.7	3.6	65.5	3.1	0.0	0.0	0.0	0.9
Lower	0.0	22.3	2.9	72.9	0.7	0.0	1.1	0.0	0.1	0.0	22.4	3.2	73.5	0.7	0.0	0.0	0.0	0.1
Middle	0.7	21.7	1.6	69.8	2.1	0.0	0.0	0.0	4.0	0.7	21.5	1.5	69.7	2.2	0.0	0.0	0.0	4.3
High	1.0	25.2	1.6	63.0	4.1	0.4	0.5	0.1	4.1	1.0	25.0	1.2	64.3	4.1	0.0	0.1	0.1	4.2
Highest	0.5	20.3	5.2	47.5	12.1	3.0	3.0	1.1	7.2	0.5	20.1	5.9	51.2	12.1	1.0	0.9	1.2	7.0
Region																		
Addis	0.8	19.9	12.6	25.3	12.7	4.3	6.4	4.0	14.0	0.5	22.2	15.3	28.7	11.5	1.1	1.1	5.1	14.7
Amhara	0.8	26.1	1.5	67.5	2.7	0.5	0.8	0.0	0.0	0.9	26.6	1.3	68.2	2.7	0.2	0.1	0.0	0.0
Oromiya	0.6	23.7	4.6	58.8	6.1	1.0	0.6	0.1	4.3	0.6	22.5	4.8	60.7	6.3	0.2	0.3	0.1	4.6
SNNP	0.7	18.8	1.5	69.0	3.1	0.3	0.6	0.1	5.9	0.7	17.8	1.6	70.7	3.2	0.0	0.2	0.1	5.7
Tigray	0.7	28.7	2.7	53.7	7.0	3.0	2.0	0.2	2.1	0.0	30.0	2.4	57.5	6.8	1.6	0.5	0.2	1.0
Other	0.5	20.1	0.4	62.7	12.4	0.5	1.0	0.3	2.0	0.5	20.3	0.4	64.8	12.5	0.0	0.0	0.3	1.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 7357)			Married Women ¹ (N = 4854)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	11.1	5.1	16.2	15.3	7.5	22.8
Age Group						
15-19	6.7	0.3	7.0	22.8	0.5	23.3
20-24	13.8	1.4	15.2	18.0	2.1	20.1
25-29	15.8	4.2	20.0	18.5	5.0	23.5
30-34	16.8	7.1	23.9	18.2	8.2	26.4
35-39	9.5	8.0	17.6	11.2	8.7	19.9
40-44	5.8	15.2	21.0	7.1	18.7	25.8
45-49	1.4	14.0	15.4	1.7	17.6	19.4
Marital Status						
Married, or in union	15.3	7.5	22.8	na	na	na
Unmarried, sexually active	26.3	3.5	29.7	na	na	na
Parity						
0-1 children	7.1	0.4	7.6	14.7	0.7	15.5
2-3 children	15.0	2.2	17.2	16.6	2.4	18.9
4+ children	14.2	13.2	27.4	14.9	14.1	29.0
Residence						
Urban	5.7	2.4	8.1	9.1	4.2	13.3
Rural	12.8	6.0	18.8	16.7	8.3	25.0
Education						
Never	13.0	8.9	21.9	14.6	10.6	25.2
Primary	12.0	3.3	15.3	18.2	5.1	23.3
Secondary	5.1	0.9	6.0	10.7	1.6	12.3
Technical & vocational	5.3	0.7	6.0	7.9	1.5	9.4
Higher	7.4	0.2	7.6	11.7	0.4	12.1
Wealth Quintile						
Lowest	14.2	8.1	22.3	17.7	10.6	28.3
Lower	13.1	6.2	19.3	17.1	8.7	25.8
Middle	13.1	5.4	18.5	18.4	7.4	25.7
High	8.7	4.4	13.1	11.9	6.5	18.5
Highest	6.8	2.0	8.8	10.4	3.4	13.9
Region						
Addis	4.0	1.0	5.0	7.1	1.6	8.7
Amhara	5.7	4.2	9.9	7.3	6.1	13.4
Oromiya	14.7	6.6	21.3	19.3	9.3	28.6
SNNP	13.7	4.8	18.5	18.6	6.7	25.3
Tigray	7.7	4.7	12.5	12.6	8.1	20.8
Other	9.8	4.3	14.1	13.6	6.1	19.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=7357)					Married Women ² (N=4854)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	26.4	25.5	16.2	42.6	59.8	36.5	35.2	22.8	59.3	59.3
Age Group										
15-19	10.7	10.7	7.0	17.7	60.4	37.9	37.8	23.3	61.2	61.7
20-24	33.2	32.0	15.2	48.4	66.1	43.7	42.2	20.1	63.8	66.2
25-29	35.6	34.3	20.0	55.6	61.7	40.2	38.7	23.5	63.7	60.8
30-34	34.1	32.0	23.9	57.9	55.2	37.1	35.0	26.4	63.5	55.1
35-39	32.9	31.8	17.6	50.5	63.1	37.1	35.8	19.9	57.0	62.8
40-44	22.1	21.4	21.0	43.1	49.6	26.2	25.3	25.8	52.0	48.6
45-49	13.2	13.1	15.4	28.6	45.6	15.4	15.3	19.4	34.7	44.0
Marital Status										
Married, or in union	36.5	35.2	22.8	59.3	59.3	na	na	na	na	na
Unmarried, sexually active	50.6	47.1	29.7	80.4	58.6	na	na	na	na	na
Parity										
0-1 children	20.0	19.3	7.6	27.6	70.0	42.9	41.6	15.5	58.4	71.2
2-3 children	41.9	40.2	17.2	59.1	68.0	45.6	43.6	18.9	64.5	67.6
4+ children	26.4	25.5	27.4	53.7	47.5	28.0	27.1	29.0	57.1	47.5
Residence										
Urban	28.7	26.8	8.1	36.8	72.9	48.6	45.4	13.3	61.9	73.3
Rural	25.7	25.0	18.8	44.6	56.2	33.7	32.9	25.0	58.7	55.9
Education										
Never	26.4	26.1	21.9	48.4	54.0	29.4	29.0	25.2	54.6	53.1
Primary	26.2	25.4	15.3	41.5	61.3	40.2	39.0	23.3	63.5	61.4
Secondary	24.8	23.3	6.0	30.8	75.8	54.3	51.1	12.3	66.6	76.7
Technical & vocational	33.5	27.8	6.0	39.5	70.4	59.3	49.9	9.4	68.7	72.6
Higher	35.2	28.8	7.6	42.8	67.3	56.4	46.3	12.1	68.5	67.6
Wealth Quintile										
Lowest	21.9	21.7	22.3	44.2	49.1	27.6	27.3	28.3	55.9	48.9
Lower	24.7	24.7	19.3	44.0	56.0	32.4	32.4	25.8	58.2	55.6
Middle	23.1	22.2	18.5	41.6	53.3	31.3	29.9	25.7	57.0	52.5
High	31.2	29.9	13.1	44.3	67.5	43.6	41.8	18.5	62.1	67.3
Highest	30.7	28.4	8.8	39.4	72.2	50.9	47.3	13.9	64.8	73.1
Region										
Addis	28.1	24.2	5.0	33.1	73.0	57.3	48.9	8.7	66.0	74.1
Amhara	34.6	34.6	9.9	44.5	77.8	47.4	47.4	13.4	60.8	78.0
Oromiya	21.1	20.2	21.3	42.4	47.6	28.3	27.1	28.6	57.0	47.5
SNNP	29.4	27.7	18.5	48.0	57.7	41.3	39.0	25.3	66.6	58.5
Tigray	20.7	20.2	12.5	33.1	61.1	30.3	30.0	20.8	51.1	58.8
Other	21.7	21.2	14.1	35.8	59.3	28.2	27.8	19.7	47.9	58.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=3534)			Married ¹ Women with 1 or More Births (N=3304)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	65.7	26.9	7.4	67.1	26.2	6.7
Age Group						
15-19	59.5	33.9	6.6	66.1	31.2	2.7
20-24	68.4	28.5	3.1	70.4	26.9	2.7
25-29	67.1	27.9	5.0	68.2	27.3	4.5
30-34	63.6	30.2	6.2	64.7	29.4	5.8
35-39	67.4	19.5	13.1	68.3	19.8	11.9
40-44	58.3	19.8	21.9	56.8	20.9	22.2
45-49	<i>72.1</i>	<i>12.1</i>	<i>15.8</i>	<i>70.3</i>	<i>13.0</i>	<i>16.7</i>
Marital Status						
Married, or in union	67.1	26.2	6.7	na	na	na
Unmarried, sexually active	62.7	25.1	12.2	na	na	na
Parity						
0-1 children	71.4	23.8	4.8	76.4	21.3	2.4
2-3 children	70.6	25.6	3.8	71.7	24.9	3.4
4+ children	59.3	29.5	11.2	59.5	29.5	11.0
Residence						
Urban	75.8	17.9	6.3	78.0	16.4	5.6
Rural	63.5	28.8	7.7	64.9	28.2	6.9
Education						
Never	65.6	26.1	8.3	66.6	25.4	8.0
Primary	61.6	30.8	7.6	63.6	30.0	6.4
Secondary	74.7	21.5	3.8	76.8	20.8	2.4
Technical & vocational	77.1	20.0	2.9	78.2	19.2	2.6
Higher	83.4	11.5	5.1	82.9	11.9	5.2
Wealth Quintile						
Lowest	63.5	28.4	8.1	64.8	27.8	7.4
Lower	62.1	31.4	6.5	63.8	30.2	6.0
Middle	61.6	30.3	8.1	62.6	30.4	7.0
High	67.3	23.8	8.9	68.6	22.9	8.5
Highest	76.3	18.8	4.9	78.7	17.2	4.1
Region						
Addis	81.3	12.8	5.9	85.7	10.9	3.5
Amhara	75.5	18.3	6.2	78.2	16.2	5.6
Oromiya	60.9	31.4	7.7	62.6	30.4	7.0
SNNP	59.4	31.1	9.6	60.1	31.2	8.7
Tigray	73.8	21.1	5.1	74.3	21.3	4.5
Other	75.8	20.1	4.2	76.9	19.1	4.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 1873)
Total				
All	52.5	37.1	10.3	
Age Group				
15-19	46.5	41.5	11.9	
20-24	49.5	42.0	8.6	
25-29	57.7	32.8	9.5	
30-34	51.3	39.3	9.4	
35-39	51.1	38.0	10.9	
40-44	52.6	31.0	16.4	
45-49	<i>66.0</i>	<i>20.4</i>	<i>13.6</i>	
Marital Status				
Married, or in union	50.5	38.9	10.6	
Unmarried, sexually active	67.4	22.6	10.0	
Parity				
0-1 children	54.5	36.9	8.6	
2-3 children	50.8	38.8	10.4	
4+ children	52.1	35.9	12.0	
Residence				
Urban	58.3	36.5	5.1	
Rural	50.5	37.4	12.1	
Education				
Never	51.5	37.8	10.7	
Primary	53.3	34.4	12.3	
Secondary	50.9	42.0	7.1	
Technical & vocational	57.1	41.5	1.4	
Higher	59.5	35.0	5.5	
Wealth Quintile				
Lowest	52.5	37.4	10.1	
Lower	51.5	37.4	11.1	
Middle	44.8	41.7	13.4	
High	56.0	32.4	11.6	
Highest	55.1	38.3	6.6	
Region				
Addis	52.4	44.2	3.4	
Amhara	54.4	32.4	13.1	
Oromiya	44.6	45.8	9.6	
SNNP	58.9	31.5	9.6	
Tigray	70.3	24.2	5.5	
Other	42.4	46.9	10.7	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 1875)	Married ² Modern Contraceptive Users (N = 1709)
Total		
All	23.7	22.6
Age Group		
15-19	37.8	39.7
20-24	26.8	25.6
25-29	22.4	20.1
30-34	19.8	19.6
35-39	20.8	20.4
40-44	16.4	15.0
45-49	<i>22.1</i>	<i>21.7</i>
Marital Status		
Married, or in union	22.6	na
Unmarried, sexually active	35.2	na
Parity		
0-1 children	31.9	30.3
2-3 children	19.4	19.0
4+ children	19.1	19.1
Residence		
Urban	39.1	36.3
Rural	18.3	18.2
Education		
Never	17.7	17.5
Primary	24.0	22.9
Secondary	35.2	32.9
Technical & vocational	32.5	32.4
Higher	49.7	42.3
Wealth Quintile		
Lowest	19.4	20.5
Lower	15.6	15.6
Middle	16.9	16.2
High	22.4	20.6
Highest	38.5	36.2
Region		
Addis	38.0	31.5
Amhara	21.0	20.6
Oromiya	25.8	24.6
SNNP	20.8	20.0
Tigray	18.4	16.5
Other	34.0	33.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(1875)	(1709)	(1873)	(1706)	(860)	(787)
All	56.3	58.0	46.1	47.2	82.9	83.4
Age Group						
15-19	37.2	38.3	28.9	27.3	<i>70.6</i>	<i>76.0</i>
20-24	52.9	54.2	44.9	45.2	73.3	73.8
25-29	57.5	59.1	42.6	44.1	88.1	88.5
30-34	63.6	64.4	55.0	55.8	80.9	80.2
35-39	61.6	63.0	52.3	53.3	89.2	88.9
40-44	60.4	61.2	55.0	55.8	92.0	91.8
45-49	<i>51.2</i>	<i>55.2</i>	<i>32.2</i>	<i>33.6</i>	--	--
Marital Status						
Married, or in union	58.0	na	47.2	na	83.4	na
Unmarried, sexually active	31.1	na	33.8	na	<i>80.5</i>	na
Parity						
0-1 children	49.6	53.0	39.7	41.2	74.5	75.7
2-3 children	61.2	61.4	47.2	47.6	84.3	84.0
4+ children	58.8	59.3	51.5	51.9	88.4	88.2
Residence						
Urban	56.3	59.9	45.1	47.8	79.9	80.1
Rural	56.3	57.4	46.4	47.0	83.9	84.5
Education						
Never	55.0	55.7	46.6	46.8	85.4	85.0
Primary	55.2	56.8	43.6	44.7	82.0	83.8
Secondary	60.5	63.9	48.9	52.1	73.1	73.4
Technical & vocational	65.2	70.1	51.5	53.3	92.1	91.3
Higher	62.2	73.4	51.9	60.9	<i>94.2</i>	<i>96.2</i>
Wealth Quintile						
Lowest	53.5	53.6	46.1	46.4	83.2	82.4
Lower	57.4	58.4	47.5	49.0	92.8	93.6
Middle	46.7	49.4	38.0	39.4	74.7	75.8
High	60.9	62.7	48.7	49.2	82.2	82.8
Highest	59.5	62.4	47.8	49.7	80.2	81.0
Region						
Addis	67.1	76.9	57.3	66.2	80.9	83.0
Amhara	56.5	59.7	38.9	40.8	84.6	84.9
Oromiya	48.8	48.6	44.7	44.9	79.5	79.4
SNNP	65.1	66.1	56.7	56.6	86.8	87.2
Tigray	66.3	69.1	51.5	52.3	75.9	77.5
Other	40.8	43.5	38.8	39.2	82.7	85.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 1863)	(N = 1863)	(N = 1863)
All	93.5	77.5	74.6
Age Group			
15-19	91.7	66.5	65.2
20-24	93.5	74.9	72.7
25-29	93.0	79.3	75.0
30-34	95.5	81.0	79.2
35-39	95.2	82.8	79.2
40-44	91.9	76.9	73.8
45-49	<i>86.1</i>	<i>68.0</i>	<i>61.1</i>
Marital Status			
Married, or in union	94.2	78.0	75.1
Unmarried, sexually active	88.9	67.3	63.1
Parity			
0-1 children	91.7	74.8	71.8
2-3 children	94.6	79.7	76.4
4+ children	94.5	78.4	75.7
Residence			
Urban	89.3	80.5	75.1
Rural	95.0	76.5	74.4
Education			
Never	93.5	71.5	68.7
Primary	94.3	81.6	78.7
Secondary	92.8	80.7	78.1
Technical & vocational	91.5	87.1	81.5
Higher	87.8	86.5	81.4
Wealth Quintile			
Lowest	94.0	75.4	72.7
Lower	96.5	76.4	75.9
Middle	94.0	75.7	73.7
High	94.5	77.6	74.6
Highest	89.7	81.1	75.4
Region			
Addis	85.4	84.5	78.4
Amhara	93.2	70.6	68.1
Oromiya	94.6	85.3	82.0
SNNP	95.4	77.7	75.5
Tigray	92.7	76.1	73.6
Other	88.1	69.0	63.1

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(7357)	(4854)	(7357)	(4854)	(7357)	(4854)
All	15.9	19.0	17.4	22.8	26.1	32.4
Age Group						
15-19	8.1	8.1	6.3	18.4	12.6	23.4
20-24	13.5	16.9	17.7	22.7	25.1	31.8
25-29	18.3	19.6	24.9	27.0	33.6	36.0
30-34	19.2	20.1	22.7	23.7	31.5	32.9
35-39	23.8	24.4	21.9	23.5	33.8	35.1
40-44	18.8	19.6	16.3	18.7	28.7	31.2
45-49	17.5	17.7	15.3	15.9	26.1	26.8
Marital Status						
Married, or in union	19.0	na	22.8	na	32.4	na
Unmarried, sexually active	19.7	na	22.5	na	31.9	na
Parity						
0-1 children	10.4	13.8	11.1	21.3	17.8	28.5
2-3 children	18.7	18.8	23.5	23.9	33.1	33.4
4+ children	21.7	22.0	22.5	23.1	33.5	34.1
Residence						
Urban	13.5	18.2	12.8	19.5	22.5	31.9
Rural	16.7	19.2	18.9	23.6	27.3	32.5
Education						
Never	18.5	19.2	19.4	20.6	28.3	29.6
Primary	14.6	18.8	17.3	25.2	26.3	35.5
Secondary	11.5	17.1	13.5	27.9	20.8	37.2
Technical & vocational	15.9	18.7	11.5	14.8	21.3	26.4
Higher	16.8	24.4	17.5	27.3	27.3	39.6
Wealth Quintile						
Lowest	15.8	17.4	17.9	21.7	24.9	28.2
Lower	14.9	17.9	19.7	25.1	26.4	32.7
Middle	17.4	19.7	17.9	23.8	27.6	33.6
High	17.1	21.0	16.7	21.6	27.4	34.4
Highest	14.6	19.2	15.1	22.0	24.8	34.2
Region						
Addis	13.2	22.1	15.7	28.7	24.0	41.9
Amhara	16.0	18.9	18.8	23.8	26.8	32.8
Oromiya	12.2	14.5	13.5	17.3	20.7	25.6
SNNP	19.9	24.3	22.9	31.8	33.0	42.2
Tigray	28.7	35.9	24.5	34.6	40.1	51.4
Other	15.6	15.7	11.7	13.0	22.5	23.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	3812	3918	7730
Households Occupied	3790	3907	7697
Households Interviewed	3742	3874	7616
Household Response Rate ¹	98.73%	99.16%	98.95%
Interviews with Women			
Number of Eligible Women ²	3865	3592	7457
Number of Eligible Women Interviewed	3816	3545	7361
Eligible Woman Response Rate ³	98.73%	98.69%	98.71%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.255	0.013	0.230	0.282	0.352	0.020	0.313	0.393
Currently using a traditional method	0.010	0.002	0.007	0.014	0.013	0.003	0.009	0.019
Currently using any contraceptive method	0.264	0.013	0.240	0.291	0.365	0.020	0.327	0.405
Currently using DMPA-IM	0.164	0.011	0.143	0.187	0.233	0.017	0.202	0.268
Currently using condoms	0.011	0.002	0.007	0.016	0.002	0.001	0.001	0.004
Currently using implants	0.062	0.005	0.052	0.073	0.084	0.008	0.069	0.100
Chose method by self or jointly in past 12 months	0.897	0.018	0.857	0.927	0.894	0.019	0.850	0.927
Paid fees for family planning services in past 12 months	0.229	0.022	0.189	0.275	0.219	0.022	0.178	0.265
Informed by provider about other methods	0.560	0.024	0.511	0.607	0.577	0.025	0.527	0.626
Informed by provider about side effects	0.461	0.023	0.415	0.507	0.472	0.026	0.421	0.522
Satisfied with provider: Would return and refer friend/relative to provider	0.746	0.023	0.699	0.788	0.751	0.023	0.703	0.794
Visited by health worker who talked about family planning in past 12 months	0.159	0.013	0.134	0.188	0.190	0.017	0.159	0.225

¹ Married includes married women and those who are living with a man