



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



JOHNS HOPKINS
BLOOMBERG SCHOOL
of PUBLIC HEALTH

BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Ethiopia Round 6: Snapshot of Indicators (SOIs)

Suggested citation: Addis Ababa University School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 6, PMA2018/Ethiopia-R6 Snapshot of Indicators*. 2018. Ethiopia and Baltimore, Maryland, USA.

www.pma2020.org

facebook.com/GATES.PMA2020

Twitter: [@PMA2020JHU](https://twitter.com/PMA2020JHU)

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	7429	7429
Age Group			
15-19	23.4	1735	1689
20-24	16.6	1232	1356
25-29	18.1	1341	1386
30-34	14.4	1068	1031
35-39	12.6	938	926
40-44	8.5	631	585
45-49	6.5	483	456
Marital Status			
Married, or in union	63.7	4729	4304
Unmarried, sexually active	2.3	175	242
Parity			
0-1 children	46.8	3479	3960
2-3 children	20.0	1487	1542
4+ children	33.1	2463	1927
Residence			
Urban	25.3	1881	3864
Rural	74.7	5548	3565
Education			
Never	38.0	2824	2218
Primary	39.7	2950	2689
Secondary	14.1	1050	1449
Technical & vocational	4.9	362	599
Higher	3.1	229	461
Wealth Quintile			
Lowest	20.2	1499	977
Lower	19.1	1416	938
Middle	18.8	1400	920
High	19.2	1427	1315
Highest	22.7	1688	3279
Region			
Addis	5.3	391	943
Amhara	25.5	1898	1334
Oromiya	39.3	2922	1764
SNNP	19.4	1441	1542
Tigray	5.9	439	1082
Other	4.6	338	764

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	27.9	40.1	26.4	37.8	1.5	2.2
Age Group						
15-19	8.4	35.9	8.1	34.6	0.3	1.3
20-24	32.9	43.9	30.9	40.9	2.0	3.0
25-29	40.3	46.0	37.3	42.7	2.9	3.3
30-34	37.7	42.0	35.9	40.2	1.8	1.9
35-39	36.4	41.1	34.9	39.2	1.5	1.9
40-44	27.3	34.6	26.1	33.0	1.2	1.6
45-49	13.5	17.2	12.9	16.3	0.6	0.8
Marital Status						
Married, or in union	40.1	na	37.8	na	2.2	na
Unmarried, sexually active	56.4	na	54.7	na	1.7	na
Parity						
0-1 children	19.0	43.4	17.9	40.8	1.1	2.6
2-3 children	43.3	47.6	41.1	45.1	2.2	2.5
4+ children	31.2	33.8	29.5	31.9	1.7	1.9
Residence						
Urban	30.3	49.8	27.7	45.3	2.6	4.4
Rural	27.1	37.6	26.0	35.9	1.1	1.7
Education						
Never	28.2	32.0	27.4	31.0	0.8	1.0
Primary	27.6	44.7	26.1	42.1	1.5	2.6
Secondary	24.4	55.3	22.7	51.3	1.8	4.0
Technical & vocational	36.0	62.2	31.4	53.9	4.6	8.3
Higher	30.6	51.1	25.9	42.7	4.7	8.4
Wealth Quintile						
Lowest	23.0	32.2	21.9	30.5	1.1	1.7
Lower	26.8	36.0	25.7	34.5	1.1	1.5
Middle	24.2	34.3	23.3	33.0	0.9	1.3
High	31.9	45.0	30.0	42.2	1.8	2.8
Highest	33.0	54.7	30.4	50.5	2.5	4.2
Region						
Addis	25.9	52.0	23.2	46.9	2.7	5.2
Amhara	33.3	48.2	32.8	47.5	0.5	0.7
Oromiya	24.1	33.7	21.9	30.5	2.3	3.2
SNNP	32.0	46.0	30.5	43.7	1.6	2.3
Tigray	24.3	35.2	23.9	34.4	0.4	0.8
Other	19.7	25.6	19.2	24.7	0.6	0.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

Background Characteristics	All Users (N = 2073)										Married Users ¹ (N = 1895)									
	Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Inject	Pill	EC	Condom	Other Modern	Other Traditional	
Total																				
All	1.3	23.7	2.3	58.6	5.1	1.6	0.8	1.2	5.4		1.3	23.8	2.3	59.9	5.1	0.4	0.3	1.2	5.6	
Age Group																				
15-19	0.0	25.1	0.0	59.5	2.8	7.8	1.2	0.0	3.7		0.0	27.8	0.0	65.1	2.7	0.8	0.0	0.0	3.6	
20-24	0.0	21.8	1.0	62.4	4.4	2.7	1.1	0.6	6.0		0.0	22.4	1.2	63.7	4.2	0.8	0.3	0.7	6.7	
25-29	0.4	24.1	2.7	55.5	5.8	1.1	0.9	2.2	7.3		0.4	24.5	2.7	56.6	5.6	0.4	0.4	2.1	7.2	
30-34	0.1	26.2	1.9	58.5	5.8	0.4	0.8	1.7	4.7		0.2	25.0	2.0	60.0	6.1	0.2	0.3	1.8	4.4	
35-39	1.7	19.5	1.4	64.6	6.3	1.0	0.5	0.8	4.2		1.8	19.7	1.5	65.1	5.8	0.4	0.3	0.9	4.5	
40-44	5.0	32.3	5.7	50.2	2.2	0.0	0.0	0.3	4.3		5.2	32.3	4.1	51.7	1.9	0.0	0.0	0.3	4.5	
45-49	13.8	13.3	9.7	49.8	7.3	0.0	1.1	0.4	4.6		<i>13.4</i>	<i>10.2</i>	<i>10.4</i>	<i>52.2</i>	<i>7.8</i>	<i>0.0</i>	<i>1.0</i>	<i>0.0</i>	<i>4.9</i>	
Marital Status																				
Married, or in union	1.3	23.8	2.3	59.9	5.1	0.4	0.3	1.2	5.6		na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	0.0	13.9	0.5	54.0	5.8	13.5	9.4	0.0	3.0		na	na	na	na	na	na	na	na	na	
Parity																				
0-1 children	0.1	22.7	1.5	56.7	5.4	4.6	2.1	1.0	5.8		0.0	23.8	1.8	59.9	5.5	1.4	0.5	1.1	6.0	
2-3 children	0.4	24.4	3.2	57.7	6.5	0.4	0.3	2.1	5.1		0.4	24.3	3.1	58.1	6.3	0.1	0.3	2.1	5.3	
4+ children	3.1	23.9	2.2	61.0	3.7	0.0	0.1	0.6	5.4		3.1	23.5	2.0	61.5	3.7	0.0	0.1	0.6	5.6	
Residence																				
Urban	1.2	22.2	4.6	42.2	11.7	4.5	3.0	1.9	8.7		1.3	22.7	5.2	44.2	12.8	1.7	1.2	2.0	8.9	
Rural	1.3	24.2	1.4	64.8	2.6	0.5	0.0	0.9	4.2		1.4	24.2	1.3	65.3	2.4	0.0	0.0	0.9	4.5	
Education																				
Never	1.9	25.4	1.2	65.5	2.2	0.0	0.1	0.9	2.9		2.1	24.6	0.9	66.3	2.1	0.0	0.1	0.9	3.1	
Primary	1.2	23.8	2.1	58.9	5.8	1.2	0.6	0.8	5.4		1.2	23.7	2.2	60.1	5.5	0.5	0.2	0.9	5.7	
Secondary	0.0	22.2	4.3	51.2	6.1	5.3	1.7	2.0	7.2		0.0	24.5	5.1	52.6	6.7	1.3	0.3	2.3	7.1	
Technical & vocational	0.0	21.5	3.2	43.6	11.6	4.7	1.6	0.9	12.8		0.0	24.0	3.8	42.7	13.0	1.1	0.9	1.1	13.3	
Higher	1.2	12.0	7.9	30.0	15.3	4.8	7.9	5.7	15.3		1.5	13.0	7.5	34.7	16.9	0.9	3.7	5.4	16.5	
Wealth Quintile																				
Lowest	0.5	21.2	0.3	71.0	0.7	0.6	0.0	0.9	4.9		0.5	21.2	0.3	71.3	0.6	0.0	0.0	1.0	5.1	
Lower	2.1	23.3	1.8	66.3	2.0	0.0	0.0	0.6	3.9		2.2	22.9	1.3	66.7	2.1	0.0	0.0	0.7	4.2	
Middle	0.7	31.7	3.2	57.3	2.5	0.5	0.0	0.3	3.6		0.7	31.4	3.4	58.6	1.6	0.0	0.0	0.4	3.9	
High	1.3	22.7	0.9	61.1	4.3	1.1	0.5	2.3	5.8		1.4	23.0	1.0	61.0	4.8	0.0	0.2	2.5	6.1	
Highest	1.6	21.4	4.4	44.4	12.3	4.4	2.6	1.3	7.6		1.7	22.0	4.8	47.1	12.8	1.7	1.1	1.3	7.6	
Region																				
Addis	0.8	30.5	12.6	18.5	13.1	6.3	4.8	3.1	10.3		0.6	32.9	14.9	18.9	13.3	2.7	3.4	3.4	9.9	
Amhara	0.2	24.7	1.2	67.4	3.7	1.1	0.3	0.0	1.4		0.3	24.8	1.3	68.4	3.5	0.2	0.0	0.0	1.5	
Oromiya	2.1	20.7	2.2	55.4	5.6	1.9	0.5	2.0	9.5		2.2	20.6	2.3	56.6	5.9	0.6	0.1	2.0	9.6	
SNNP	1.7	24.6	1.9	60.5	3.4	1.1	0.7	1.2	4.9		1.8	24.7	1.5	61.9	3.5	0.1	0.3	1.2	5.0	
Tigray	0.5	29.2	1.4	53.9	8.5	1.9	1.9	0.9	1.8		0.3	30.8	1.5	56.1	6.9	0.3	0.8	1.1	2.2	
Other	0.9	20.2	1.3	64.7	8.0	0.0	1.4	0.6	2.9		1.0	20.6	1.4	64.8	7.6	0.0	0.7	0.7	3.2	

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 7429)			Married Women ¹ (N = 4729)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	9.0	5.0	13.9	13.2	7.4	20.6
Age Group						
15-19	4.2	0.5	4.7	18.4	1.7	20.1
20-24	12.4	0.9	13.4	17.6	1.3	18.8
25-29	13.0	3.4	16.4	15.5	3.8	19.3
30-34	14.2	5.0	19.1	16.4	5.8	22.2
35-39	9.2	10.0	19.2	10.6	11.7	22.3
40-44	2.8	15.7	18.5	3.5	19.4	22.9
45-49	1.6	12.2	13.9	2.2	16.2	18.5
Marital Status						
Married, or in union	13.2	7.4	20.6	na	na	na
Unmarried, sexually active	15.6	6.0	21.6	na	na	na
Parity						
0-1 children	4.4	0.6	5.0	10.3	0.9	11.1
2-3 children	13.9	3.2	17.2	15.2	3.5	18.7
4+ children	12.3	12.3	24.6	13.7	13.4	27.0
Residence						
Urban	5.5	2.4	7.8	9.2	3.9	13.1
Rural	10.1	5.9	16.0	14.2	8.3	22.6
Education						
Never	11.0	8.7	19.7	12.8	10.1	22.9
Primary	9.1	3.7	12.8	14.9	6.1	20.9
Secondary	4.6	0.9	5.5	10.2	1.9	12.2
Technical & vocational	5.8	0.7	6.6	10.5	1.3	11.8
Higher	6.1	0.9	7.0	10.5	1.5	12.0
Wealth Quintile						
Lowest	9.0	6.1	15.1	12.9	8.9	21.7
Lower	10.1	6.4	16.4	13.6	9.0	22.7
Middle	13.1	5.9	19.0	18.8	8.1	26.9
High	8.6	5.0	13.6	12.3	7.4	19.7
Highest	4.9	2.1	7.0	8.1	3.4	11.5
Region						
Addis	3.0	2.0	5.0	4.5	4.0	8.5
Amhara	5.1	3.5	8.6	7.5	5.3	12.8
Oromiya	12.6	6.1	18.7	17.6	8.9	26.5
SNNP	8.5	5.8	14.4	12.9	8.5	21.3
Tigray	7.8	5.0	12.8	12.4	7.3	19.7
Other	9.8	2.9	12.6	13.1	4.1	17.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=7429)					Married Women ² (N=4729)				
	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	27.9	26.4	13.9	41.8	63.1	40.1	37.8	20.6	60.7	62.3
Age Group										
15-19	8.4	8.1	4.7	13.1	61.7	35.9	34.6	20.1	56.0	61.7
20-24	32.9	30.9	13.4	46.3	66.9	43.9	40.9	18.8	62.7	65.3
25-29	40.3	37.3	16.4	56.7	65.8	46.0	42.7	19.3	65.3	65.4
30-34	37.7	35.9	19.1	56.9	63.2	42.0	40.2	22.2	64.2	62.5
35-39	36.4	34.9	19.2	55.6	62.7	41.1	39.2	22.3	63.4	61.9
40-44	27.3	26.1	18.5	45.8	57.0	34.6	33.0	22.9	57.5	57.4
45-49	13.5	12.9	13.9	27.4	47.1	17.2	16.3	18.5	35.6	45.8
Marital Status										
Married, or in union	40.1	37.8	20.6	60.7	62.3	na	na	na	na	na
Unmarried, sexually active	56.4	54.7	21.6	78.0	70.1	na	na	na	na	na
Parity										
0-1 children	19.0	17.9	5.0	24.0	74.5	43.4	40.8	11.1	54.5	74.8
2-3 children	43.3	41.1	17.2	60.4	67.9	47.6	45.1	18.7	66.3	68.0
4+ children	31.2	29.5	24.6	55.8	52.9	33.8	31.9	27.0	60.9	52.5
Residence										
Urban	30.3	27.7	7.8	38.1	72.6	49.8	45.3	13.1	62.9	72.1
Rural	27.1	26.0	16.0	43.1	60.2	37.6	35.9	22.6	60.2	59.7
Education										
Never	28.2	27.4	19.7	47.9	57.2	32.0	31.0	22.9	54.9	56.5
Primary	27.6	26.1	12.8	40.5	64.6	44.7	42.1	20.9	65.6	64.2
Secondary	24.4	22.7	5.5	29.9	75.8	55.3	51.3	12.2	67.4	76.1
Technical & vocational	36.0	31.4	6.6	42.5	73.7	62.2	53.9	11.8	74.0	72.8
Higher	30.6	25.9	7.0	37.6	69.0	51.1	42.7	12.0	63.1	67.6
Wealth Quintile										
Lowest	23.0	21.9	15.1	38.1	57.5	32.2	30.5	21.7	53.9	56.6
Lower	26.8	25.7	16.4	43.2	59.5	36.0	34.5	22.7	58.7	58.8
Middle	24.2	23.3	19.0	43.1	54.0	34.3	33.0	26.9	61.2	53.9
High	31.9	30.0	13.6	45.4	66.1	45.0	42.2	19.7	64.7	65.3
Highest	33.0	30.4	7.0	39.9	76.3	54.7	50.5	11.5	66.2	76.4
Region										
Addis	25.9	23.2	5.0	30.9	75.2	52.0	46.9	8.5	60.5	77.5
Amhara	33.3	32.8	8.6	41.9	78.3	48.2	47.5	12.8	61.0	77.9
Oromiya	24.1	21.9	18.7	42.8	51.0	33.7	30.5	26.5	60.3	50.6
SNNP	32.0	30.5	14.4	46.4	65.6	46.0	43.7	21.3	67.3	64.9
Tigray	24.3	23.9	12.8	37.1	64.4	35.2	34.4	19.7	54.9	62.7
Other	19.7	19.2	12.6	32.4	59.2	25.6	24.7	17.2	42.7	57.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=3500)			Married ¹ Women with 1 or More Births (N=3261)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	66.8	24.9	8.4	67.4	24.7	7.9
Age Group						
15-19	67.0	28.6	4.5	69.7	28.2	2.0
20-24	71.0	25.3	3.8	72.8	24.2	3.0
25-29	68.4	25.4	6.2	69.2	25.0	5.9
30-34	65.0	25.6	9.4	64.9	26.3	8.8
35-39	67.6	21.7	10.7	67.5	21.7	10.8
40-44	53.6	27.0	19.4	53.1	26.4	20.5
45-49	54.3	13.0	32.7	<i>50.0</i>	<i>14.3</i>	<i>35.7</i>
Marital Status						
Married, or in union	67.4	24.7	7.9	na	na	na
Unmarried, sexually active	<i>63.9</i>	<i>31.1</i>	<i>5.0</i>	na	na	na
Parity						
0-1 children	77.5	19.1	3.3	80.4	17.9	1.7
2-3 children	69.6	24.5	5.9	70.5	23.7	5.8
4+ children	58.7	28.3	13.0	58.4	28.9	12.7
Residence						
Urban	69.2	23.2	7.6	71.1	22.5	6.4
Rural	66.1	25.3	8.6	66.5	25.2	8.3
Education						
Never	66.6	23.4	10.0	66.7	23.4	9.9
Primary	63.6	28.4	8.0	64.6	28.2	7.2
Secondary	71.6	23.3	5.1	73.5	22.8	3.6
Technical & vocational	80.1	15.4	4.5	81.1	14.7	4.2
Higher	78.3	20.7	0.9	79.5	19.5	1.0
Wealth Quintile						
Lowest	73.1	19.0	7.8	73.0	19.1	7.9
Lower	65.2	26.9	7.8	66.2	26.6	7.2
Middle	60.4	31.1	8.6	60.7	31.2	8.1
High	59.4	28.5	12.1	60.3	28.2	11.5
Highest	74.6	19.5	5.9	76.2	18.8	4.9
Region						
Addis	78.6	16.2	5.2	81.8	13.8	4.4
Amhara	76.6	17.0	6.4	77.8	16.3	5.9
Oromiya	57.5	32.3	10.1	58.4	32.1	9.5
SNNP	69.2	21.7	9.1	69.4	21.5	9.1
Tigray	71.9	23.0	5.1	71.9	24.5	3.7
Other	77.9	17.3	4.8	78.9	16.5	4.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 1947)
Total				
All	52.9	39.2	8.0	
Age Group				
15-19	40.9	41.6	17.4	
20-24	49.6	44.1	6.3	
25-29	51.0	43.3	5.8	
30-34	56.7	34.3	9.0	
35-39	61.9	32.5	5.6	
40-44	50.5	37.6	12.0	
45-49	50.8	39.9	9.3	
Marital Status				
Married, or in union	51.7	40.5	7.8	
Unmarried, sexually active	62.5	29.1	8.4	
Parity				
0-1 children	49.9	41.4	8.7	
2-3 children	53.8	37.8	8.3	
4+ children	54.6	38.4	7.0	
Residence				
Urban	57.4	36.9	5.6	
Rural	51.2	40.0	8.8	
Education				
Never	57.1	34.6	8.3	
Primary	48.3	43.5	8.2	
Secondary	51.1	41.1	7.8	
Technical & vocational	59.3	35.2	5.5	
Higher	47.2	46.0	6.8	
Wealth Quintile				
Lowest	48.5	44.5	7.0	
Lower	53.7	36.7	9.7	
Middle	46.4	43.4	10.2	
High	55.9	37.7	6.4	
Highest	56.7	36.1	7.2	
Region				
Addis	52.5	36.2	11.3	
Amhara	63.6	28.9	7.6	
Oromiya	47.4	44.3	8.4	
SNNP	39.1	54.9	6.0	
Tigray	72.9	14.2	12.9	
Other	64.6	26.8	8.6	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 1945)	Married ² Modern Contraceptive Users (N = 1774)
Total		
All	32.8	32.1
Age Group		
15-19	41.4	42.0
20-24	40.2	37.7
25-29	35.6	34.9
30-34	26.9	27.2
35-39	26.6	27.0
40-44	28.1	28.3
45-49	27.3	27.8
Marital Status		
Married, or in union	32.1	na
Unmarried, sexually active	47.1	na
Parity		
0-1 children	46.7	46.0
2-3 children	29.4	29.6
4+ children	23.7	24.2
Residence		
Urban	53.6	52.5
Rural	25.3	25.6
Education		
Never	23.7	24.6
Primary	31.7	31.0
Secondary	50.6	47.7
Technical & vocational	52.0	53.6
Higher	59.9	57.4
Wealth Quintile		
Lowest	15.6	15.8
Lower	22.0	23.0
Middle	28.1	27.3
High	33.2	32.9
Highest	54.1	53.2
Region		
Addis	55.0	54.2
Amhara	25.8	25.3
Oromiya	41.8	41.4
SNNP	25.1	24.6
Tigray	20.8	18.1
Other	52.5	48.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(1947)	(1776)	(1947)	(1776)	(842)	(761)
All	55.2	56.7	44.0	45.1	83.0	82.5
Age Group						
15-19	43.2	43.4	31.6	35.7	<i>74.9</i>	<i>72.9</i>
20-24	50.3	51.7	36.1	37.4	81.6	81.2
25-29	56.7	58.9	44.4	44.8	80.0	79.6
30-34	60.7	61.3	51.0	51.2	85.7	85.0
35-39	55.8	57.1	41.6	43.2	81.5	80.7
40-44	60.6	61.2	55.7	55.1	94.9	94.7
45-49	50.1	<i>48.6</i>	54.5	<i>53.6</i>	<i>77.5</i>	--
Marital Status						
Married, or in union	56.7	na	45.1	na	82.5	na
Unmarried, sexually active	35.9	na	24.1	na	<i>90.2</i>	na
Parity						
0-1 children	48.5	50.9	35.4	37.6	79.8	78.6
2-3 children	58.6	58.9	46.9	46.9	82.8	82.3
4+ children	58.3	59.0	48.9	49.1	85.2	84.8
Residence						
Urban	55.7	59.8	40.3	42.8	79.6	78.8
Rural	55.1	55.7	45.3	45.9	84.1	83.6
Education						
Never	54.1	54.9	43.4	44.2	85.3	85.0
Primary	56.7	57.7	45.4	46.4	82.5	81.9
Secondary	53.7	57.4	40.2	42.2	79.5	78.3
Technical & vocational	56.4	60.8	46.0	48.2	76.6	74.7
Higher	55.8	61.4	40.5	44.3	83.6	<i>83.1</i>
Wealth Quintile						
Lowest	55.8	56.4	48.5	51.0	80.9	80.8
Lower	47.6	49.3	43.6	44.0	87.0	86.2
Middle	56.2	57.3	48.1	49.3	87.4	87.3
High	56.0	57.2	39.3	39.2	79.4	78.0
Highest	59.0	61.8	42.5	44.2	81.3	80.7
Region						
Addis	68.7	73.6	58.5	63.8	79.0	78.7
Amhara	49.3	49.6	33.5	34.5	81.7	80.5
Oromiya	55.9	57.9	42.2	42.7	80.4	79.3
SNNP	56.7	58.9	57.7	59.3	86.6	86.6
Tigray	69.2	69.8	48.6	48.3	81.5	81.4
Other	55.1	55.9	41.1	41.9	96.5	<i>98.8</i>

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Background Characteristics	Percent who would return to provider (N = 1934)	Percent who would refer relative/friend (N = 1934)	Percent who would return and refer friend/relative (N = 1934)
Total			
All	92.7	80.7	77.8
Age Group			
15-19	85.6	68.4	61.2
20-24	92.5	79.6	77.3
25-29	95.2	83.2	81.3
30-34	95.0	82.1	80.8
35-39	91.5	79.1	75.5
40-44	92.4	83.2	80.3
45-49	84.1	87.3	77.8
Marital Status			
Married, or in union	93.8	81.4	79.0
Unmarried, sexually active	82.8	72.1	63.1
Parity			
0-1 children	90.1	77.1	73.4
2-3 children	93.9	83.6	81.1
4+ children	94.0	81.3	78.8
Residence			
Urban	89.7	78.6	74.9
Rural	93.8	81.4	78.8
Education			
Never	92.7	78.1	75.1
Primary	93.6	82.9	79.9
Secondary	92.0	83.1	80.0
Technical & vocational	90.4	81.3	79.8
Higher	88.7	77.2	77.2
Wealth Quintile			
Lowest	95.8	83.6	81.5
Lower	91.8	79.7	78.5
Middle	92.5	85.9	80.5
High	93.5	78.0	75.8
Highest	91.0	78.3	75.0
Region			
Addis	87.4	80.6	78.0
Amhara	93.7	75.5	72.5
Oromiya	91.3	81.3	77.7
SNNP	94.2	88.9	87.3
Tigray	95.9	71.3	68.8
Other	89.4	84.1	79.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(7429)	(4729)	(7429)	(4729)	(7429)	(4729)
All	15.4	18.6	15.9	22.5	24.4	31.4
Age Group						
15-19	8.7	9.1	4.2	15.5	11.3	19.4
20-24	12.0	14.9	16.3	21.9	22.4	28.9
25-29	19.1	21.4	21.2	24.1	31.3	35.1
30-34	19.9	20.9	21.6	24.1	30.9	33.4
35-39	19.3	20.1	23.8	26.7	33.0	35.7
40-44	19.6	20.5	16.9	20.5	28.2	30.7
45-49	14.9	14.7	12.5	14.4	21.0	21.9
Marital Status						
Married, or in union	18.6	na	22.5	na	31.4	na
Unmarried, sexually active	16.1	na	7.9	na	19.9	na
Parity						
0-1 children	10.1	13.7	9.2	19.8	15.7	25.8
2-3 children	21.0	21.2	22.4	23.9	33.3	34.3
4+ children	19.4	19.8	21.4	23.2	31.3	32.7
Residence						
Urban	10.9	13.4	11.3	17.5	19.0	25.9
Rural	16.9	19.9	17.4	23.8	26.2	32.8
Education						
Never	18.8	19.9	19.3	21.9	29.0	31.6
Primary	13.3	17.3	15.0	23.6	22.0	31.2
Secondary	13.5	17.0	9.0	21.1	18.6	29.0
Technical & vocational	13.9	20.8	16.6	23.7	24.5	35.0
Higher	11.4	14.3	15.6	23.5	23.8	32.3
Wealth Quintile						
Lowest	16.5	19.8	17.8	24.7	26.7	34.3
Lower	15.3	18.7	17.0	23.1	23.7	30.3
Middle	14.8	17.3	13.9	19.7	22.7	28.9
High	16.9	19.7	18.1	25.1	27.2	33.3
Highest	13.7	17.4	12.9	19.5	21.9	29.8
Region						
Addis	12.5	18.8	14.1	27.4	22.1	36.9
Amhara	16.2	21.3	16.2	22.9	24.0	31.9
Oromiya	9.4	11.7	10.6	14.8	16.3	21.3
SNNP	23.2	25.3	22.4	32.1	35.7	43.6
Tigray	19.0	22.4	25.3	36.4	34.6	46.5
Other	28.3	31.2	21.7	27.2	37.1	43.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	3814	3920	7734
Households Occupied	3776	3903	7679
Households Interviewed	3744	3877	7621
Household Response Rate ¹	99.15%	99.33%	99.24%
Interviews with Women			
Number of Eligible Women ²	3924	3608	7532
Number of Eligible Women Interviewed	3864	3565	7429
Eligible Woman Response Rate ³	98.47%	98.81%	98.63%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.264	0.015	0.235	0.295	0.378	0.024	0.332	0.427
Currently using a traditional method	0.015	0.003	0.010	0.022	0.022	0.005	0.015	0.033
Currently using any contraceptive method	0.279	0.015	0.250	0.310	0.401	0.024	0.355	0.448
Currently using DMPA-IM	0.164	0.013	0.140	0.190	0.240	0.020	0.203	0.282
Currently using condoms	0.008	0.002	0.005	0.014	0.003	0.001	0.001	0.006
Currently using implants	0.066	0.007	0.054	0.080	0.095	0.010	0.078	0.117
Chose method by self or jointly in past 12 months	0.920	0.013	0.890	0.943	0.922	0.014	0.889	0.946
Paid fees for family planning services in past 12 months	0.328	0.027	0.278	0.383	0.321	0.028	0.268	0.378
Informed by provider about other methods	0.552	0.025	0.504	0.600	0.567	0.025	0.517	0.616
Informed by provider about side effects	0.440	0.026	0.389	0.491	0.451	0.027	0.399	0.504
Satisfied with provider: Would return and refer friend/relative to provider	0.778	0.022	0.731	0.819	0.790	0.021	0.745	0.829
Visited by health worker who talked about family planning in past 12 months	0.154	0.017	0.123	0.191	0.186	0.022	0.147	0.233

¹ Married includes married women and those who are living with a man