

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Uganda Snapshot of Indicators Phase 2 (2021) Cross-sectional Survey

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	4346	4346
Age Group			
15-19	23.7	1031	1041
20-24	19.7	854	858
25-29	16.0	696	720
30-34	13.2	576	572
35-39	12.2	532	517
40-44	7.8	341	331
45-49	7.3	316	307
Marital Status			
Married, or in union	60.2	2616	2530
Unmarried, sexually active	7.4	322	376
Parity			
0-1 children	14.0	610	636
2-3 children	22.3	969	999
4+ children	36.4	1582	1480
Residence			
Urban	22.0	954	1542
Rural	78.0	3392	2804
Education			
Never	5.7	247	266
Primary	56.9	2472	2422
Secondary	30.1	1306	1308
Technical & vocational	4.6	200	222
University	2.8	120	128
Wealth Quintile			
Lowest	19.0	826	828
Lower	19.5	849	816
Middle	19.5	846	803
Higher	19.6	852	822
Highest	22.4	973	1077
Region			
Central	28.3	1230	1148
Eastern	28.4	1234	934
Northern	16.0	697	918
Western	27.3	1186	1346

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	39.9	50.2	34.0	42.7	5.9	7.4
Age Group						
15-19	16.2	39.0	13.5	35.6	2.8	3.5
20-24	41.7	44.6	35.9	38.9	5.8	5.7
25-29	51.4	53.5	46.1	48.2	5.2	5.3
30-34	51.9	54.5	44.2	45.7	7.8	8.9
35-39	52.2	55.1	42.8	44.5	9.4	10.6
40-44	48.3	55.7	42.3	48.1	5.9	7.6
45-49	35.6	40.4	26.7	29.9	9.0	10.5
Marital Status						
Married, or in union	50.2	na	42.7	na	7.4	na
Unmarried, sexually active	69.6	na	59.1	na	10.5	na
Parity						
0-1 children	41.7	45.8	36.8	40.1	4.9	5.8
2-3 children	50.4	53.5	44.7	47.7	5.7	5.8
4+ children	51.5	54.1	43.5	45.1	8.0	9.0
Residence						
Urban	45.9	58.7	38.1	47.9	7.8	10.7
Rural	38.2	48.1	32.8	41.5	5.4	6.6
Education						
Never	32.0	38.0	29.8	35.8	2.2	2.2
Primary	39.7	47.9	34.2	41.1	5.6	6.8
Secondary	40.9	57.3	34.2	48.3	6.7	9.0
Technical & vocational	40.2	48.3	32.2	35.6	8.1	12.7
University	49.1	70.1	39.5	58.3	9.7	11.8
Wealth Quintile						
Lowest	34.7	42.5	29.5	36.1	5.2	6.5
Lower	38.9	47.0	34.4	41.9	4.5	5.1
Middle	40.5	49.7	33.3	41.2	7.2	8.5
Higher	41.0	52.7	35.3	46.0	5.7	6.7
Highest	43.8	59.4	36.8	49.1	7.0	10.4
Region						
Central	43.2	56.5	35.4	46.0	7.8	10.5
Eastern	41.8	50.8	36.3	44.3	5.5	6.5
Northern	32.7	41.9	28.4	35.7	4.3	6.2
Western	38.8	48.4	33.4	42.0	5.4	6.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 1731)										Married Users ¹ (N = 1253)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	4.3	24.7	4.1	19.3	14.2	4.9	3.1	7.5	3.1	14.9	4.5	26.5	4.6	21.1	15.5	4.9	0.8	4.2	3.2	14.8
Age Group																				
15-19	0.0	18.3	1.9	20.7	10.2	5.3	4.5	18.9	3.2	17.0	0.0	30.3	3.0	24.0	13.2	6.0	0.0	11.3	3.3	8.9
20-24	0.0	31.7	3.2	16.3	12.8	2.2	5.8	11.5	2.4	14.0	0.0	37.5	4.5	20.0	14.8	2.6	0.4	5.5	2.1	12.7
25-29	0.8	28.5	2.8	20.8	19.3	4.6	3.8	7.6	1.7	10.2	1.0	29.7	3.2	22.5	21.3	4.4	1.3	5.3	1.4	9.9
30-34	2.6	30.0	5.8	18.3	14.0	4.5	2.2	4.5	3.2	14.9	2.1	30.4	4.7	18.7	15.6	3.8	1.6	2.9	3.9	16.3
35-39	6.3	19.9	5.9	19.1	16.8	5.2	1.2	2.7	4.9	18.0	6.8	18.3	6.3	20.3	16.6	5.0	0.1	3.2	4.3	19.2
40-44	14.3	15.7	7.1	23.8	10.3	9.2	1.3	1.5	4.4	12.3	14.6	15.0	7.4	24.3	10.6	7.6	1.4	0.3	5.3	13.6
45-49	20.0	10.8	1.0	18.9	7.4	8.4	0.0	5.7	2.7	25.2	16.0	12.3	1.2	21.1	5.6	9.7	0.0	5.0	3.2	25.9
Marital Status																				
Married, or in union	4.5	26.5	4.6	21.1	15.5	4.9	0.8	4.2	3.2	14.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	2.5	15.9	3.5	12.3	13.8	6.1	8.3	18.4	4.2	15.1	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	28.7	4.1	18.3	16.4	5.7	2.6	10.0	2.5	11.7	0.0	28.6	5.5	21.2	16.6	5.7	0.5	6.3	3.0	12.6
2-3 children	1.3	31.2	4.7	19.5	15.9	5.1	2.8	7.0	1.2	11.3	1.3	30.5	5.2	19.3	17.1	5.9	1.3	7.0	1.5	10.9
4+ children	8.3	24.4	4.5	20.9	14.8	4.6	0.8	2.2	3.8	15.6	7.5	24.4	4.1	22.1	14.6	4.2	0.4	1.9	3.9	16.7
Residence																				
Urban	2.4	18.5	5.3	15.6	11.5	7.3	7.4	13.2	1.8	17.0	2.5	21.6	6.2	18.8	14.8	7.4	1.8	6.3	2.3	18.3
Rural	4.9	26.8	3.7	20.6	15.1	4.1	1.7	5.6	3.5	14.1	5.1	27.9	4.1	21.7	15.7	4.1	0.5	3.6	3.4	13.8
Education																				
Never	4.8	26.4	9.9	27.3	14.7	1.9	0.1	1.2	6.8	6.9	4.1	26.4	9.2	29.3	13.6	2.2	0.0	1.4	8.1	5.7
Primary	6.5	27.3	4.1	18.1	15.3	4.6	1.3	6.1	2.6	14.0	6.6	27.9	4.6	19.1	16.2	4.2	0.2	4.1	2.9	14.2
Secondary	0.8	24.0	2.8	22.2	12.8	3.8	5.4	8.7	3.3	16.3	1.1	27.8	3.1	24.6	14.3	4.2	1.1	5.0	3.1	15.7
Technical & vocational	1.8	11.0	2.3	15.6	18.5	5.5	8.0	15.5	1.7	20.0	2.6	12.9	3.3	20.0	26.8	0.5	3.8	3.4	0.5	26.3
University	0.4	3.9	10.4	8.9	0.7	23.2	9.2	18.2	5.5	19.7	0.6	4.9	12.1	13.3	1.0	34.6	7.2	5.4	4.1	16.8
Wealth Quintile																				
Lowest	3.9	30.3	6.7	15.3	12.7	2.5	1.0	9.5	3.2	14.9	3.3	30.4	7.0	16.5	13.8	2.5	1.2	6.8	3.3	15.2
Lower	4.8	28.6	4.0	21.2	15.9	4.5	1.6	6.0	2.0	11.5	5.2	29.6	5.4	23.2	17.0	4.3	0.0	2.1	2.3	10.9
Middle	5.5	23.2	2.1	22.6	16.9	3.8	2.0	2.8	3.4	17.7	5.2	23.2	1.8	24.7	17.9	3.8	0.4	2.4	3.5	17.0
Higher	5.0	24.2	4.0	23.4	9.7	4.0	2.1	11.3	2.6	13.8	5.9	28.4	4.3	26.7	9.6	1.8	0.5	7.5	2.6	12.7
Highest	2.5	19.4	4.1	14.7	15.3	8.6	7.4	8.0	4.0	16.0	3.2	22.2	4.6	15.3	18.3	10.4	1.6	2.9	4.0	17.4
Region																				
Central	2.9	21.7	4.4	17.0	11.3	7.9	6.1	8.0	2.6	18.1	3.4	25.0	4.9	20.1	13.1	7.8	1.3	2.9	3.0	18.5
Eastern	5.6	21.6	2.8	23.0	14.6	2.9	1.9	9.1	5.5	13.2	6.1	23.0	2.8	24.5	15.3	2.8	0.8	7.1	4.8	12.8
Northern	3.4	31.2	6.6	20.7	11.4	2.5	0.6	7.8	2.5	13.3	2.9	33.4	6.9	21.3	11.8	1.5	0.0	4.3	3.2	14.8
Western	4.8	28.3	4.0	17.3	18.4	5.0	2.2	5.0	1.2	13.9	4.6	28.7	5.2	17.8	20.3	6.0	0.7	2.1	1.4	13.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 4346)	Married Women ³ (N = 2530)	All Women (N = 4346)	Married Women ³ (N = 2530)
Total				
All	20.8	24.9	13.2	17.8
Age Group				
15-19	10.2	22.6	3.3	13.0
20-24	21.4	20.2	14.5	18.7
25-29	29.7	30.1	16.5	18.1
30-34	24.3	25.4	19.9	20.3
35-39	26.0	27.3	16.8	17.3
40-44	24.4	27.5	17.9	20.6
45-49	15.3	18.0	11.3	11.9
Marital Status				
Married, or in union	24.9	na	17.8	na
Unmarried, sexually active	43.9	na	15.2	na
Parity				
0-1 children	23.1	24.4	13.7	15.6
2-3 children	25.9	27.9	18.7	19.8
4+ children	24.3	25.6	19.2	19.5
Residence				
Urban	26.1	30.2	12.0	17.8
Rural	19.3	23.6	13.5	17.8
Education				
Never	16.6	20.7	13.2	15.1
Primary	19.1	22.4	15.1	18.8
Secondary	22.9	30.0	11.3	18.3
Technical & vocational	26.1	26.6	6.1	9.1
University	32.3	46.0	7.2	12.3
Wealth Quintile				
Lowest	15.3	18.8	14.2	17.3
Lower	19.9	23.0	14.5	18.9
Middle	20.8	26.2	12.5	15.0
Higher	21.7	25.6	13.6	20.3
Highest	25.4	31.2	11.4	17.9
Region				
Central	22.9	27.2	12.5	18.8
Eastern	23.7	28.1	12.5	16.2
Northern	14.9	17.6	13.5	18.1
Western	19.0	23.4	14.4	18.6

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 4346)			Married Women ¹ (N = 2530)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	10.3	5.0	15.3	13.9	7.0	20.9
Age Group						
15-19	7.9	1.5	9.4	20.5	1.9	22.3
20-24	16.4	2.5	18.9	21.1	2.4	23.5
25-29	11.1	2.2	13.3	13.8	2.4	16.2
30-34	13.2	5.0	18.2	16.5	5.2	21.7
35-39	10.2	9.1	19.2	10.7	11.1	21.8
40-44	5.5	12.9	18.4	7.1	16.8	23.9
45-49	0.3	13.4	13.6	0.4	18.1	18.5
Marital Status						
Married, or in union	13.9	7.0	20.9	na	na	na
Unmarried, sexually active	15.1	1.9	17.0	na	na	na
Parity						
0-1 children	14.6	3.5	18.1	15.6	2.3	17.9
2-3 children	15.3	3.0	18.2	18.8	2.6	21.4
4+ children	9.6	10.1	19.7	10.8	11.6	22.4
Residence						
Urban	7.0	3.4	10.5	10.1	6.3	16.4
Rural	11.3	5.4	16.6	14.8	7.2	22.0
Education						
Never	12.3	8.0	20.3	16.3	10.4	26.7
Primary	11.3	6.1	17.4	14.6	8.3	22.9
Secondary	8.5	2.6	11.1	11.6	3.9	15.5
Technical & vocational	11.6	3.0	14.6	16.7	2.9	19.6
University	3.5	3.7	7.2	7.4	8.0	15.3
Wealth Quintile						
Lowest	15.3	5.9	21.3	19.4	7.3	26.6
Lower	12.1	5.9	18.0	16.4	8.0	24.4
Middle	9.2	6.5	15.7	11.7	8.9	20.6
Higher	8.9	3.5	12.4	11.6	5.4	17.0
Highest	6.7	3.2	10.0	10.0	5.6	15.5
Region						
Central	7.4	3.5	10.9	10.0	5.7	15.8
Eastern	12.5	6.4	18.9	16.8	8.2	25.0
Northern	12.8	5.5	18.4	17.0	8.0	25.0
Western	9.6	4.7	14.3	12.2	6.4	18.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=4346)

Married Women² (N=2530)

	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	39.9	34.0	15.3	55.2	61.6	50.2	42.7	20.9	71.1	60.1
Age Group										
15-19	16.2	13.5	9.4	25.6	52.5	39.0	35.6	22.3	61.4	58.0
20-24	41.7	35.9	18.9	60.6	59.2	44.6	38.9	23.5	68.0	57.2
25-29	51.4	46.1	13.3	64.7	71.3	53.5	48.2	16.2	69.7	69.2
30-34	51.9	44.2	18.2	70.2	63.0	54.5	45.7	21.7	76.2	59.9
35-39	52.2	42.8	19.2	71.4	59.9	55.1	44.5	21.8	76.9	57.9
40-44	48.3	42.3	18.4	66.7	63.4	55.7	48.1	23.9	79.6	60.4
45-49	35.6	26.7	13.6	49.3	54.1	40.4	29.9	18.5	58.8	50.8
Marital Status										
Married, or in union	50.2	42.7	20.9	71.1	60.1	na	na	na	na	na
Unmarried, sexually active	69.6	59.1	17.0	86.7	68.2	na	na	na	na	na
Parity										
0-1 children	41.7	36.8	18.1	59.8	61.5	45.8	40.1	17.9	63.7	62.9
2-3 children	50.4	44.7	18.2	68.6	65.1	53.5	47.7	21.4	74.9	63.7
4+ children	51.5	43.5	19.7	71.2	61.1	54.1	45.1	22.4	76.5	58.9
Residence										
Urban	45.9	38.1	10.5	56.4	67.6	58.7	47.9	16.4	75.0	63.9
Rural	38.2	32.8	16.6	54.9	59.8	48.1	41.5	22.0	70.2	59.1
Education										
Never	32.0	29.8	20.3	52.4	56.9	38.0	35.8	26.7	64.7	55.4
Primary	39.7	34.2	17.4	57.2	59.8	47.9	41.1	22.9	70.8	58.0
Secondary	40.9	34.2	11.1	52.0	65.8	57.3	48.3	15.5	72.8	66.4
Technical & vocational	40.2	32.2	14.6	54.8	58.7	48.3	35.6	19.6	68.0	52.4
University	49.1	39.5	7.2	56.3	70.1	70.1	58.3	15.3	85.4	68.2
Wealth Quintile										
Lowest	34.7	29.5	21.3	56.0	52.8	42.5	36.1	26.6	69.2	52.2
Lower	38.9	34.4	18.0	56.8	60.5	47.0	41.9	24.4	71.4	58.7
Middle	40.5	33.3	15.7	56.3	59.2	49.7	41.2	20.6	70.3	58.6
Higher	41.0	35.3	12.4	53.4	66.1	52.7	46.0	17.0	69.7	66.0
Highest	43.8	36.8	10.0	53.8	68.4	59.4	49.1	15.5	75.0	65.4
Region										
Central	43.2	35.4	10.9	54.1	65.4	56.5	46.0	15.8	72.3	63.7
Eastern	41.8	36.3	18.9	60.6	59.8	50.8	44.3	25.0	75.8	58.4
Northern	32.7	28.4	18.4	51.1	55.6	41.9	35.7	25.0	66.9	53.4
Western	38.8	33.4	14.3	53.1	62.9	48.4	42.0	18.6	67.1	62.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2144)			Married ¹ Women with 1 or More Births (N=1748)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	53.7	33.4	12.8	55.7	32.9	11.4
Age Group						
15-19	36.7	44.3	19.0	43.5	44.8	11.7
20-24	52.9	38.9	8.2	57.5	37.2	5.3
25-29	59.5	31.3	9.2	61.2	31.0	7.7
30-34	57.3	33.0	9.7	54.4	36.1	9.5
35-39	54.4	27.0	18.5	57.5	25.2	17.3
40-44	47.7	27.1	25.2	43.7	28.8	27.5
45-49	<i>43.3</i>	<i>16.1</i>	<i>40.6</i>	<i>42.3</i>	<i>14.2</i>	<i>43.4</i>
Marital Status						
Married, or in union	55.7	32.9	11.4	na	na	na
Unmarried, sexually active	49.5	36.5	14.0	na	na	na
Parity						
0-1 children	53.5	32.8	13.7	62.6	28.6	8.7
2-3 children	58.8	35.1	6.1	59.5	36.0	4.5
4+ children	50.0	32.5	17.5	50.5	32.5	17.0
Residence						
Urban	64.2	27.7	8.1	67.7	25.4	6.9
Rural	51.3	34.8	14.0	53.1	34.6	12.3
Education						
Never	53.3	28.0	18.7	55.0	26.1	18.9
Primary	50.6	34.8	14.6	52.1	34.7	13.2
Secondary	56.4	33.6	9.9	60.2	32.1	7.7
Technical & vocational	69.0	25.6	5.4	68.7	28.0	3.4
University	<i>77.1</i>	<i>22.9</i>	<i>0.0</i>	<i>74.9</i>	<i>25.1</i>	<i>0.0</i>
Wealth Quintile						
Lowest	45.3	37.7	17.0	47.8	37.0	15.2
Lower	48.1	35.9	16.0	48.9	35.4	15.6
Middle	53.8	33.5	12.7	55.6	33.6	10.8
Higher	55.8	33.7	10.5	58.9	33.4	7.7
Highest	67.0	25.9	7.1	68.8	24.7	6.4
Region						
Central	57.4	32.1	10.5	60.3	31.6	8.1
Eastern	52.6	34.1	13.3	52.6	34.9	12.6
Northern	49.7	37.0	13.3	53.1	35.9	11.0
Western	54.0	31.8	14.2	56.9	29.9	13.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 1434)
Total				
All	60.1	30.2	9.7	
Age Group				
15-19	50.7	31.7	17.5	
20-24	52.6	35.8	11.6	
25-29	59.6	29.0	11.4	
30-34	69.9	24.2	5.9	
35-39	63.5	31.7	4.8	
40-44	59.4	30.3	10.3	
45-49	65.1	26.6	8.3	
Marital Status				
Married, or in union	58.4	32.8	8.8	
Unmarried, sexually active	62.4	20.9	16.7	
Parity				
0-1 children	55.5	32.2	12.2	
2-3 children	61.6	27.9	10.4	
4+ children	63.8	29.3	6.9	
Residence				
Urban	61.4	28.9	9.7	
Rural	59.6	30.6	9.7	
Education				
Never	64.0	32.0	4.0	
Primary	60.5	27.4	12.2	
Secondary	61.7	31.9	6.4	
Technical & vocational	42.7	51.4	5.9	
University	<i>53.1</i>	<i>36.4</i>	<i>10.5</i>	
Wealth Quintile				
Lowest	52.0	35.9	12.0	
Lower	64.3	22.7	13.0	
Middle	65.5	25.9	8.6	
Higher	56.2	36.4	7.5	
Highest	61.1	30.6	8.3	
Region				
Central	58.4	34.3	7.2	
Eastern	64.5	25.6	9.9	
Northern	59.0	28.7	12.2	
Western	57.3	31.8	10.9	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(1434)	(1046)	(1434)	(1046)	(900)	(682)	(1434)	(1046)
All	61.8	63.8	58.9	60.2	89.8	89.6	66.9	69.5
Age Group								
15-19	50.0	48.2	51.2	52.4	82.3	<i>79.3</i>	54.7	51.4
20-24	59.5	65.6	57.8	64.8	91.3	92.5	68.1	75.0
25-29	60.2	62.8	61.4	63.2	89.1	90.0	68.7	72.5
30-34	69.7	69.2	61.7	59.8	93.3	91.6	73.8	73.9
35-39	63.2	62.7	58.5	56.7	86.8	85.9	72.2	72.0
40-44	63.5	61.7	59.5	55.2	88.8	85.6	60.0	59.5
45-49	63.3	65.2	57.6	60.5	96.6	<i>96.6</i>	52.3	54.2
Marital Status								
Married, or in union	63.8	na	60.2	na	89.6	na	69.5	na
Unmarried, sexually active	47.3	na	51.9	na	87.1	na	53.1	na
Parity								
0-1 children	57.6	58.5	58.0	58.3	85.0	84.0	63.3	62.3
2-3 children	64.1	63.9	60.7	60.7	91.9	91.0	71.1	72.7
4+ children	65.3	65.4	61.6	60.3	90.7	90.0	68.9	69.3
Residence								
Urban	57.4	63.3	58.1	61.9	88.8	88.4	62.4	69.3
Rural	63.1	63.9	59.2	59.7	90.1	89.9	68.3	69.6
Education								
Never	61.0	60.3	60.1	57.8	94.8	<i>93.8</i>	61.3	59.8
Primary	62.1	64.0	61.6	62.4	89.1	88.6	67.7	69.6
Secondary	61.6	63.7	54.5	56.4	89.1	90.0	66.9	71.5
Technical & vocational	70.7	<i>69.5</i>	62.3	<i>59.9</i>	<i>99.0</i>	<i>99.4</i>	73.3	<i>72.9</i>
University	<i>46.9</i>	<i>59.0</i>	<i>46.0</i>	<i>57.1</i>	<i>87.9</i>	--	<i>53.2</i>	<i>63.5</i>
Wealth Quintile								
Lowest	64.6	65.7	61.1	64.4	91.8	90.5	72.0	74.4
Lower	61.2	60.1	55.3	52.8	94.0	96.0	68.5	69.1
Middle	61.0	61.7	60.8	60.3	90.8	90.4	67.5	69.7
Higher	58.0	62.9	56.7	59.5	84.4	84.8	64.3	68.9
Highest	64.1	67.7	60.9	63.5	88.8	87.6	63.7	66.5
Region								
Central	59.2	65.4	59.5	63.4	86.1	86.3	65.3	71.6
Eastern	57.7	56.8	54.5	54.9	89.1	89.3	65.1	64.1
Northern	72.6	75.5	72.4	74.6	92.9	92.4	76.9	80.3
Western	63.6	64.6	56.6	56.0	92.9	92.1	65.5	68.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 1404)	(N = 1404)	(N = 1404)
All	94.5	93.4	92.1
Age Group			
15-19	88.5	89.0	84.6
20-24	96.1	95.4	94.9
25-29	94.0	91.2	91.2
30-34	97.3	96.9	96.0
35-39	95.7	95.3	93.2
40-44	92.6	91.2	88.8
45-49	92.0	90.6	88.6
Marital Status			
Married, or in union	95.4	94.2	93.2
Unmarried, sexually active	92.2	90.8	89.4
Parity			
0-1 children	94.6	93.1	92.0
2-3 children	96.7	95.5	95.1
4+ children	94.9	93.7	92.1
Residence			
Urban	94.3	94.4	93.7
Rural	94.5	93.2	91.6
Education			
Never	95.1	93.6	93.6
Primary	93.8	92.5	90.9
Secondary	94.9	94.2	92.9
Technical & vocational	96.6	97.1	96.6
University	<i>98.7</i>	<i>99.4</i>	<i>98.7</i>
Wealth Quintile			
Lowest	92.0	89.8	87.3
Lower	93.7	93.7	92.7
Middle	95.3	94.9	92.7
Higher	95.5	93.1	92.6
Highest	95.4	95.0	94.1
Region			
Central	95.7	95.3	94.3
Eastern	93.7	91.0	89.8
Northern	93.9	92.0	90.1
Western	94.4	94.9	93.2

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(4346)	(2530)	(4346)	(2530)	(4346)	(2530)
All	14.5	16.7	31.7	41.3	37.8	47.2
Age Group						
15-19	10.9	16.0	13.6	38.5	20.9	44.6
20-24	14.9	17.3	36.8	42.6	43.0	50.0
25-29	15.3	16.7	41.0	47.2	45.4	51.3
30-34	18.1	19.7	40.6	42.9	46.7	49.8
35-39	16.4	16.5	40.8	43.7	46.7	48.9
40-44	16.3	16.4	31.7	32.9	39.0	40.0
45-49	11.3	10.9	24.3	27.8	30.2	32.3
Marital Status						
Married, or in union	16.7	na	41.3	na	47.2	na
Unmarried, sexually active	13.7	na	28.0	na	35.1	na
Parity						
0-1 children	13.1	13.6	38.9	41.4	44.7	47.2
2-3 children	16.2	18.1	41.2	45.7	46.6	51.3
4+ children	17.7	17.4	39.8	41.6	46.3	47.5
Residence						
Urban	11.7	14.7	26.3	35.5	32.0	41.8
Rural	15.3	17.2	33.1	42.7	39.5	48.5
Education						
Never	20.6	22.4	36.5	43.6	44.0	50.8
Primary	14.7	15.9	33.5	41.7	40.0	47.7
Secondary	13.7	17.8	29.5	41.6	35.1	47.4
Technical & vocational	12.2	14.2	28.7	38.6	34.2	42.8
University	8.8	14.7	12.5	23.2	16.7	28.1
Wealth Quintile						
Lowest	21.4	23.2	38.7	47.9	47.5	55.9
Lower	11.1	11.4	31.5	38.7	36.7	43.2
Middle	15.4	17.9	35.1	44.2	41.0	49.7
Higher	15.9	18.6	31.3	41.9	38.1	49.1
Highest	9.4	12.2	23.2	33.5	27.6	37.8
Region						
Central	12.3	14.4	26.4	35.8	32.5	41.9
Eastern	15.4	16.6	32.0	40.1	38.5	46.3
Northern	22.1	26.7	39.9	52.0	47.3	58.8
Western	11.3	13.0	31.9	41.5	37.1	46.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1855	3084	4939
Households Occupied	1718	2848	4566
Households Interviewed	1595	2804	4399
Household Response Rate ¹	92.84%	98.46%	96.34%
Interviews with Women			
Number of Eligible Women ²	1665	2871	4536
Number of Eligible Women Interviewed	1542	2804	4346
Eligible Woman Response Rate ³	92.61%	97.67%	95.81%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.340	0.011	0.319	0.362	0.427	0.015	0.399	0.457
Currently using a traditional method	0.059	0.005	0.050	0.070	0.074	0.006	0.063	0.088
Currently using any contraceptive method	0.399	0.011	0.377	0.422	0.502	0.015	0.472	0.531
Currently using DMPA-IM	0.193	0.018	0.160	0.231	0.211	0.022	0.171	0.256
Currently using DMPA-SC	0.142	0.017	0.111	0.180	0.155	0.019	0.120	0.197
Currently using condoms	0.075	0.009	0.059	0.094	0.042	0.007	0.030	0.059
Currently using implants	0.247	0.014	0.220	0.276	0.265	0.015	0.235	0.296
Chose method by self or jointly in past 12 months	0.903	0.011	0.880	0.922	0.912	0.010	0.889	0.930
Informed by provider about other methods	0.618	0.020	0.577	0.657	0.638	0.019	0.599	0.675
Informed by provider about side effects	0.589	0.020	0.548	0.629	0.602	0.022	0.557	0.645
Satisfied with provider: Would return and refer friend/relative to provider	0.921	0.011	0.897	0.940	0.932	0.010	0.909	0.950
Visited by health worker who talked about family planning in past 12 months	0.145	0.017	0.114	0.182	0.167	0.020	0.132	0.209

¹ Married includes married women and those who are living with a man