

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE for
POPULATION and REPRODUCTIVE HEALTH

Kenya (West Pokot) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (West Pokot) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-West Pokot-P3-CS SOIs. 2021.* Kenya and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	784	784
Age Group			
15-19	19.1	150	147
20-24	20.8	163	167
25-29	16.5	129	135
30-34	15.7	123	127
35-39	9.9	77	77
40-44	9.7	76	73
45-49	8.2	65	58
Marital Status			
Married, or in union	67.1	526	533
Unmarried, sexually active	14.3	112	101
Parity			
0-1 children	16.7	131	124
2-3 children	18.8	148	165
4+ children	43.8	343	333
Residence			
Urban	8.5	67	156
Rural	91.5	717	628
Education			
Never	21.3	167	193
Primary	41.7	327	317
Post Primary Vocational	0.4	3	2
Secondary	22.2	174	169
College	13.2	104	93
University	1.2	9	10
Wealth Quintile			
Lowest	17.2	135	154
Lower	17.7	139	137
Middle	20.9	164	161
Higher	25.1	197	174
Highest	19.1	150	158

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	34.1	33.0	30.7	29.7	3.4	3.3
Age Group						
15-19	20.2	--	17.7	--	2.6	--
20-24	41.2	25.8	39.4	25.8	1.8	0.0
25-29	32.3	26.5	27.1	21.9	5.3	4.6
30-34	37.6	38.6	36.5	37.4	1.1	1.2
35-39	45.5	43.2	43.1	40.7	2.4	2.5
40-44	38.9	36.7	31.2	28.5	7.7	8.1
45-49	25.5	<i>26.1</i>	19.6	<i>22.6</i>	5.9	3.5
Marital Status						
Married, or in union	33.0	na	29.7	na	3.3	na
Unmarried, sexually active	60.2	na	52.4	na	7.8	na
Parity						
0-1 children	50.9	35.8	49.8	33.7	1.0	2.1
2-3 children	44.2	42.9	40.8	38.9	3.4	4.0
4+ children	30.7	30.2	27.0	26.7	3.7	3.4
Residence						
Urban	51.4	55.9	48.6	55.1	2.8	0.8
Rural	32.5	31.2	29.0	27.8	3.4	3.5
Education						
Never	12.9	13.5	10.9	11.3	2.0	2.1
Primary	31.5	32.8	29.2	29.9	2.3	2.9
Post Primary Vocational	--	--	--	--	--	--
Secondary	42.6	53.9	38.5	45.1	4.1	8.9
College	61.4	58.7	53.2	55.7	8.2	3.0
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	16.8	11.7	16.8	11.7	0.0	0.0
Lower	23.4	22.0	19.1	15.6	4.3	6.4
Middle	32.4	33.7	30.1	30.4	2.4	3.3
Higher	36.5	39.5	33.4	34.8	3.0	4.7
Highest	58.1	63.2	51.0	61.0	7.1	2.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 253)

Married Users¹ (N = 168)

	All Users (N = 253)										Married Users ¹ (N = 168)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	
Total																				
All	2.6	42.9	0.9	34.7	6.3	0.2	0.6	1.8	9.9		3.7	36.2	1.4	41.0	5.2	0.0	0.3	2.3	10.0	
Age Group																				
15-19	0.0	46.4	0.0	27.5	13.4	0.0	0.0	0.0	12.7		--	--	--	--	--	--	--	--	--	
20-24	2.4	59.0	0.0	26.3	4.2	1.0	0.8	2.0	4.3		--	--	--	--	--	--	--	--	--	
25-29	0.0	36.1	1.6	39.5	3.1	0.0	1.3	1.9	16.3		0.0	33.3	2.3	44.2	0.0	0.0	0.0	2.8	17.4	
30-34	7.4	41.6	1.8	42.3	2.0	0.0	0.0	2.0	2.9		7.7	40.1	1.9	43.1	2.1	0.0	0.0	2.0	3.0	
35-39	1.3	34.0	0.0	46.0	9.5	0.0	0.0	3.9	5.3		1.5	35.3	0.0	42.4	10.6	0.0	0.0	4.4	5.9	
40-44	5.3	31.5	3.1	32.6	4.9	0.0	1.6	1.2	19.8		3.5	27.0	3.5	36.6	5.5	0.0	1.7	0.0	22.2	
45-49	--	--	--	--	--	--	--	--	--		--	--	--	--	--	--	--	--	--	
Marital Status																				
Married, or in union	3.7	36.2	1.4	41.0	5.2	0.0	0.3	2.3	10.0		na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	1.0	50.3	0.0	21.7	11.4	1.0	0.8	0.8	13.0		na	na	na	na	na	na	na	na	na	
Parity																				
0-1 children	0.0	65.4	1.0	27.8	1.8	0.0	0.0	2.1	2.0		--	--	--	--	--	--	--	--	--	
2-3 children	4.2	38.2	2.0	40.5	4.9	0.0	0.7	2.0	7.6		3.8	30.0	2.4	47.2	4.8	0.0	0.9	1.7	9.2	
4+ children	4.1	35.6	0.4	39.9	5.6	0.0	0.0	2.1	12.2		4.5	36.2	0.5	39.1	6.1	0.0	0.0	2.3	11.4	
Residence																				
Urban	5.9	32.4	7.0	26.1	12.2	1.9	4.6	4.3	5.5		6.6	34.9	11.5	31.3	9.3	0.0	2.2	2.7	1.4	
Rural	2.2	44.5	0.0	36.0	5.4	0.0	0.0	1.4	10.6		3.3	36.3	0.0	42.4	4.7	0.0	0.0	2.2	11.2	
Education																				
Never	7.2	27.3	0.0	42.6	0.0	0.0	0.0	7.6	15.3		--	--	--	--	--	--	--	--	--	
Primary	4.5	39.1	0.4	41.2	5.2	0.0	0.0	2.3	7.2		5.0	37.5	0.6	42.9	3.3	0.0	0.0	1.9	8.8	
Post Primary Vocational	--	--	--	--	--	--	--	--	--		--	--	--	--	--	--	--	--	--	
Secondary	0.0	59.4	0.0	24.4	3.8	0.9	0.8	1.1	9.6		0.0	52.1	0.0	27.1	1.8	0.0	0.0	2.6	16.4	
College	1.4	34.7	3.1	33.2	13.5	0.0	0.7	0.0	13.4		2.4	24.2	5.1	46.6	15.4	0.0	1.2	0.0	5.1	
University	--	--	--	--	--	--	--	--	--		--	--	--	--	--	--	--	--	--	
Wealth Quintile																				
Lowest	--	--	--	--	--	--	--	--	--		--	--	--	--	--	--	--	--	--	
Lower	0.0	51.5	0.0	30.1	0.0	0.0	0.0	0.0	18.5		--	--	--	--	--	--	--	--	--	
Middle	4.7	37.4	0.0	38.5	10.5	0.0	0.0	1.5	7.4		6.3	35.6	0.0	39.1	7.2	0.0	0.0	2.0	9.8	
Higher	2.0	37.5	0.6	44.1	6.3	0.0	0.0	1.1	8.3		3.0	28.5	1.0	49.9	3.9	0.0	0.0	1.7	11.9	
Highest	2.3	44.8	2.2	27.6	6.5	0.8	1.8	1.7	12.2		2.6	47.3	3.7	34.6	6.5	0.0	0.9	1.1	3.5	

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 784)	Married Women ³ (N = 533)	All Women (N = 784)	Married Women ³ (N = 533)
Total				
All	14.9	16.1	15.8	13.6
Age Group				
15-19	8.3	--	9.4	--
20-24	14.1	13.8	25.3	12.0
25-29	14.9	12.5	12.2	9.4
30-34	17.4	18.3	19.1	19.2
35-39	27.0	24.8	16.1	15.9
40-44	15.7	16.1	15.5	12.5
45-49	11.5	<i>13.3</i>	8.0	<i>9.3</i>
Marital Status				
Married, or in union	16.1	na	13.6	na
Unmarried, sexually active	21.5	na	30.8	na
Parity				
0-1 children	16.1	14.5	33.7	19.2
2-3 children	21.2	23.4	19.6	15.5
4+ children	14.6	14.3	12.3	12.4
Residence				
Urban	25.3	25.4	23.3	29.7
Rural	13.9	15.4	15.1	12.4
Education				
Never	6.5	7.0	4.4	4.3
Primary	15.3	15.8	13.9	14.2
Post Primary Vocational	--	--	--	--
Secondary	13.2	17.0	25.3	28.1
College	29.1	37.1	24.1	18.6
University	--	--	--	--
Wealth Quintile				
Lowest	7.0	8.5	9.8	3.2
Lower	7.0	7.5	12.0	8.1
Middle	16.4	16.3	13.7	14.1
Higher	18.8	21.9	14.6	12.8
Highest	22.3	27.2	28.7	33.9

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 784)			Married Women ¹ (N = 533)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	18.7	4.6	23.3	19.0	6.0	25.1
Age Group						
15-19	21.5	2.8	24.3	--	--	--
20-24	22.1	1.2	23.3	25.0	2.4	27.4
25-29	28.9	0.7	29.6	30.6	0.9	31.5
30-34	19.7	7.1	26.8	21.0	7.0	28.0
35-39	8.1	5.2	13.3	8.5	5.5	14.1
40-44	10.6	13.8	24.4	11.2	14.6	25.8
45-49	4.0	8.1	12.1	<i>4.6</i>	<i>9.4</i>	<i>14.0</i>
Marital Status						
Married, or in union	19.0	6.0	25.1	na	na	na
Unmarried, sexually active	34.2	1.2	35.4	na	na	na
Parity						
0-1 children	19.4	0.5	20.0	20.5	0.0	20.5
2-3 children	16.5	2.3	18.8	18.4	2.8	21.1
4+ children	18.4	8.2	26.6	19.4	8.5	28.0
Residence						
Urban	9.4	3.6	13.0	8.8	4.7	13.5
Rural	19.6	4.7	24.2	19.8	6.1	26.0
Education						
Never	22.9	6.1	29.0	24.0	6.1	30.2
Primary	20.2	6.6	26.8	18.9	8.0	26.9
Post Primary Vocational	--	--	--	--	--	--
Secondary	16.3	1.1	17.4	18.0	2.0	20.0
College	11.3	2.1	13.4	8.4	3.3	11.7
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	24.8	2.4	27.2	26.2	2.3	28.5
Lower	31.1	5.2	36.4	31.9	5.7	37.6
Middle	16.7	6.5	23.2	13.7	8.4	22.1
Higher	14.5	4.9	19.4	14.6	8.2	22.7
Highest	9.6	3.3	12.9	9.2	5.1	14.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=784)					Married Women ² (N=533)				
	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	34.1	30.7	23.3	57.4	53.5	33.0	29.7	25.1	58.1	51.1
Age Group										
15-19	20.2	17.7	24.3	44.5	39.7	--	--	--	--	--
20-24	41.2	39.4	23.3	64.6	61.1	25.8	25.8	27.4	53.2	48.5
25-29	32.3	27.1	29.6	61.9	43.7	26.5	21.9	31.5	58.0	37.8
30-34	37.6	36.5	26.8	64.4	56.7	38.6	37.4	28.0	66.6	56.2
35-39	45.5	43.1	13.3	58.8	73.3	43.2	40.7	14.1	57.3	71.0
40-44	38.9	31.2	24.4	63.4	49.3	36.7	28.5	25.8	62.4	45.7
45-49	25.5	19.6	12.1	37.6	--	26.1	22.6	14.0	40.1	--
Marital Status										
Married, or in union	33.0	29.7	25.1	58.1	51.1	na	na	na	na	na
Unmarried, sexually active	60.2	52.4	35.4	95.6	54.8	na	na	na	na	na
Parity										
0-1 children	50.9	49.8	20.0	70.8	70.3	35.8	33.7	20.5	56.3	59.9
2-3 children	44.2	40.8	18.8	63.0	64.8	42.9	38.9	21.1	64.0	60.8
4+ children	30.7	27.0	26.6	57.3	47.1	30.2	26.7	28.0	58.1	46.0
Residence										
Urban	51.4	48.6	13.0	64.5	75.4	55.9	55.1	13.5	69.4	79.4
Rural	32.5	29.0	24.2	56.7	51.2	31.2	27.8	26.0	57.2	48.5
Education										
Never	12.9	10.9	29.0	41.9	26.1	13.5	11.3	30.2	43.7	25.9
Primary	31.5	29.2	26.8	58.3	50.1	32.8	29.9	26.9	59.7	50.1
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	42.6	38.5	17.4	59.9	64.2	53.9	45.1	20.0	73.9	61.0
College	61.4	53.2	13.4	74.8	71.1	58.7	55.7	11.7	70.4	79.1
University	--	--	--	--	--	--	--	--	--	--
Wealth Quintile										
Lowest	16.8	16.8	27.2	44.0	38.3	11.7	11.7	28.5	40.1	29.1
Lower	23.4	19.1	36.4	59.7	31.9	22.0	15.6	37.6	59.5	26.2
Middle	32.4	30.1	23.2	55.6	54.0	33.7	30.4	22.1	55.8	54.6
Higher	36.5	33.4	19.4	55.9	59.8	39.5	34.8	22.7	62.2	55.9
Highest	58.1	51.0	12.9	71.0	71.9	63.2	61.0	14.3	77.5	78.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=445)			Married ¹ Women with 1 or More Births (N=379)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	55.1	43.2	1.7	61.9	36.6	1.5
Age Group						
15-19	--	--	--	--	--	--
20-24	41.3	56.6	2.1	53.2	45.1	1.7
25-29	60.1	39.6	0.3	64.7	35.0	0.3
30-34	59.6	40.4	0.0	60.9	39.1	0.0
35-39	74.9	21.8	3.3	74.9	21.8	3.3
40-44	<i>73.4</i>	<i>21.3</i>	<i>5.3</i>	<i>73.4</i>	<i>21.3</i>	<i>5.3</i>
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	61.9	36.6	1.5	na	na	na
Unmarried, sexually active	<i>24.3</i>	<i>73.4</i>	<i>2.2</i>	na	na	na
Parity						
0-1 children	28.2	68.7	3.1	<i>41.7</i>	<i>55.8</i>	<i>2.5</i>
2-3 children	59.4	40.4	0.2	64.5	35.3	0.3
4+ children	65.1	33.0	1.8	65.2	32.9	1.9
Residence						
Urban	68.9	28.0	3.2	80.6	16.7	2.7
Rural	54.2	44.2	1.6	60.7	37.8	1.4
Education						
Never	63.6	33.6	2.8	62.7	34.4	2.9
Primary	56.1	43.8	0.2	61.9	37.9	0.2
Post Primary Vocational	--	--	--	--	--	--
Secondary	33.8	60.6	5.6	<i>49.6</i>	<i>44.8</i>	<i>5.5</i>
College	60.9	39.1	0.0	<i>70.5</i>	<i>29.5</i>	<i>0.0</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	56.2	43.0	0.8	61.0	38.1	0.9
Lower	50.7	47.4	1.9	53.8	43.7	2.4
Middle	48.7	47.3	4.0	56.2	41.6	2.2
Higher	61.5	37.3	1.2	66.6	31.9	1.5
Highest	58.2	41.4	0.4	74.8	24.7	0.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 229)
Total				
All	82.2	14.7	3.1	
Age Group				
15-19	--	--	--	
20-24	84.4	12.5	3.0	
25-29	<i>89.9</i>	<i>8.5</i>	<i>1.6</i>	
30-34	<i>69.9</i>	<i>30.1</i>	<i>0.0</i>	
35-39	<i>83.6</i>	<i>16.4</i>	<i>0.0</i>	
40-44	<i>74.8</i>	<i>16.2</i>	<i>9.0</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	77.3	21.3	1.4	
Unmarried, sexually active	88.1	4.0	7.9	
Parity				
0-1 children	87.7	10.2	2.1	
2-3 children	86.9	13.1	0.0	
4+ children	75.0	22.6	2.4	
Residence				
Urban	69.5	26.9	3.6	
Rural	84.1	12.9	3.0	
Education				
Never	--	--	--	
Primary	82.5	13.9	3.6	
Post Primary Vocational	--	--	--	
Secondary	89.0	8.1	2.9	
College	75.8	21.5	2.6	
University	--	--	--	
Wealth Quintile				
Lowest	--	--	--	
Lower	--	--	--	
Middle	<i>71.6</i>	<i>21.4</i>	<i>7.0</i>	
Higher	83.8	14.0	2.2	
Highest	82.3	16.2	1.5	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(229)	(152)	(229)	(152)	(202)	(135)	(229)	(152)
All	92.3	94.2	90.9	89.3	98.3	98.8	88.8	90.0
Age Group								
15-19	--	--	--	--	--	--	--	--
20-24	85.5	--	87.2	--	100.0	--	84.5	--
25-29	92.2	--	85.6	--	100.0	--	92.2	--
30-34	98.1	98.0	90.3	89.9	96.5	96.4	85.5	84.9
35-39	100.0	100.0	100.0	100.0	99.1	99.0	98.6	98.4
40-44	93.9	--	81.7	--	--	--	87.3	--
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	94.2	na	89.3	na	98.8	na	90.0	na
Unmarried, sexually active	89.1	na	92.9	na	97.5	na	84.7	na
Parity								
0-1 children	92.5	--	94.2	--	97.8	--	88.2	--
2-3 children	91.5	90.7	86.0	84.7	97.3	96.6	90.5	90.9
4+ children	95.7	95.4	92.5	91.9	99.6	99.6	90.2	89.4
Residence								
Urban	81.1	91.5	72.8	84.1	98.7	98.3	74.0	80.9
Rural	94.1	94.6	93.6	90.1	98.2	98.8	91.1	91.3
Education								
Never	--	--	--	--	--	--	--	--
Primary	93.3	93.0	89.9	87.0	98.0	99.5	88.2	87.2
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	91.1	--	90.7	--	96.5	--	88.1	--
College	90.3	94.9	90.2	90.6	100.0	100.0	90.1	90.8
University	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	--	--	--	--	--	--	--	--
Lower	--	--	--	--	--	--	--	--
Middle	93.1	91.4	88.8	85.5	98.4	100.0	88.2	84.6
Higher	98.8	100.0	96.5	94.3	97.8	96.4	91.6	96.5
Highest	90.1	93.0	86.5	89.9	99.6	99.4	87.0	88.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 228)	(N = 228)	(N = 228)
All	97.5	97.7	96.8
Age Group			
15-19	--	--	--
20-24	93.8	95.0	92.7
25-29	100.0	100.0	100.0
30-34	100.0	100.0	100.0
35-39	100.0	100.0	100.0
40-44	97.0	96.5	93.6
45-49	--	--	--
Marital Status			
Married, or in union	98.6	99.5	98.1
Unmarried, sexually active	94.4	94.4	94.4
Parity			
0-1 children	94.8	97.0	94.8
2-3 children	100.0	98.8	98.8
4+ children	99.2	99.1	98.3
Residence			
Urban	96.4	96.4	96.4
Rural	97.6	98.0	96.9
Education			
Never	--	--	--
Primary	96.2	98.6	96.2
Post Primary Vocational	--	--	--
Secondary	98.3	97.3	97.3
College	97.6	97.6	97.6
University	--	--	--
Wealth Quintile			
Lowest	--	--	--
Lower	--	--	--
Middle	92.8	97.2	92.8
Higher	100.0	100.0	100.0
Highest	98.5	98.5	98.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(784)	(533)	(784)	(533)	(784)	(533)
All	12.4	12.8	21.5	24.2	26.2	28.9
Age Group						
15-19	12.9	--	14.9	--	19.6	--
20-24	9.9	9.5	21.2	23.2	24.5	24.4
25-29	10.1	10.3	24.8	25.2	27.7	28.4
30-34	17.3	16.3	25.1	24.6	31.0	30.9
35-39	11.6	12.3	28.6	29.4	32.8	33.8
40-44	13.4	14.1	16.4	17.3	23.3	24.6
45-49	12.9	<i>13.4</i>	21.5	<i>24.8</i>	29.7	<i>32.8</i>
Marital Status						
Married, or in union	12.8	na	24.2	na	28.9	na
Unmarried, sexually active	20.9	na	27.2	na	35.7	na
Parity						
0-1 children	14.5	10.6	26.8	20.3	29.6	20.8
2-3 children	12.4	12.2	22.9	23.4	26.2	27.3
4+ children	13.8	14.1	25.2	26.4	31.1	32.5
Residence						
Urban	8.0	10.5	7.6	8.8	13.9	18.6
Rural	12.8	13.0	22.8	25.3	27.4	29.6
Education						
Never	11.1	10.8	12.6	13.0	19.2	19.6
Primary	13.9	14.9	26.5	30.8	30.0	35.1
Post Primary Vocational	--	--	--	--	--	--
Secondary	10.7	10.8	19.9	22.7	24.2	25.1
College	12.2	10.5	23.4	27.7	30.5	32.2
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	15.8	13.2	19.5	18.8	24.7	22.7
Lower	15.0	12.1	19.8	18.5	24.0	23.9
Middle	13.0	15.6	30.6	36.0	34.6	41.1
Higher	12.4	12.2	21.0	26.4	27.3	30.2
Highest	6.3	10.0	15.4	17.7	19.1	23.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	210	701	911
Households Occupied	176	614	790
Households Interviewed	171	604	775
Household Response Rate ¹	97.16%	98.37%	98.10%
Interviews with Women			
Number of Eligible Women ²	157	637	794
Number of Eligible Women Interviewed	156	628	784
Eligible Woman Response Rate ³	99.36%	98.59%	98.74%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.307	0.040	0.232	0.395	0.297	0.039	0.224	0.383
Currently using a traditional method	0.034	0.016	0.013	0.085	0.033	0.018	0.011	0.094
Currently using any contraceptive method	0.341	0.048	0.249	0.446	0.330	0.048	0.240	0.435
Currently using DMPA-IM	0.347	0.041	0.268	0.435	0.410	0.047	0.318	0.510
Currently using DMPA-SC								
Currently using condoms	0.006	0.004	0.001	0.024	0.003	0.003	0.000	0.016
Currently using implants	0.429	0.035	0.358	0.503	0.362	0.038	0.286	0.444
Chose method by self or jointly in past 12 months	0.969	0.017	0.908	0.990	0.986	0.011	0.931	0.997
Informed by provider about other methods	0.923	0.023	0.858	0.960	0.942	0.026	0.859	0.977
Informed by provider about side effects	0.909	0.028	0.830	0.953	0.893	0.032	0.805	0.944
Satisfied with provider: Would return and refer friend/relative to provider	0.968	0.014	0.923	0.987	0.981	0.014	0.916	0.996
Visited by health worker who talked about family planning in past 12 months	0.124	0.036	0.067	0.218	0.128	0.029	0.079	0.201

¹ Married includes married women and those who are living with a man