

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Burkina Faso Snapshot of Indicators Phase 1 (2020) Cross-sectional Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Burkina Faso Phase 1 Cross-sectional Survey Snapshot of Indicators, PMA/Burkina Faso-P1-CS SOIs. 2020.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	6590	6590
Age Group			
15-19	21.6	1421	1454
20-24	17.4	1145	1278
25-29	14.7	970	1002
30-34	15.6	1026	971
35-39	12.8	841	803
40-44	10.9	715	637
45-49	7.2	473	445
Marital Status			
Married, or in union	75.8	4998	4391
Unmarried, sexually active	4.5	296	478
Parity			
0-1 children	12.6	830	974
2-3 children	23.6	1554	1623
4+ children	39.4	2600	1978
Residence			
Urban	22.8	1500	3979
Rural	77.2	5090	2611
Education			
Never	59.9	3945	2910
Primary	17.7	1168	1314
Secondary 1 Cycle	16.4	1078	1531
Secondary 2 Cycles	4.4	290	566
Tertiary	1.7	109	267
Wealth Quintile			
Lowest	34.3	2263	1174
Middle	32.7	2152	1373
Highest	33.0	2175	4043

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	27.4	30.1	25.5	28.1	1.9	2.0
Age Group						
15-19	13.6	19.6	12.9	18.7	0.7	1.0
20-24	29.9	27.5	28.1	26.5	1.8	1.0
25-29	32.4	31.2	30.6	29.9	1.8	1.4
30-34	35.3	35.0	32.3	32.0	3.0	3.0
35-39	32.1	32.5	29.6	29.9	2.5	2.7
40-44	28.9	30.3	26.5	27.8	2.4	2.5
45-49	23.9	26.7	22.4	25.0	1.5	1.7
Marital Status						
Married, or in union	30.1	na	28.1	na	2.0	na
Unmarried, sexually active	58.7	na	53.4	na	5.3	na
Parity						
0-1 children	33.0	30.8	31.6	29.5	1.5	1.4
2-3 children	30.7	30.3	28.5	28.2	2.2	2.1
4+ children	32.3	33.1	30.2	30.9	2.1	2.2
Residence						
Urban	36.7	43.7	33.7	40.0	2.9	3.7
Rural	24.6	27.3	23.0	25.6	1.6	1.6
Education						
Never	24.6	26.4	23.1	24.8	1.5	1.5
Primary	29.6	34.7	27.7	32.4	1.9	2.3
Secondary 1 Cycle	29.7	42.7	27.5	39.3	2.2	3.4
Secondary 2 Cycles	40.1	51.5	34.6	45.4	5.6	6.1
Tertiary	45.3	61.9	41.1	53.3	4.2	8.6
Wealth Quintile						
Lowest	23.5	25.9	21.8	24.3	1.7	1.5
Middle	25.0	28.4	23.7	26.9	1.2	1.5
Highest	33.7	37.6	31.0	34.4	2.7	3.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 2173)

Married Users¹ (N = 1634)

	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	
Total																					
All	0.4	43.2	4.3	14.6	9.7	8.8	0.3	11.6	0.4	6.9	0.5	47.0	4.6	16.1	10.7	9.2	0.1	4.7	0.4	6.6	
Age Group																					
15-19	0.0	34.3	1.5	8.7	12.1	7.9	0.7	29.3	0.0	5.4	0.0	50.5	0.0	16.1	18.7	5.3	0.0	4.6	0.0	4.9	
20-24	0.0	45.9	1.3	13.1	5.1	5.6	0.0	22.9	0.1	6.0	0.0	56.0	1.7	16.1	6.2	7.0	0.0	9.3	0.0	3.6	
25-29	0.0	38.6	2.0	19.6	11.6	11.6	0.6	10.4	0.1	5.4	0.0	40.3	1.9	21.3	13.0	12.6	0.3	6.0	0.2	4.4	
30-34	0.0	37.2	5.1	20.1	13.5	10.1	0.0	5.5	0.1	8.4	0.0	38.1	4.9	20.6	13.8	10.1	0.0	3.7	0.1	8.6	
35-39	1.2	48.1	7.0	15.5	5.8	7.6	0.6	5.5	0.8	7.8	1.3	49.6	7.1	14.5	6.0	7.7	0.3	4.4	0.9	8.2	
40-44	0.3	54.7	9.8	6.2	12.1	5.9	0.0	2.5	0.2	8.2	0.3	54.4	10.2	6.5	12.6	5.7	0.0	1.7	0.2	8.4	
45-49	3.1	49.3	4.5	10.1	6.6	15.5	0.0	1.5	2.9	6.4	3.2	49.4	4.6	10.0	6.7	15.4	0.0	1.2	3.0	6.5	
Marital Status																					
Married, or in union	0.5	47.0	4.6	16.1	10.7	9.2	0.1	4.7	0.4	6.6	na	na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	0.0	20.7	2.6	4.0	3.4	4.3	1.5	54.2	0.2	9.0	na	na	na	na	na	na	na	na	na	na	
Parity																					
0-1 children	0.0	48.8	3.2	12.6	9.8	8.9	0.4	11.7	0.3	4.5	0.0	48.3	3.3	14.2	10.4	10.2	0.2	8.6	0.3	4.5	
2-3 children	0.5	41.4	3.6	14.8	11.9	12.8	0.1	7.5	0.3	7.1	0.5	41.9	3.5	14.4	12.3	13.1	0.1	6.9	0.3	7.0	
4+ children	0.6	49.3	5.6	18.1	10.0	6.9	0.0	2.3	0.6	6.6	0.6	49.2	5.7	17.8	10.1	6.9	0.0	2.3	0.6	6.6	
Residence																					
Urban	0.2	31.0	5.9	10.3	5.7	14.0	0.9	23.3	0.6	8.0	0.4	36.5	7.4	11.9	6.9	18.3	0.4	9.0	0.8	8.4	
Rural	0.5	48.5	3.6	16.4	11.4	6.4	0.0	6.5	0.3	6.4	0.5	50.5	3.7	17.5	11.9	6.2	0.0	3.3	0.3	6.0	
Education																					
Never	0.7	51.0	3.6	15.5	11.2	8.7	0.0	2.9	0.5	5.9	0.8	51.1	3.8	15.5	11.4	8.7	0.0	2.5	0.5	5.8	
Primary	0.1	43.8	6.5	19.4	9.2	6.7	0.3	7.4	0.1	6.5	0.1	45.8	6.3	20.6	9.1	7.3	0.2	4.0	0.1	6.5	
Secondary 1 Cycle	0.0	32.1	3.3	10.5	7.4	11.6	0.0	27.4	0.4	7.4	0.0	37.8	5.0	14.6	8.8	12.8	0.0	12.5	0.4	8.0	
Secondary 2 Cycles	0.0	19.8	2.6	8.5	8.1	6.9	0.9	39.0	0.2	13.9	0.0	29.1	3.5	14.0	15.9	12.6	0.0	12.5	0.5	11.9	
Tertiary	0.0	12.0	11.0	2.7	2.4	9.4	5.5	46.9	0.8	9.2	0.0	19.1	15.9	4.8	4.2	15.6	4.0	21.1	1.5	13.9	
Wealth Quintile																					
Lowest	0.4	49.9	4.5	15.0	11.5	4.3	0.0	7.2	0.0	7.3	0.4	53.5	4.5	16.2	11.9	3.0	0.0	4.4	0.0	6.0	
Middle	0.7	48.9	3.7	17.2	11.4	7.3	0.0	5.2	0.7	5.0	0.7	49.8	3.9	17.8	11.6	7.6	0.0	2.6	0.7	5.2	
Highest	0.2	34.1	4.6	12.2	7.1	13.1	0.7	19.6	0.5	7.9	0.3	38.7	5.4	14.4	8.7	16.2	0.3	7.0	0.6	8.5	

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 6590)	Married Women ³ (N = 4391)	All Women (N = 6590)	Married Women ³ (N = 4391)
Total				
All	12.4	12.4	13.1	15.7
Age Group				
15-19	8.0	8.8	4.9	9.9
20-24	14.0	10.6	14.1	15.9
25-29	17.4	16.7	13.1	13.2
30-34	17.4	16.9	14.9	15.0
35-39	11.5	11.0	18.1	18.9
40-44	7.8	8.1	18.8	19.7
45-49	8.8	9.7	13.7	15.3
Marital Status				
Married, or in union	12.4	na	15.7	na
Unmarried, sexually active	39.7	na	13.7	na
Parity				
0-1 children	14.4	13.5	17.2	15.9
2-3 children	14.6	14.3	14.0	13.9
4+ children	12.2	12.5	17.9	18.4
Residence				
Urban	20.1	20.7	13.6	19.3
Rural	10.1	10.7	12.9	14.9
Education				
Never	9.5	10.2	13.6	14.7
Primary	12.8	14.3	14.9	18.1
Secondary 1 Cycle	17.0	21.0	10.5	18.3
Secondary 2 Cycles	25.6	28.6	9.0	16.8
Tertiary	30.7	31.7	10.4	21.7
Wealth Quintile				
Lowest	8.9	9.2	12.9	15.1
Middle	10.4	11.5	13.3	15.4
Highest	17.9	17.7	13.1	16.7

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 6590)			Married Women ¹ (N = 4391)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	17.3	3.8	21.1	21.0	5.0	26.0
Age Group						
15-19	11.2	0.1	11.3	23.7	0.1	23.8
20-24	23.4	0.5	23.9	28.0	0.7	28.6
25-29	27.8	0.6	28.4	30.1	0.7	30.8
30-34	20.6	2.8	23.4	21.5	2.9	24.4
35-39	18.0	7.6	25.6	19.0	8.0	27.1
40-44	10.4	12.8	23.2	11.5	14.1	25.5
45-49	1.4	11.2	12.6	1.5	12.8	14.3
Marital Status						
Married, or in union	21.0	5.0	26.0	na	na	na
Unmarried, sexually active	25.4	0.2	25.6	na	na	na
Parity						
0-1 children	20.0	0.4	20.4	21.9	0.4	22.3
2-3 children	25.1	1.2	26.3	26.3	1.2	27.5
4+ children	18.0	8.7	26.8	18.8	9.1	27.9
Residence						
Urban	8.6	2.7	11.3	12.1	4.5	16.5
Rural	19.9	4.1	24.0	22.9	5.1	27.9
Education						
Never	19.8	5.3	25.1	21.3	5.9	27.2
Primary	17.2	2.9	20.0	22.1	3.8	25.9
Secondary 1 Cycle	12.4	0.5	12.9	21.1	1.0	22.1
Secondary 2 Cycles	6.5	0.5	7.0	8.0	1.1	9.1
Tertiary	4.1	0.5	4.6	4.4	1.2	5.6
Wealth Quintile						
Lowest	19.5	6.3	25.8	22.8	7.8	30.6
Middle	21.2	2.3	23.4	24.1	2.7	26.9
Highest	11.2	2.8	13.9	14.9	4.1	19.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=6590)

Married Women ² (N=4391)

	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	27.4	25.5	21.1	48.4	52.6	30.1	28.1	26.0	56.1	50.2
Age Group										
15-19	13.6	12.9	11.3	24.9	51.7	19.6	18.7	23.8	43.4	43.0
20-24	29.9	28.1	23.9	53.8	52.3	27.5	26.5	28.6	56.1	47.2
25-29	32.4	30.6	28.4	60.7	50.4	31.2	29.9	30.8	62.0	48.2
30-34	35.3	32.3	23.4	58.7	55.1	35.0	32.0	24.4	59.4	53.8
35-39	32.1	29.6	25.6	57.7	51.3	32.5	29.9	27.1	59.6	50.1
40-44	28.9	26.5	23.2	52.1	50.9	30.3	27.8	25.5	55.9	49.8
45-49	23.9	22.4	12.6	36.5	61.3	26.7	25.0	14.3	41.0	60.9
Marital Status										
Married, or in union	30.1	28.1	26.0	56.1	50.2	na	na	na	na	na
Unmarried, sexually active	58.7	53.4	25.6	84.3	63.3	na	na	na	na	na
Parity										
0-1 children	33.0	31.6	20.4	53.5	59.0	30.8	29.5	22.3	53.1	55.4
2-3 children	30.7	28.5	26.3	57.0	50.0	30.3	28.2	27.5	57.9	48.8
4+ children	32.3	30.2	26.8	59.0	51.1	33.1	30.9	27.9	61.0	50.6
Residence										
Urban	36.7	33.7	11.3	47.9	70.4	43.7	40.0	16.5	60.2	66.4
Rural	24.6	23.0	24.0	48.6	47.4	27.3	25.6	27.9	55.2	46.4
Education										
Never	24.6	23.1	25.1	49.7	46.5	26.4	24.8	27.2	53.6	46.3
Primary	29.6	27.7	20.0	49.7	55.8	34.7	32.4	25.9	60.6	53.5
Secondary 1 Cycle	29.7	27.5	12.9	42.6	64.5	42.7	39.3	22.1	64.8	60.6
Secondary 2 Cycles	40.1	34.6	7.0	47.2	73.3	51.5	45.4	9.1	60.6	74.9
Tertiary	45.3	41.1	4.6	49.9	82.4	61.9	53.3	5.6	67.5	79.0
Wealth Quintile										
Lowest	23.5	21.8	25.8	49.3	44.3	25.9	24.3	30.6	56.5	43.1
Middle	25.0	23.7	23.4	48.4	49.0	28.4	26.9	26.9	55.2	48.7
Highest	33.7	31.0	13.9	47.6	65.1	37.6	34.4	19.0	56.6	60.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=3353)			Married ¹ Women with 1 or More Births (N=3112)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	70.2	27.8	2.0	71.1	27.0	1.9
Age Group						
15-19	69.3	28.7	2.0	75.8	24.1	0.2
20-24	71.9	27.6	0.5	74.4	25.1	0.4
25-29	71.0	28.7	0.3	71.0	28.7	0.3
30-34	72.3	27.0	0.7	72.7	26.7	0.7
35-39	65.1	30.6	4.3	65.1	30.6	4.3
40-44	71.3	25.4	3.4	71.1	25.4	3.5
45-49	64.7	16.7	18.6	63.0	17.7	19.3
Marital Status						
Married, or in union	71.1	27.0	1.9	na	na	na
Unmarried, sexually active	32.3	59.7	8.0	na	na	na
Parity						
0-1 children	75.0	23.7	1.3	80.8	18.5	0.7
2-3 children	72.2	27.5	0.2	72.4	27.4	0.2
4+ children	67.0	29.5	3.5	66.9	29.6	3.5
Residence						
Urban	75.4	22.2	2.4	78.9	19.0	2.2
Rural	69.2	28.9	1.9	69.7	28.5	1.9
Education						
Never	70.5	27.3	2.2	70.5	27.2	2.2
Primary	71.3	27.6	1.1	72.4	27.0	0.6
Secondary 1 Cycle	66.6	31.3	2.1	72.0	26.2	1.9
Secondary 2 Cycles	65.6	31.1	3.2	73.0	24.3	2.8
Tertiary	80.1	18.7	1.2	82.5	16.1	1.4
Wealth Quintile						
Lowest	65.8	31.4	2.9	66.2	31.1	2.7
Middle	70.7	27.9	1.4	70.8	27.9	1.3
Highest	75.4	23.0	1.7	78.3	20.1	1.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 2006)
Total				
All	64.9	20.4	14.6	
Age Group				
15-19	47.9	25.8	26.4	
20-24	52.0	26.7	21.2	
25-29	71.8	17.7	10.5	
30-34	74.3	16.8	9.0	
35-39	65.8	18.2	15.9	
40-44	62.9	25.5	11.6	
45-49	86.7	7.3	6.0	
Marital Status				
Married, or in union	69.2	19.1	11.7	
Unmarried, sexually active	36.8	32.0	31.1	
Parity				
0-1 children	59.6	27.5	12.8	
2-3 children	65.4	20.5	14.0	
4+ children	73.9	15.8	10.3	
Residence				
Urban	57.7	24.8	17.5	
Rural	68.1	18.5	13.4	
Education				
Never	70.9	17.3	11.8	
Primary	65.4	19.8	14.8	
Secondary 1 Cycle	57.2	24.3	18.5	
Secondary 2 Cycles	41.8	32.3	25.9	
Tertiary	41.0	38.6	20.3	
Wealth Quintile				
Lowest	63.2	23.9	12.9	
Middle	73.6	13.8	12.7	
Highest	59.6	22.9	17.4	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(2006)	(1512)	(2006)	(1512)	(1015)	(863)	(2006)	(1512)
All	61.6	65.8	53.5	57.4	87.5	89.9	64.5	68.8
Age Group								
15-19	49.8	66.2	46.1	69.2	71.4	<i>81.0</i>	55.3	75.7
20-24	55.5	63.9	46.1	52.6	79.2	83.9	57.8	66.2
25-29	63.8	65.9	51.7	52.7	89.7	90.1	63.8	66.2
30-34	67.3	68.6	58.3	59.7	86.5	86.6	73.4	74.4
35-39	60.6	60.8	57.0	57.5	95.9	95.9	63.3	63.2
40-44	73.7	74.1	64.9	65.9	95.4	96.3	72.2	74.0
45-49	57.8	58.2	49.6	49.9	93.3	94.0	63.3	63.8
Marital Status								
Married, or in union	65.8	na	57.4	na	89.9	na	68.8	na
Unmarried, sexually active	34.4	na	29.3	na	58.5	na	33.8	na
Parity								
0-1 children	63.1	70.2	54.8	59.2	79.1	79.7	66.2	74.2
2-3 children	63.3	64.0	53.2	53.9	90.0	89.7	64.7	65.1
4+ children	65.9	65.9	58.0	58.1	92.3	92.5	69.4	69.6
Residence								
Urban	59.7	70.4	48.7	57.4	87.0	88.4	61.5	72.8
Rural	62.4	64.3	55.5	57.4	87.7	90.4	65.7	67.6
Education								
Never	64.5	65.0	56.8	57.3	91.0	91.3	67.9	68.5
Primary	60.7	64.2	58.2	59.6	85.4	88.3	65.4	68.1
Secondary 1 Cycle	59.4	71.3	44.9	57.7	78.3	83.0	59.6	70.6
Secondary 2 Cycles	52.1	66.5	41.5	50.3	80.9	97.0	53.4	72.9
Tertiary	43.5	68.6	33.4	48.6	<i>90.2</i>	<i>96.9</i>	43.7	66.9
Wealth Quintile								
Lowest	64.3	65.8	57.8	59.6	86.2	89.8	63.8	65.9
Middle	61.6	62.9	53.9	55.1	88.9	90.8	70.1	71.0
Highest	59.7	68.6	50.0	57.7	87.5	89.2	60.7	69.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 1975)	(N = 1975)	(N = 1975)
All	90.8	90.0	87.5
Age Group			
15-19	82.3	85.6	79.9
20-24	85.4	87.0	84.3
25-29	88.9	90.1	85.1
30-34	93.8	91.4	89.4
35-39	93.4	88.4	87.9
40-44	97.6	95.8	95.4
45-49	99.0	95.8	95.1
Marital Status			
Married, or in union	94.1	92.7	90.6
Unmarried, sexually active	68.9	73.5	66.5
Parity			
0-1 children	90.2	91.6	87.7
2-3 children	90.2	91.3	87.2
4+ children	96.1	93.1	92.0
Residence			
Urban	85.1	84.5	81.4
Rural	93.2	92.4	90.0
Education			
Never	95.1	92.1	90.8
Primary	91.4	93.4	89.5
Secondary 1 Cycle	84.5	86.9	82.2
Secondary 2 Cycles	71.8	73.3	69.2
Tertiary	80.3	81.3	78.5
Wealth Quintile			
Lowest	93.5	91.5	90.2
Middle	93.5	93.1	90.0
Highest	86.6	86.6	83.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(6590)	(4391)	(6590)	(4391)	(6590)	(4391)
All	11.3	12.7	23.2	28.6	29.3	34.7
Age Group						
15-19	7.3	9.4	8.7	24.8	14.8	30.2
20-24	10.2	10.1	27.1	31.5	32.6	35.8
25-29	13.8	14.4	32.1	34.0	38.2	40.2
30-34	15.8	16.4	32.1	32.9	39.3	40.4
35-39	10.6	10.8	30.0	31.0	33.2	34.0
40-44	10.8	11.6	19.0	20.4	26.1	28.1
45-49	13.5	14.0	13.3	13.2	22.5	23.0
Marital Status						
Married, or in union	12.7	na	28.6	na	34.7	na
Unmarried, sexually active	8.5	na	11.0	na	18.5	na
Parity						
0-1 children	9.0	8.9	28.8	30.1	33.3	33.8
2-3 children	11.2	11.3	30.4	31.4	36.2	37.0
4+ children	14.7	15.1	28.1	28.8	34.8	35.6
Residence						
Urban	6.4	6.1	17.0	23.8	21.2	27.2
Rural	12.8	14.0	25.0	29.7	31.7	36.3
Education						
Never	12.8	13.8	26.3	28.7	32.8	35.5
Primary	8.8	10.2	22.5	28.6	26.3	32.1
Secondary 1 Cycle	9.3	9.5	14.5	27.3	21.7	32.6
Secondary 2 Cycles	11.0	9.6	17.9	34.8	26.0	39.7
Tertiary	5.1	6.3	14.8	26.3	17.9	28.5
Wealth Quintile						
Lowest	14.8	16.9	25.7	30.9	32.8	38.2
Middle	9.7	10.9	24.0	28.5	29.4	34.3
Highest	9.3	9.5	19.7	26.1	25.5	30.8

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	3570	2274	5844
Households Occupied	3513	2251	5764
Households Interviewed	3453	2242	5695
Household Response Rate ¹	98.29%	99.60%	98.80%
Interviews with Women			
Number of Eligible Women ²	4142	2739	6881
Number of Eligible Women Interviewed	3979	2611	6590
Eligible Woman Response Rate ³	96.06%	95.33%	95.77%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.255	0.014	0.228	0.283	0.281	0.016	0.251	0.314
Currently using a traditional method	0.019	0.004	0.013	0.027	0.020	0.004	0.013	0.029
Currently using any contraceptive method	0.274	0.014	0.246	0.302	0.301	0.017	0.269	0.335
Currently using DMPA-IM	0.146	0.016	0.117	0.180	0.161	0.019	0.127	0.202
Currently using DMPA-SC	0.097	0.014	0.072	0.129	0.107	0.015	0.081	0.140
Currently using condoms	0.116	0.013	0.093	0.145	0.047	0.009	0.033	0.068
Currently using implants	0.432	0.023	0.388	0.477	0.470	0.024	0.423	0.517
Chose method by self or jointly in past 12 months	0.854	0.014	0.824	0.879	0.883	0.015	0.851	0.909
Informed by provider about other methods	0.616	0.028	0.560	0.669	0.658	0.029	0.599	0.712
Informed by provider about side effects	0.535	0.032	0.471	0.597	0.574	0.034	0.506	0.639
Satisfied with provider: Would return and refer friend/relative to provider	0.875	0.016	0.839	0.903	0.906	0.013	0.876	0.929
Visited by health worker who talked about family planning in past 12 months	0.113	0.017	0.084	0.151	0.127	0.020	0.092	0.172

¹ Married includes married women and those who are living with a man